





City of Moore

Survey Control Monument Data Sheet

Monument 202



Monument 202
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 712798.53
Easting: 2114145.67
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1200.805
Geodetic Coordinates
North Latitude: 35° 17' 27.44084"
West Longitude: 97° 30' 43.09784"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "WMOK", and "OKDN"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "WMOK", and "OKDN"</i>
Combined Scale Factor: 0.999959
References: AT&T Riser 68.5' SE Stop sign 53.0' SE Power pole 44.7' S
3-1/2in Bronze Disc in Concrete Set in grassed area in the northeast corner of the intersection of Indian Hills Rd and S Sante Fe Ave.






City of Moore

Survey Control Monument Data Sheet

Monument 203

	Monument 203
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 712945.714
	Easting: 2119363.685
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1185.906
	Geodetic Coordinates
	North Latitude: 35° 17' 28.64252"
	West Longitude: 97° 29' 40.14637"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>	
Combined Scale Factor: 0.999959	
References:	
6" Pipe bollard 26.9' NW 3" Pipe bollard 23.2' N Power pole 54.0' E	
3-1/2in Bronze Disc in Concrete Set in grassed area in the northwest corner of the intersection of Indian Hills Rd and 36th Ave NW.	






City of Moore

Survey Control Monument Data Sheet

Monument 204



Monument 204
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 712839.442
Easting: 2123718.354
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1155.427
Geodetic Coordinates
North Latitude: 35° 17' 27.37269"
West Longitude: 97° 28' 47.62439"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>
Combined Scale Factor: 0.999961
References: Concrete corner of bridge 47.4' W Power pole 45.3' NE Edge of road 11.5' S
3-1/2in Bronze Disc in Concrete Set in grassed area on the northeast side of the creek and approximately 11.5' north of the edge of road/guard rail of bridge on Indian Hills Rd and is situated between I-35 and Mathis Fox Ln.





City of Moore

Survey Control Monument Data Sheet


Monument 206



Monument 206
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 712974.106
Easting: 2135284.152
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1176.044
Geodetic Coordinates
North Latitude: 35° 17' 28.09315"
West Longitude: 97° 26' 28.10272"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKDT", and "OKPR"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKDT", and "OKPR"</i>
Combined Scale Factor: 0.99996
3-1/2in Bronze Disc in Concrete Set in grassed area in the northeast corner of the intersection of Indian Hills Rd and S Sunnyslane Rd, on top of a knoll.

References:

- AT&T Riser 47.5' NW
- Power pole 83.1' S
- AT&T Riser 75.2' S







City of Moore

Survey Control Monument Data Sheet

Monument 207



Monument 207
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 712841.588
Easting: 2141661.564
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1160.106
Geodetic Coordinates
North Latitude: 35° 17' 26.42665"
West Longitude: 97° 25' 11.18416"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>
Combined Scale Factor: 0.999961
References: Mailbox 51.6' N 10" Corner fence post 46.0' E 10" Corner fence post 15.2' SE
3-1/2in Bronze Disc in Concrete Set in grassed area on the south side of Indian Hills Rd, situated approximately halfway between S Sooner Rd and Pyle St.






City of Moore

Survey Control Monument Data Sheet

Monument 208



Monument 208
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 713322.638
Easting: 2145760.032
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1160.487
Geodetic Coordinates
North Latitude: 35° 17' 30.94844"
West Longitude: 97° 24' 21.71244"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Combined Scale Factor: 0.999961
References: Power pole 28.8' N Power pole 96.0' N AT&T Riser 104.0' NE
3-1/2in Bronze Disc in Concrete Set in grassed area on the west side of S Air Depot Blvd near Sunset Memorial Park, north of the intersection of Indian Hills Rd and S Air Depot Blvd





City of Moore

Survey Control Monument Data Sheet


Monument 209



Monument 209
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 718274.813
Easting: 2145783.522
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1166.018
Geodetic Coordinates
North Latitude: 35° 18' 19.92374"
West Longitude: 97° 24' 21.07740"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>
Combined Scale Factor: 0.999963
3-1/2in Bronze Disc in Concrete Set in grassed area in the northeast corner of the intersection of SE 164th and S Air Depot Blvd.

References:

- Speed limit sign 102.3' NW
- Metal corner fence post 78.0' S
- Power pole 36.5' S






City of Moore

Survey Control Monument Data Sheet

Monument 210



Monument 210
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 718139.025
Easting: 2140328.965
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1203.239
Geodetic Coordinates
North Latitude: 35° 18' 18.89345"
West Longitude: 97° 25' 26.89399"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKCL", "OKDN", and "WMOK"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKCL", "OKDN", and "WMOK"</i>
Combined Scale Factor: 0.999962
References: Power pole 47.2' NW 6" Corner fence post 23.8' SW Guy anchor 14.8' SW
3-1/2in Bronze Disc in Concrete Set in grassed area on the south side of SE 34th St, between the intersection of SE 34th St and S Sooner Rd and a lease road west of said intersection.





City of Moore

Survey Control Monument Data Sheet


Monument 211



Monument 211
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 718032.872
Easting: 2135117.557
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1135.693
Geodetic Coordinates
North Latitude: 35° 18' 18.13320"
West Longitude: 97° 26' 29.77465"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>
Combined Scale Factor: 0.999965
3-1/2in Bronze Disc in Concrete Set in grassed area in the southwest corner of the intersection of SE 34th St and S Sunnyslane Rd, northeast of Timber Creek Elementary parking lot.

References:

- Power pole 61.6' NW
- Water Manhole 37.1' NE
- Power pole 41.3' NE





City of Moore

Survey Control Monument Data Sheet


Monument 212



Monument 212
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 718055.804
Easting: 2129827.157
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1215.542
Geodetic Coordinates
North Latitude: 35° 18' 18.64484"
West Longitude: 97° 27' 33.59968"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Combined Scale Factor: 0.999961
3-1/2in Bronze Disc in Concrete Set in grassed area between the sidewalk and road in the southwest corner of the intersection of SE 34th St and S Bryant Ave.

References:

- Stop sign 10.4' NE
- Water valve 16.8' E
- AT&T Riser 11.4' SE






City of Moore

Survey Control Monument Data Sheet

Monument 213



Monument 213
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 718126.84
Easting: 2126020.902
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1202.422
Geodetic Coordinates
North Latitude: 35° 18' 19.54666"
West Longitude: 97° 28' 19.51617"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>
Combined Scale Factor: 0.999962
References: Power pole 24.6' W Power pole 38.1' S AT&T Riser 40.0' SW
3-1/2in Bronze Disc in Concrete Set in grassed area in the northeast corner of the southwest entrance to Broadmoore Elementary, west of the intersection of SW 34th St and S Broadway St.





City of Moore

Survey Control Monument Data Sheet


Monument 214



Monument 214
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 718086.219
Easting: 2119241.522
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1193.961
Geodetic Coordinates
North Latitude: 35° 18' 19.48804"
West Longitude: 97° 29' 41.30960"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>
Combined Scale Factor: 0.999962
3-1/2in Bronze Disc in Concrete Set in grassed area in the northwest corner of the intersection of SW 34th St and S Telephone Rd.

References:

- SW corner of water access pad 3.2' NE
- Water valve 6.4' E
- Top nut of fire hydrant 43.0' SE







City of Moore

Survey Control Monument Data Sheet

Monument 215



Monument 215
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 718061.069
Easting: 2113976.24
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1205.703
Geodetic Coordinates
North Latitude: 35° 18' 19.49535"
West Longitude: 97° 30' 44.83491"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Combined Scale Factor: 0.999962
References: Metal corner fence post 5.5' W SW corner of water access pad 25.2' N Water manhole 46.7' NE
3-1/2in Bronze Disc in Concrete Set in grassed area in the northwest corner of the intersection of SW 164th St and S Sante Fe Ave, southeast of Oakridge Elementary.






City of Moore

Survey Control Monument Data Sheet

Monument 216



Monument 216
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 718000.383
Easting: 2108574.563
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1217.511
Geodetic Coordinates
North Latitude: 35° 18' 19.14840"
West Longitude: 97° 31' 50.00783"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>
Combined Scale Factor: 0.999961
References: Power pole 47.9' W 24" Tree 74.9' NW Top nut of fire hydrant 70.7' SE
3-1/2in Bronze Disc in Concrete Set in grassed area in the northwest corner of the intersection of SW 164th St and S Western Ave, south of Oklahoma Baptist Homes for Children.






City of Moore

Survey Control Monument Data Sheet

Monument 217




Monument 217
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 723301.495
Easting: 2108791.865
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1202.084
Geodetic Coordinates
North Latitude: 35° 19' 11.56606"
West Longitude: 97° 31' 47.08813"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Combined Scale Factor: 0.999965

References:

Traffic control arm 14.9' NW
 Storm Manhole 36.2' NW
 Power pole 49.0' SE

3-1/2in Bronze Disc in Concrete Set in grassed area in the northeast corner of the intersection of SW 149th St and S Western Ave.






City of Moore

Survey Control Monument Data Sheet

Monument 218

	Monument 218
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 723235.203
	Easting: 2114397.738
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1208.036
	Geodetic Coordinates
	North Latitude: 35° 19' 10.64701"
	West Longitude: 97° 30' 39.44722"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>	
Combined Scale Factor: 0.999965	
References: Power pole 64.1' NW NE corner of CVS parking lot curb 18.9' S Top nut of fire hydrant 76.8' SW	3-1/2in Bronze Disc in Concrete Set in grassed area at the northeast corner of CVS Pharmacy parking lot, east of the intersection of SW 19th St and S Sante Fe Ave.





City of Moore

Survey Control Monument Data Sheet


Monument 219



Monument 219
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 723408.242
Easting: 2119086.985
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1201.12
Geodetic Coordinates
North Latitude: 35° 19' 12.13006"
West Longitude: 97° 29' 42.85291"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKDT", and "OKPR"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKDT", and "OKPR"</i>
Combined Scale Factor: 0.999965
3-1/2in Bronze Disc in Concrete Set in grassed area at the southeast corner of ALDI Supermarket, north side of SW 19th St, and situated between Fritts Blvd and S Telephone Rd.

References:

Power pole 34.2' SW
 SE corner of headwall 15.9' NE
 AT&T Riser 43.6' S






City of Moore

Survey Control Monument Data Sheet

Monument 220



Monument 220
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 723714.932
Easting: 2124640.868
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1218.242
Geodetic Coordinates
North Latitude: 35° 19' 14.88345"
West Longitude: 97° 28' 35.81621"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKPR", and "OKCL"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKPR", and "OKCL"</i>
Combined Scale Factor: 0.999964
References: Top nut of fire hydrant 28.0' NE Power pole 33.2' S Sanitary sewer manhole 22.2' S
3-1/2in Bronze Disc in Concrete Set in grassed area between the sidewalk and road at the northwest corner of 7-Eleven parking lot, in the northeast corner of the intersection of SE 19th St and S Eastern Ave.






City of Moore

Survey Control Monument Data Sheet

Monument 221



Monument 221
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 723310.564
Easting: 2129923.438
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1188.666
Geodetic Coordinates
North Latitude: 35° 19' 10.60882"
West Longitude: 97° 27' 32.09821"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Combined Scale Factor: 0.999966
References: Power pole 90.2' NW Power pole 81.6' NE Power pole 28.0' W
3-1/2in Bronze Disc in Concrete Set in grassed area in the southeast corner of the intersection of SE 19th St and S Bryant Ave.





City of Moore

Survey Control Monument Data Sheet


Monument 222



Monument 222
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 723190.329
Easting: 2135140.516
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1191.618
Geodetic Coordinates
North Latitude: 35° 19' 09.13866"
West Longitude: 97° 26' 29.15332"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKPR", and "OKCL"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKPR", and "OKCL"</i>
Combined Scale Factor: 0.999965
3-1/2in Bronze Disc in Concrete Set in grassed area in the southwest corner of the intersection of SE 19th St and S Sunnyslane Rd, at the northeast corner of Keep Sake Self Storage.

References:

- Power pole 6.3' W
- AT&T Riser 88.5' SE
- Metal corner fence post 27.8' SW






City of Moore

Survey Control Monument Data Sheet

Monument 223



Monument 223
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 724433.858
Easting: 2140410.824
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1223.879
Geodetic Coordinates
North Latitude: 35° 19' 21.14396"
West Longitude: 97° 25' 25.47278"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "WMOK"</i>
Combined Scale Factor: 0.999964
References: 8" Brace post 19.7' NW 8" Brace post 35.0' NW 8" Brace post 94.0' SE
3-1/2in Bronze Disc in Concrete Set in grassed area on west side of road approximately 1000' north of the intersection of SE 149th St and S Sooner Rd






City of Moore

Survey Control Monument Data Sheet

Monument 225

	Monument 225
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 728689.448
	Easting: 2134067.296
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1236.979
	Geodetic Coordinates
	North Latitude: 35° 20' 03.58262"
	West Longitude: 97° 26' 41.73851"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKCL", and "OKDN"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKCL", and "OKDN"</i>	
Combined Scale Factor: 0.999967	
References:	
Power pole 25.6' NW	
Water valve 13.5' E	
Vent pipe 13.6' E	
	3-1/2in Bronze Disc in Concrete Set in grassed area on north side of road near the intersection of SE 4th St and Noah Dr, west of the intersection of SE 4th St and S Sunnyslane Rd.






City of Moore

Survey Control Monument Data Sheet

Monument 226



Monument 226
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 728278.789
Easting: 2129447.825
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1187.422
Geodetic Coordinates
North Latitude: 35° 19' 59.76901"
West Longitude: 97° 27' 37.51675"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>
Combined Scale Factor: 0.999969
References: Corner of cinder block building 63.6' NW Corner of cinder block building 68.8' NW Sanitary sewer manhole 55.5' NE
3-1/2in Bronze Disc in Concrete Set in grassed area on west side of road of S Bryant Ave across from Veterans Memorial Park.






City of Moore

Survey Control Monument Data Sheet

Monument 227



Monument 227
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 728174.346
Easting: 2124521.026
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1220.87
Geodetic Coordinates
North Latitude: 35° 19' 58.99255"
West Longitude: 97° 28' 36.98341"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKDT", and "OKPR"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKDT", and "OKPR"</i>
Combined Scale Factor: 0.999967
References: Power pole 15.5' NW Speed limit sign 23.9' NE Top nut of fire hydrant 98.4' SE
3-1/2in Bronze Disc in Concrete Set in grassed area between the sidewalk and the west side of S Eastern Ave at Walmart, south of the intersection of SE 4th St and S Eastern Ave.






City of Moore

Survey Control Monument Data Sheet

Monument 228



Monument 228
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 728756.086
Easting: 2120823.671
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1229.187
Geodetic Coordinates
North Latitude: 35° 20' 04.93311"
West Longitude: 97° 29' 21.57013"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKPR", and "OKCL"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKPR", and "OKCL"</i>
Combined Scale Factor: 0.999967
References: Light pole 37.0' NW Light pole 92.1' NE 18" Tree 73.2' SE
3-1/2in Bronze Disc in Concrete Set in grassed area at the southwest side of Moore community center parking lot, northwest of the intersection of SW 4th St and S Howard Ave.






City of Moore

Survey Control Monument Data Sheet

Monument 229

	Monument 229
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 728620.826
	Easting: 2113957.358
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1229.896
	Geodetic Coordinates
	North Latitude: 35° 20' 03.93122"
	West Longitude: 97° 30' 44.44714"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDT", "WMOK", and "OKCL"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDT", "WMOK", and "OKCL"</i>	
Combined Scale Factor: 0.999967	
References: Water valve 10.1' NE Traffic control arm 18.6' NE Storm Manhole 13.0' E	3-1/2in Bronze Disc in Concrete Set in grassed area in the northwest corner of the intersection of SW 134th St and S Sante Fe Ave.





City of Moore

Survey Control Monument Data Sheet


Monument 230

	Monument 230
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 729462.999
	Easting: 2108750.335
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1211.707
	Geodetic Coordinates
	North Latitude: 35° 20' 12.50448"
	West Longitude: 97° 31' 47.24287"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDT", "WMOK", and "OKCL"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDT", "WMOK", and "OKCL"</i>	
Combined Scale Factor: 0.999968	

References:

Tornado siren 57.2' N
 Power pole 85.0' NE
 Mailbox 85.0' SE

3-1/2in Bronze Disc in Concrete Set in grassed area between The Crown Center parking lot and east side of S Western Ave, north of the intersection of SW 134th St and S Western Ave.






City of Moore

Survey Control Monument Data Sheet

Monument 231



Monument 231
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 733864.828
Easting: 2109035.397
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1233.255
Geodetic Coordinates
North Latitude: 35° 20' 56.02462"
West Longitude: 97° 31' 43.55431"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKDT", and "OKPR"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKDT", and "OKPR"</i>
Combined Scale Factor: 0.99997
References: AT&T Riser 11.6' NW SE corner of transformer box 28.2' N SW corner of parking lot curb 35.3' N
3-1/2in Bronze Disc in Concrete Set in grassed area on north side of SW 119th St between Chase Bank and Chris' Express Drug, east of the intersection of SW 119th St and S Western Ave.





City of Moore

Survey Control Monument Data Sheet

Monument 232




Monument 232
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 733917.646
Easting: 2114261.32
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1254.948
Geodetic Coordinates
North Latitude: 35° 20' 56.30124"
West Longitude: 97° 30' 40.46909"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKDN", and "OKDT"</i>
Combined Scale Factor: 0.999969

References:

SW corner of fenced property 18.8' NE
 Power pole 25.5' SE
 AT&T Riser 32.3' SE

3-1/2in Bronze Disc in Concrete Set in grassed area on north side of road between 7-Eleven and Kings Ct, east of the intersection of NW 12th St and N Sante Fe Ave.






City of Moore


Survey Control Monument Data Sheet

Monument 233



Monument 233
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 733423.679
Easting: 2118909.681
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1249.282
Geodetic Coordinates
North Latitude: 35° 20' 51.18988"
West Longitude: 97° 29' 44.38844"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "OKLW"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "OKLW"</i>
Combined Scale Factor: 0.999969
References: NE Corner of transformer box 86.9' NW East side of sign post 53.4' SW West side of sign post 60.1' SW
3-1/2in Bronze Disc in Concrete Set in grassed area southwest of the intersection of NW 12th St and I-35, northeast of All Hours Animal Hospital.

References:
NE Corner of transformer box 86.9' NW
East side of sign post 53.4' SW
West side of sign post 60.1' SW






City of Moore

Survey Control Monument Data Sheet

Monument 234



Monument 234
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 734478.415
Easting: 2124466.904
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1258.029
Geodetic Coordinates
North Latitude: 35° 21' 01.34129"
West Longitude: 97° 28' 37.24236"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKCL", "OKPR", and "OKDN"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKCL", "OKPR", and "OKDN"</i>
Combined Scale Factor: 0.999969
References: Storm Manhole 85.4' SE NE corner of storm drain 82.2' SW Truck entrance sign 29.6' SW
3-1/2in Bronze Disc in Concrete Set in grassed area at the northeast corner of Crest Foods parking lot, north of the intersection of NE 12th St and N Eastern Ave.






City of Moore

Survey Control Monument Data Sheet

Monument 235

	Monument 235
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 733929.85
	Easting: 2129715.441
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1241.097
	Geodetic Coordinates
	North Latitude: 35° 20' 55.64264"
	West Longitude: 97° 27' 33.92168"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDN", "OKLW", and "OKCL"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDN", "OKLW", and "OKCL"</i>	
Combined Scale Factor: 0.99997	
References:	
8" Corner fence post 20.0' SW 8" Corner fence post 16.5' NE Power pole 19.2' SE	
3-1/2in Bronze Disc in Concrete Set in grassed area in the northwest corner of the intersection of NE 12th St and N Bryant Ave.	






City of Moore

Survey Control Monument Data Sheet



Monument 236
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 733911.902
Easting: 2135143.45
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1263.459
Geodetic Coordinates
North Latitude: 35° 20' 55.17282"
West Longitude: 97° 26' 28.40162"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "WMOK", "OKLW", and "OKDT"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "WMOK", "OKLW", and "OKDT"</i>
Combined Scale Factor: 0.999969
3-1/2in Bronze Disc in Concrete Set in grassed area in the southeast corner of the intersection of NE 12th St and S Sunnyslane Rd.

References:
 Stop sign 20.5' W
 Vent pipe 17.7' NE
 Power pole 18.7' SE





City of Moore

Survey Control Monument Data Sheet


Monument 237



Monument 237
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 739250.903
Easting: 2135027.202
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1286.001
Geodetic Coordinates
North Latitude: 35° 21' 47.98042"
West Longitude: 97° 26' 29.44819"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>
Combined Scale Factor: 0.999971
3-1/2in Bronze Disc in Concrete Set in grassed area in the northwest corner of the intersection of SE 104th St and S Sunnylane Rd.

References:

- Power pole 24.3' SW
- Stop sign 24.4' NE
- AT&T Riser 18.4' SW






City of Moore

Survey Control Monument Data Sheet

Monument 238



Monument 238
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 739181.877
Easting: 2129133.585
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1293.787
Geodetic Coordinates
North Latitude: 35° 21' 47.61457"
West Longitude: 97° 27' 40.60685"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "OKLW"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "OKLW"</i>
Combined Scale Factor: 0.999971
References: Stop sign 59.7' SW Power pole 43.5' E Gas valve 49.3' SE
3-1/2in Bronze Disc in Concrete Set in grassed area on north side of road at the intersection of NE 27th St and Siena Blvd, west of the intersection of NE 27th St and S Bryant Ave.





City of Moore

Survey Control Monument Data Sheet

Monument 239




Monument 239
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 739238.878
Easting: 2124262.278
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1272.468
Geodetic Coordinates
North Latitude: 35° 21' 48.43150"
West Longitude: 97° 28' 39.41501"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "OKLW"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "OKLW"</i>
Combined Scale Factor: 0.999972

References:

- Storm Manhole 25.4' SW
- Speed limit sign 77.0' SE
- Power pole 16.1' S

3-1/2in Bronze Disc in Concrete Set in grassed area in the northwest corner of the intersection of NE 27th St and N Eastern Ave.






City of Moore

Survey Control Monument Data Sheet

Monument 240



Monument 240
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 739197.958
Easting: 2118436.088
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1303.967
Geodetic Coordinates
North Latitude: 35° 21' 48.31945"
West Longitude: 97° 29' 49.75781"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKCL", and "OKDT"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKCL", and "OKDT"</i>
Combined Scale Factor: 0.99997
References: Storm Manhole 35.0' W Telephone Manhole 66.3' NW Power pole 76.6' NW
3-1/2in Bronze Disc in Concrete Set in grassed area in the northeast corner of the intersection of NW 27th St and Poplar Dr, between City Electric Supply and I-35 Discount Tobacco.






City of Moore

Survey Control Monument Data Sheet

Monument 241

	Monument 241
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 739207.587
	Easting: 2114054
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1286.658
	Geodetic Coordinates
	North Latitude: 35° 21' 48.62740"
	West Longitude: 97° 30' 42.66280"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "OKLW"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKDN", and "OKLW"</i>	
Combined Scale Factor: 0.999971	
References:	
Top nut of fire hydrant 41.7' W	
Traffic control arm 51.9' NW	
Light pole 38.1' NW	
3-1/2in Bronze Disc in Concrete Set in grassed area in the northeast corner of the intersection of SW 104th St and N Sante Fe Ave.	






City of Moore

Survey Control Monument Data Sheet

Monument 242



Monument 242
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 739057.096
Easting: 2108543.548
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1259.266
Geodetic Coordinates
North Latitude: 35° 21' 47.39758"
West Longitude: 97° 31' 49.19979"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDN", "OKLW", and "OKCL"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDN", "OKLW", and "OKCL"</i>
Combined Scale Factor: 0.999972
References: Light pole 47.2' SW Traffic signal box 13.7' NE Power pole 29.1' E
3-1/2in Bronze Disc in Concrete Set in grassed area in the southwest corner of the intersection of SW 104th St and S Western Ave, northeast of Mazzio's Pizza parking lot.






City of Moore

Survey Control Monument Data Sheet

Monument 243

	Monument 243
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 744102.811
	Easting: 2109274.327
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1252.724
	Geodetic Coordinates
	North Latitude: 35° 22' 37.26454"
	West Longitude: 97° 31' 40.09202"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDN", "OKDT", and "OKPR"</i>	
Combined Scale Factor: 0.999976	
References:	3-1/2in Bronze Disc in Concrete Set in grassed area on south side of road, north of Leslie's Pool Supplies, east of creek headwall, and east of the intersection of SW 89th St and S Western Ave.
NE Corner of headwall 39.3' NW	
Power pole 17.8' NW	
Power pole 66.8' NE	






City of Moore

Survey Control Monument Data Sheet

Monument 244

	Monument 244
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 744133.657
	Easting: 2113927.356
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1290.221
	Geodetic Coordinates
	North Latitude: 35° 22' 37.35082"
	West Longitude: 97° 30' 43.90431"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKCL", and "OKDN"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKCL", and "OKDN"</i>	
Combined Scale Factor: 0.999974	
References:	
Power pole 20.4' W Traffic control arm 16.8' NW Power pole 27.9' NE	
3-1/2in Bronze Disc in Concrete Set in grassed area in the southwest corner of the intersection of SE 89th St and S Sante Fe Ave.	





City of Moore

Survey Control Monument Data Sheet

Monument 245




Monument 245
Monument Description: 3-1/2 Bronze Disc
Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
Northing: 743967.664
Easting: 2118899.817
Vertical Datum - NAVD 88 (U.S. Foot)
Elevation: 1319.689
Geodetic Coordinates
North Latitude: 35° 22' 35.46750"
West Longitude: 97° 29' 43.87133"
Horizontal Control Statement:
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDN", "OKLW", and "OKCL"</i>
Vertical Control Statement:
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDN", "OKLW", and "OKCL"</i>
Combined Scale Factor: 0.999973

References:

- AT&T Riser 17.9' SW
- Power pole 56.3' NW
- Speed limit sign 78.4' N

3-1/2in Bronze Disc in Concrete Set in grassed area on west side of road between Wiring Solutions and Lead Sled Devils Tattooing, south of the intersection of SE 89th St and I-35 Frontage Rd.






City of Moore

Survey Control Monument Data Sheet

Monument 246

	Monument 246
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 744322.972
	Easting: 2124393.619
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1293.728
	Geodetic Coordinates
	North Latitude: 35° 22' 38.70487"
	West Longitude: 97° 28' 37.51128"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKDT", "OKCL", and "OKDN"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKDT", "OKCL", and "OKDN"</i>	
Combined Scale Factor: 0.999974	
References: Dead end sign 58.0' SW Power pole 29.8' W AT&T Riser 18.1' NW	3-1/2in Bronze Disc in Concrete Set in grassed area in the northwest corner of the intersection of SE 89th St and N Eastern Ave.





City of Moore

Survey Control Monument Data Sheet

Monument 247

	Monument 247
	Monument Description: 3-1/2 Bronze Disc
	Horizontal Datum: Oklahoma State Plane NAD83 (HARN), South Zone (U.S. Foot)
	Northing: 744288.573
	Easting: 2129815.981
	Vertical Datum - NAVD 88 (U.S. Foot)
	Elevation: 1319.879
	Geodetic Coordinates
	North Latitude: 35° 22' 38.08206"
	West Longitude: 97° 27' 32.03767"
Horizontal Control Statement:	
<i>The horizontal coordinates were derived from static GPS observations to NGS stations "OKPR", "OKCL", and "OKDN"</i>	
Vertical Control Statement:	
<i>The elevations for this control network were derived from static GPS observations to NGS stations "OKPR", "OKCL", and "OKDN"</i>	
Combined Scale Factor: 0.999973	
References: AT&T Riser 44.1' SW Power pole 41.9' SW Speed limit sign 80.2' NE	3-1/2in Bronze Disc in Concrete Set in grassed area in the southeast corner of the intersection of SE 89th St and S Bryant Ave.

