


Moore, OK

Pavement Management Report

April, 2023



IMS

Infrastructure Management Services

TABLE OF CONTENTS

1.0	EXECUTIVE SUMMARY	1
1.1.	Project Overview	1
1.2.	Results	2
1.3.	Findings and Recommendations	4
2.0	PRINCIPLES OF PAVEMENT MANAGEMENT	5
2.1.	Foreword	5
2.2.	Pavement Management Principles	5
2.3.	Pavement Management Program	7
2.4.	ESA Pavement Management System	7
2.5.	Pavement Condition Survey	10
2.6.	Field Survey Methodology	17
2.7.	Data Quality Assurance	18
2.8.	Summary	19
3.0	PAVEMENT CONDITION SURVEY RESULTS	20
3.1.	Foreword	20
3.2.	City Street Inventory and Condition Summary	20
3.3.	City Network Condition Imagery	21
3.4.	City Network Condition Distribution	28
3.5.	Condition By Functional Classification	29
3.6.	Structural and Load Associated Distress Analysis	29
3.7.	Summary	30
4.0	REHABILITATION PLAN AND BUDGET DEVELOPMENT	31
4.1.	Foreword	31
4.2.	Key Analysis Set Points and Assumptions	31
4.3.	Network Budget Analysis Models	33
4.4.	Post Rehabilitation Condition	37
4.5.	Summary	37
5.0	PROJECT RECOMMENDATIONS AND COMMENTS	38
5.1.	Project Summary and Recommendations	38
5.2.	Closing	38

APPENDED REPORTS

Appendix A

Appendix B

Appendix C

Following Page 38

Street Inventory and Condition Summary

\$5M/Yr. Street Rehabilitation Program by Segment

Full-Sized Maps

APPENDED MAPS

Functional Classification

Pavement Type

Current Pavement Condition Index

Assembled Projects

5 Year Rehabilitation Plan: \$5M Annual Budget

5 Year Post Rehabilitation PCI: \$5M Annual Budget

1.0 EXECUTIVE SUMMARY

1.1. Project Overview

In July of 2022, IMS deployed a state-of-the-art Road Surface Tester (RST) (shown in **Figure 1**) to Moore (City) to capture continuous, high-resolution pavement cracking, rutting, and roughness data on 257 centerline miles of asphalt and concrete roadways. Collected data were entered into the Easy Street Analysis™ (ESA) pavement management system, and representative pavement condition scores were determined for each roadway segment. The ESA pavement management system was used to develop multi-year pavement maintenance and rehabilitation (M&R) recommendations, which are included in this report.

The Pavement Condition Index (PCI) method was used in accordance with the American Society for Testing and Materials (ASTM) D6433 to assess the condition of the City's pavements. Widely used in the industry, the PCI method is a standard, objective, and repeatable approach to assess pavement condition. Based on the PCI results, ESA prioritizes funding using a cost-of-deferral approach, recommending M&R activities that optimize funding by selecting rehabilitation candidates only when they approach the critical point where a heavier maintenance activity will soon be needed to restore the roadway to full service.

The analysis and data presented in this report are based on the inspections performed by IMS in July 2022 on the City's pavement network, using available work history and other assumptions that are elaborated on later in this report. The information presented in the Executive Summary is condensed from various sections of this report. It is essential that reviewers familiarize themselves with the detailed information provided in subsequent sections of this report prior to making any specific decisions based on these results.



Figure 1 - IMS Road Surface Tester (RST)

1.2. Results

PCI values provide an indication of the surface conditions and structural integrity of a pavement. The 0 to 100 PCI range is commonly divided into various categories using descriptive terms. Divisions between the terms are not fixed but are meant to reflect common perceptions of pavement conditions. **Table 1** shows the categories chosen to represent the City's PCI assessment criteria, and it includes typical pavement distresses and M&R needs within each category.

Table 1. City of Moore's Pavement Condition Categories

Category	Typical Distresses and M&R Recommendations	PCI Range
Excellent	Like new condition – little to no maintenance required Monitor condition or preventive maintenance.	(85-100]
Very Good	Minor cracking, raveling, and other non-load associated distress Routine or preventive maintenance. <i>E.g., Crack sealing, surface treatment</i>	(70-85]
Good	Minor to moderate cracking and low severity load associated distresses such as alligator cracking and rutting. Surface treatments with localized repairs and overlays <i>E.g., Surface treatments, localized surface patching, thin overlay</i>	(60-70]
Fair	More extensive and severe longitudinal and transverse cracking, as well as moderate severity load associated distresses Localized repairs or major rehabilitation. <i>E.g., Localized surface and/or full-depth patching, moderate overlays</i>	(50-60]
Marginal	Localized high-severity alligator cracking, and rutting. Major rehabilitation. <i>E.g., Localized full-depth patching, mill and overlay, traditional overlay</i>	(40-50]
Poor	A greater extent of severe alligator cracking, rutting Major rehabilitation. <i>E.g., More extensive full-depth patching, mill and overlay, traditional overlay</i>	(25-40]
Very Poor	Extensive and severe alligator cracking, more extensive and deeper rutting, and potholes. Major rehabilitation. <i>E.g., Full-depth reclamation, reconstruction</i>	[0-25]

The City’s roadways were found to be in good condition **with an average PCI of 70**. Approximately 49% of the City’s roadways were found to be in excellent or very good condition. These pavements are candidates for more cost-effective pavement preservation treatments. Pavements with a PCI below 40 (i.e., pavements in poor or very poor condition) comprise the City’s “backlog” of M&R. The **City’s backlog was found to be approximately 1%**. A breakdown of the condition distribution of the City’s pavement network is shown in **Figure 2**. Detailed information on pavement conditions can be found in section 3.




Figure 2 - Pavement Condition Overview

The following **Figure 3** demonstrates some of the funding models produced within the ESA spreadsheet. The current budget is represented by the green line, while the steady state (funding needed to maintain current PCI) is presented by the red line.




Figure 3 - Funding Models vs PCI in 5-years

1.3. Findings and Recommendations

For the City to get the most return on investment from the ESA Pavement Management System, IMS presents the City with the following findings and recommendations:

- The City's network-level PCI is 70, and the backlog represents 1% of the network.
- Maintain a low backlog, thereby freeing up funds for inexpensive pavement preservation activities, such as microsurfacing.
- Focus on the restoration of roads in the "Marginal to Fair" PCI range through the use of strategic overlays.
- Concentrate rehabs on critical PCI candidates. ESA recommendations produce optimal results when maintenance work is focused on roads that are at their "Critical PCI" point.
- Current \$5M/Yr. budget will result in a PCI of 73 and a backlog of 3% after the 5-year budget horizon. (Detailed funding projections are presented in section 4)

2.0 PRINCIPLES OF PAVEMENT MANAGEMENT

2.1. Foreword

This section covers the basics of pavement management, discussing its purpose of as well as best practices for M&R planning as they relate to the lifecycle of a pavement. It explains how these concepts interact within the ESA pavement management system that was implemented and will provide context for the findings and recommendations within the report.

2.2. Pavement Management Principles

Pavement management is the process of assessing, prioritizing, and preserving or rehabilitating pavements through a logical system that attempts to use available funds in the most cost-effective manner possible. It is generally an iterative process that grows in accuracy as more data becomes available to better refine prediction models. **Figure 4** illustrates that, typically, pavements start deteriorating rapidly once they hit a specific threshold. A nominal investment in cheaper surface treatments at 40% lifespan is much more cost-effective than deferring maintenance until heavier overlays or possibly reconstruction is required just a few years later. Streets that are repaired while in good condition will have an extended lifetime and will cost less over their lifetime than those left to deteriorate to a poor condition. Without an adequate routine pavement maintenance program, streets will require more frequent reconstruction, thereby requiring significantly greater funding.




Figure 4 - Pavement Deterioration and Life Cycle Costs

The types of rehabilitation activities that the City chooses to deploy can have a significant effect on the longevity of a pavement. Depending on the zone in which a pavement falls, a detailed rehabilitation strategy set needs to be formed. Common rehabilitation types include Stop Gap, Rehabilitation, Reconstruction, and Preventive Maintenance. It is the proper incorporation and application of M&R activities within the Preventative Maintenance category that a pavement management program leverages. Popular examples of cost-effective preventive activities include:

- Crack and Joint Sealing
- Microsurfacing
- Rejuvenating agents
- Patching
- Fog, Slurry, and Chip Seals
- Thin Overlays

These activities help maintain and repair the surface integrity which can slow deterioration and depending on the treatment, also extend the life of a pavement. The outcome of this exercise is the long-term cost savings and an increase in network-level pavement quality over time. **Figure 5** illustrates the concept of extending pavement life through the application of timely M&R activities.




Figure 5 - Pavement Life Cycle Curve

The best method to obtain the most optimal usage of available funds or to determine the required funding to achieve a predetermined level of service is through the use of a pavement management system. An effective pavement management system can assist agencies in developing an organized catalog of pavement assets, store periodic condition assessments, track spending and costs, compare trends in data, and assess the effectiveness of maintenance activities and new technologies.

2.3. Pavement Management Program

The practical implementation of a pavement management program requires that an agency have an accurate understanding of the assets under its management. To fulfill this requirement IMS was contracted by Moore, OK to conduct a comprehensive pavement condition assessment and pavement management analysis on the City's roadway network.

2.4. ESA Pavement Management System

The City primarily utilizes Easy Street Analysis™ (ESA) for its pavement management program. ESA is a proprietary spreadsheet-based software alternative developed by IMS. It is intended to be easy to use while still offering all of the capabilities of a standalone software package. ESA will allow the City to catalog, classify, assess, track, and analyze condition data to aid in the processes of budget planning and pavement rehabilitation.

More specifically the program will help the City through the process of pavement management by giving structure to the basic information required for a management system:



- Pavement Section Inventory
- Pavement Deterioration Modeling
- Prioritization
- Funding Analysis
- Inspection Data
- Rehabilitation Selections & History
- Work Planning
- Reporting

The following pages will briefly detail the reasoning behind why this information is collected and used within the management program.

Pavement Section Inventory

An accurate inventory of all City-owned streets is necessary to make any determinations, assumptions, or projections within a management system. The individual attributes about length, width, location, traffic use, surface type, condition, and other factors that may be tracked are all tied back to a single management segment within ESA and given a unique ID within the program. The attributes stored here determine what types of rehabilitation activities can be applied, how the section is prioritized within the system, and allow for placement and sorting during reporting.

Inspection Data

ESA has the ability to use a blended condition index depending on the goals and requirements of the City which allows a custom reporting value to be built that is representative of aspects being considered to rank the condition of a pavement. The inputs for this index rely on inspection data from the field survey. In addition to the data collected for PCI, International Roughness Index (IRI) data was also used in ESA. Details on the individual components of the inspection are available in section 2.5.

Pavement Deterioration Modeling

Inspection data by itself is only able to represent conditions at the time of collection. Within ESA there are customizable curves that predict the rate of pavement deterioration based on a street's functional class, pavement type, and strength rating. The guiding concept is that pavements with like uses and attributes will deteriorate at similar rates. As such, high volume asphalt arterials in already poor conditions would be expected to deteriorate faster and are represented in **Figure 6** below with a purple line. On the opposite end of the spectrum, low volume concrete local streets would be expected to deteriorate slowly and are represented with a blue dashed line.




Figure 6 - Pavement Deterioration Curves

Rehabilitation Work Selections & History

ESA uses a set of protocols that allow for activities to be assigned to PCI ranges based on filter criteria that give the City the ability to create detailed rehabilitation strategy sets for each functional class and pavement type according to the best practices determined for that pavement.

As planned rehabilitation work is completed a record of the work should be added to the pavement management system. This ensures that conditions are up to date for future selections and creates a repository of information to aid in planning.

Prioritization

Within ESA the option is available to prioritize pavement projects for rehabilitation based on six main criteria: PCI, Cost of Deferral, Pavement Strength, Pavement Type, Functional Class, and the Area of a segment. Depending on the goals set forth at the beginning of the project these criteria can be weighted differently based on their definition to create an overall priority factor for a project. Additional details on these factors are available in section 4.2.

Project planning

The ability to plan work as needed allows the management program to better reflect the realities of a paving program. Certain constraints may be applied to funds that require their use within a certain year and activities relating to other assets may dictate the time and type of work to be performed. ESA allows for predefined projects to be entered into the management plan to account for work that is known. This ensures that the final outcome is consistent with overall City planning and accurately reflects current funding allocations.

In terms of pavement management efficiency, a program based on worst-first, that is starting at the lowest rated street and working up towards the highest, does not achieve an optimal expenditure of funds. Generally, under this scenario, agencies can not sufficiently fund pavement rehabilitation and lose ground despite injecting large amounts of capital into the network.

The preferred basis of rehabilitation candidate selection is to examine the cost of deferral of a street, against increased life expectancy.

Funding analysis

The actual process of determining where and when to spend funds is a function of inputs mentioned in the section. Information from the street section inventory, condition survey, deterioration modeling, rehabilitation activity protocols, prioritization, and project planner are all assessed to predict the outcomes of funding scenarios. These can either be goal-based or budget-based. A more detailed description is available in Section 5.

Reporting

ESA has the ability to generate basic reports for common data requests through a set of predefined layouts. This allows for quick access to section condition summaries, inspection data, budget scenario summaries, and data charts. The GIS data used to generate this report is also linked to the section summary information to allow for quick and easy visualizations of the data if imported into a GIS utility. An example of data, as presented in ESA, can be seen in **Figure 7**.




Figure 7 - Example of ESA City Data

2.5. Pavement Condition Survey

The goal of the pavement condition survey is to determine an accurate rating for each pavement section. The process of collecting and assessing data involves both automated and manual observations that originate from the data collected with the Road Surface Tester using Pavemetrics Laser Crack Measuring System (LCMS-2) downward imaging lasers, an array of 4k cameras, and trained rating personnel.

Within the “Network Analysis” tab in ESA, IMS has populated values for a SDI, Roughness Index, and Strength Rating. These three indices form the foundation on which ESA operates.

Surface Distress Index (SDI)

ASTM D6433 categorizes surface distress observations based on the extent and severity of distresses encountered along the length of the roadway for asphalt and concrete pavements. Presented on a 0 to 100 scale, the Surface Distress Index (SDI) is an aggregation of the observed pavement defects. However, not all surface distresses are weighted equally. Certain load-associated distresses (LAD) (caused by traffic loading), such as rutting or alligator cracking on asphalt streets, or divided slabs on concrete streets, have a much higher impact on the SDI than non-load associated distresses (NLAD) such as raveling or longitudinal and transverse cracking. Even at low extents and moderate severity (less than 10% of the total area), LAD can drop the SDI considerably. The rating systems also incorporates algorithms to correct for multiple or overlapping distresses within a segment to account for multiple distresses that may arise from a single cause. The SDI inputs are shown in **Figure 8**.




Figure 8 - SDI Inputs and Detailed Scale

ASTM D6433 covers nearly forty unique distress types that may or may not be present in an agency's road network. For that reason, IMS uses a modified approach that collects the most common and relevant distresses.

The descriptions on the following page outline some of the distresses collected for the City:

Table 2 - Distress Descriptions

Alligator Cracking – Quantified by the severity of the failure and square footage. This cracking is caused by the repeated bending a pavement experiences as vehicles pass over it. The cracks propagate from the bottom, meaning that structural failure has occurred. As a load-associated distress, it has a significant impact on the condition score, even at low extents.



Rutting – Starting at a minimum depth of ¼ inch, ruts are quantified by their depth and square footage. Rutting is caused by the permanent deformation of the pavement and/or subgrade layers. Low densities of rutting can have a large impact on the final condition score due to their implication of possible structural failure.



Longitudinal & Transverse Cracking – Quantified by their length and width. These cracks can be the result of pavement shrinkage due to natural daily and seasonal temperature cycles, construction issues, or other factors.



Block Cracking – Quantified by their width and square footage, these cracks form interconnected longitudinal and transverse cracks that divide the pavement into approximately rectangular pieces. Block cracking is the result of aging and environmental factors.



Patching – Quantified by the square footage and severity of patches. Even a good quality patch is considered a surface defect and affects the ride quality and condition of a pavement.



Raveling – This is the loss of coarse aggregate on the pavement surface and is measured by the severity and square footage affected.



Bleeding – This is the presence of free asphalt binder on the roadway surface, which is caused by either an excess of asphalt in the pavement or insufficient voids in the matrix. The result is a pavement surface with reduced skid resistance. This distress is measured by severity and square footage.



Edge Cracking – Running parallel to the road and usually within 1 to 2 feet of the outer edge of the pavement, this distress is caused by traffic loading and weakened base conditions resulting from poor drainage. It is measured in linear feet.



Distortion – This includes various localized unevenness in the surface of the pavement including bumps and sags, depressions, swell, corrugation, or shoving. This distress can be caused by a number of factors, including construction issues, subgrade failure, mixture failure, environmental influence, etc.



Divided Slab – This distress occurs when a slab is divided by cracks into four or more pieces due to overloading, or inadequate support, or both. If all pieces or cracks are contained within a corner break, the distress is categorized as a severe corner break.



Corner Breaks – This is a crack that intersects with a joint at a distance that is less than $\frac{1}{2}$ the slab length. The cracking extends vertically through the entire slab thickness and is typically caused by repeated load on a surface with a failing base.



Joint Spalling – Identified by the breakdown of the edges of a slab within 2ft of a joint. The depth of the cracking and area affected determine the severity.



Faulting – This distress is identified by a difference in elevation across a joint. Severe faults have a $>3/4$ in. elevation difference between two adjacent concrete slabs.



Durability Cracking – Caused by the freeze-thaw expansion of the large aggregate that over-time breaks down the concrete. This distress typically runs parallel to a joint or linear crack. A high severity “D” crack covers more than 15% of the overall slab.



Scaling – This distress is a result of the surface layer of concrete being worn away over time by weathering. It is identified by a ¼ to ½ in. breakdown in the slab surface. It is measured by severity and total area affected.



Punchouts – This is a localized area of the slab that has broken to pieces. It is caused by heavy and repeated loads, inadequate slab thickness and a deterioration of the base foundation. It is measured by severity and the number of individual cracks within the distress.



Roughness Index (RI)

The Roughness Index (RI) gives a measure of ride quality and is recorded following the industry-standard ASTM E1926 for determination of International Roughness Index (IRI). This value is generated from the longitudinal profile measured by the LCMS as it records the change in elevation over a distance. Once calculated it is expressed as a slope and reported in millimeters/meter (mm/m). Common IRI levels for new, older, and damaged pavements are displayed in **Figure 9**.




Figure 9 - IRI Scale Definitions

In order to align with the PCI scale so that a blended condition score can be formed, the IRI value is converted to a 0 to 100 score and reported as the Roughness Index (RI) as follows:

$$RI = (11 - 3.5 \times \ln(IRI)) \times 10$$

$\ln(IRI)$ is the natural logarithm of IRI.

For some context, a newer street would generally have an RI above 85, while one in need of an overlay would be in the range of 40 to 70. Roadways in poor condition typically have RI values below 40 but can achieve higher blended scores if the distresses causing the low RI score are not the result of structural failure or another severe cause. For example, hastened construction can result in a pavement surface with less than desirable smoothness, which would translate to a low RI value. But since the distress/imperfection is not due to severe failures within the pavement structure, the blended PCI value may not suffer greatly.

Structural Index

Per the wishes of the City, the full network of streets was subjected to conventional structural deflection testing, which was performed using a Dynaflect deflectometer (**Figure 10**). In order to align with the PCI scale so that a blended condition score can be formed, the deflection data obtained from Dyna testing is converted to a 0 to 100 score and reported as the Structural Index (SI) for each segment. Further discussion of SI values and what they mean can be found in section 3.6.



Figure 10 - Dynaflect Deflectometer

Pavement Condition Index (PCI) – Following the field surveys, the condition data was imported to ESA for calculating the overall PCI. The PCI for each network was calculated using the following weighing factors:

$$PCI = 50\% SDI + 25\% RI + 25\% SI$$

The following **Table 3** presents each PCI category along with a brief description of the typical distresses and treatments for each.

Table 3 – Pavement Condition Categories

Category	Typical Distresses and M&R Recommendations	PCI Range
Excellent	Like new condition – little to no maintenance required Monitor condition or preventive maintenance.	(85-100]
Very Good	Minor cracking, raveling, and other non-load associated distress Routine or preventive maintenance. <i>E.g., Crack sealing, surface treatment</i>	(70-85]
Good	Minor to moderate cracking and low severity load associated distresses such as alligator cracking and rutting. Surface treatments with localized repairs and overlays <i>E.g., Surface treatments, localized surface patching, thin overlay</i>	(60-70]
Fair	More extensive and severe longitudinal and transverse cracking, as well as moderate severity load associated distresses Localized repairs or major rehabilitation. <i>E.g., Localized surface and/or full-depth patching, moderate overlays</i>	(50-60]
Marginal	Localized high-severity alligator cracking, and rutting. Major rehabilitation. <i>E.g., Localized full-depth patching, mill and overlay, traditional overlay</i>	(40-50]
Poor	A greater extent of severe alligator cracking, rutting Major rehabilitation. <i>E.g., More extensive full-depth patching, mill and overlay, traditional overlay</i>	(25-40]
Very Poor	Extensive and severe alligator cracking, more extensive and deeper rutting, and potholes. Major rehabilitation. <i>E.g., Full-depth reclamation, reconstruction</i>	[0-25]

2.6. Field Survey Methodology

IMS deployed one of its LCMS2 road surface testing vehicles (**Figure 11**) to perform continuous sampling data collection activities as part of the semi-automated pavement condition survey. The LCMS2 equipment provides three-dimensional high-speed, mm-level scanning and pattern recognition analysis from two downward lasers mounted at the rear of the vehicle. This provides a higher level of detail in determining crack length and width measurement over the sample area. The LCMS2 device also operates as a Class I profile device that collects longitudinal profile (in the form of IRI) and transverse profile (rutting) using the advanced 3D profile laser scanning technology. The vehicle is also equipped with a high accuracy GPS device and several high definition 4k cameras that collect forward, downward, and rearward images.



Figure 11 - LCMS2 data collection vehicle

While the LCMS2 automatically collects the majority of visible distresses, the RST platform integrates highly trained IMS technicians to input additional changes in observed distress severities and extents or identify specific roadway assets or attributes such as curb reveal or lip of gutter information by means of a touchscreen-based tablet computer connected to the data flow through time code, GPS, DMI distance and inventory control. The data is then processed in the IMS office to generate extent quantities for each observed distress severity level which are then used to calculate a PCI.

2.7. Data Quality Assurance

The final step in determining PCI scores requires the field data to be subject to multiple stages of quality checks. The first phase is a rule-based check that flags roads based on expected outcomes from the automatic crack detection and processing parameters used to convert the LCMS2 data into severity and extent data. Part of this output is the identification of areas that are within the sample area but should be excluded from the assessment. This can include the edge of pavement or curb (purple and green highlight), manhole covers and inlets (red box), and pavement markings (yellow highlight) as seen in **Figure 12**. This is combined with information from our field raters about distresses that may not be present in a traditional manner or may be outside the guidelines set forth in ASTM D6433.




Figure 12 - Processed LCMS2 Image

A second review is then performed by a team of raters who are well-versed in both the distress standards and the data in its digital format. Using the downward laser scans, field notes, and 4K images collected from the survey the Quality Control (QC) team is able to verify the accuracy of what the LCMS has collected and what was flagged in the field.



Figure 13 - QC Image

To further ensure accurate condition data, spot checks are conducted on a network-wide basis by the QC team and the engineering staff. Once confidence in the integrity of the data has been achieved, an initial condition sheet is submitted for review by City staff.

2.8. Summary

This section outlined the fundamental concepts of pavement management and the process by which the pavement management system was implemented for the City. The operating parameters of ESA were reviewed, and the inputs provided by the LCMS-2 technology were explained to provide context for PCI, Roughness Index, and Pavement Strength.

3.0 PAVEMENT CONDITION SURVEY RESULTS

3.1. Foreword

This section will review the results of the pavement condition survey performed in July 2022. First is a summary of conditions in the three functional classes used in the City analysis. Next, this section will review photos of the network taken from the RST. Finally, a series of charts will summarize the findings of the condition survey and the overall PCI distribution of the City pavement network.

3.2. City Street Inventory and Condition Summary

The City of Moore is currently responsible for approximately 257 centerline miles of pavement with an overall PCI of 70 and a backlog of 1%. These conditions are considered better than average and point to an already effective management strategy. **Table 4** presents the City's inventory and pavement condition breakdown between different functional classes. Detailed information for each management section is available in **Appendix A**.

Table 4 - Network Inventory Summary by Functional Class and Pavement Type

	Pavetype	Network	Highway	Minor Arterial	Local
Segment (Block) Count	All Streets	2894	45	389	2460
	Asphalt	1376	6	224	1146
	Concrete	1518	39	165	1314
Network Length (ft):	All Streets	1,354,512	20,976	240,638	1,092,898
	Asphalt	694,485	5,332	162,504	526,649
	Concrete	660,027	15,644	78,134	566,249
Network Length (mi):	All Streets	256.5	4.0	45.6	207.0
	Asphalt	131.5	1.0	30.8	99.7
	Concrete	125.0	3.0	14.8	107.2
Average Width (ft):	All Streets	30.7	54.4	38.5	28.5
	Asphalt	29.0	52.6	32.3	27.7
	Concrete	32.5	55.0	51.3	29.2
Network Area (yd2):	All Streets	4,615,500	126,731	1,029,519	3,459,250
	Asphalt	2,235,328	31,188	584,036	1,620,104
	Concrete	2,380,172	95,543	445,483	1,839,146
Current Pavement Condition	All Streets	70	77	76	68
Index (CPCI)	Asphalt	68	73	73	67
1/1/22	Concrete	72	79	81	69
Current Backlog (%)	All Streets	1	Percentage of Network with a PCI < 40		
Surface Distress Index (SDI)	All Streets	72	79	75	70
	1/1/22	Asphalt	64	68	62
	Concrete	79	83	86	77
Roughness Index (RI)	All Streets	66	76	78	62
	1/1/22	Asphalt	67	82	62
	Concrete	65	74	74	62
Structural Index (SI)	All Streets	71	75	77	69
	1/1/22	Asphalt	79	76	80
	Concrete	63	75	79	59

3.3. City Network Condition Imagery

The images presented below provide a sampling of the City streets that fall into the various condition categories with a discussion of potential rehabilitation strategies.

Very Poor (PCI = 0 to 25) – Complete Reconstruction



156th Street from Sunnyslane Road to East End (GISID 1877, PCI = 25) – Rated as Very Poor, this street displays a large quantity of alligator cracking, rutting, raveling, and missing pavement severe enough to suggest that the pavement structure is inadequate for current traffic loads. The rehabilitation of roads in this condition through a mill and overlay is generally ineffective, as the failures usually extend to the bottom of the pavement layer. Streets in this condition require rehabilitation that involves removal and replacement of the asphalt layer, base stabilization, or complete reconstruction based on design requirements.

Deferral of reconstruction of streets rated as Very Poor will not cause a substantial decrease in overall pavement quality. The streets have passed the opportunity for overlay-based strategies, meaning that reconstruction, which is expensive, is the most suitable solution. So, Very Poor streets are often deferred in favor of rehabilitating more streets at lower costs, resulting in a greater net benefit to the City. This strategy however must be sensitive to citizen complaints forcing the street to be selected earlier. In addition, this type of street can pose a safety hazard for motorists since severe potholes and distortions may develop. It is important to consistently monitor these streets and check for potholes or other structural deficiencies until the street is eventually rebuilt.

Poor (PCI = 25 to 40) – Last Opportunity for Surface Base Rehabilitation



Highland Drive from Cedar Lane to Cedar Lane (GISID 1911, PCI = 30) – Rated as Poor, this segment still has some remaining life before it becomes a critical reconstruction need. As evident in the imagery, a fair amount of the segment displays heavy linear cracking with the occasional shattered slab. If left untreated, within a short period of time, a partial to full reconstruction would be required.

On heavily trafficked roadways, Poor streets often require partial to full reconstruction. On local roadways, they require removal of the pavement surface through grinding or excavation, base repairs, restoration of the curb line and drainage, and then placement of a new surface.

Marginal (PCI = 40 to 50) – Thicker Overlays / Moderate Panel Replacement



South East 12th Street from 12th Court to South East 12th Court (GISID 2534, PCI = 48) – This street displays very similar characteristics to Highland Drive shown in the previous image, however the distresses are notably less severe. The primary cause of deterioration on this street is linear cracking, but it does not persist throughout the entire length of the segment.

Marginal streets that display high amounts of load associated distresses (LAD) are selected as a high priority for rehabilitation as they generally provide the best cost/benefit ratio to the City. If left untreated, Marginal streets with high amounts of LAD will deteriorate to become partial reconstruction candidates. Marginal streets that are failing due to materials issues or non-load associated failures may become suitable candidates for thick overlays if deferred, without a significant cost increase.

Fair (PCI = 50 to 60) – Thin to Moderate Overlays / Structural Patching



Regency Boulevard from Windermere Drive to Queensbury Road (GISID 1328, PCI = 58) – This street displays isolated alligator cracking that requires structural patching to address. The majority of the segment is in good condition, but if left unaddressed the cracked areas will spread, rapidly accelerating the deterioration of the segment.

Like Marginal streets, Fair streets can provide a good cost/benefit ratio to an agency if addressed with an adequate rehabilitation technique. Stretching the application for surface treatments into this range can pose a cheap alternative to overlays but does not provide the appropriate renewal to the structural capacity of the pavement and may allow load related deterioration to continue unabated.

Good (PCI = 60 to 70) – Surface Treatments



Lost Creek Drive from 12th Street to 14th Street (GISID 1453, PCI = 69) – Rated as Good, the primary cause of deterioration is the longitudinal and transverse cracking that can be seen in the image above. The pavement surface could be restored with spot patching to waterproof the pavement. Preventive measures such as this one can extend the life of a roadway by ensuring that water does not cause the base layers to fail prematurely.

Preventive measures on streets considered “Good” can have a positive impact of the City’s funding needs. While the expected life of a slurry seal is not as long as that of an overlay, its ability to slow deterioration and relative low cost can free up funding for streets in worse condition.

Very Good (PCI = 70 to 85) – Surface Treatments and Localized Rehabilitation



Renita Way from Renita Court to 9th Street (GISID 2050, PCI = 74) – Rated as Very Good, this road displays minor amounts of transverse cracking. This street is an example of a candidate for preventative maintenance such as microsurfacing to extend the life of the roadway.

Routine maintenance prevents water intrusion by sealing and slowing crack growth. By keeping water out of the base layers, the pavement life is extended without the need for heavier rehabilitations.

Excellent (PCI = 85 to 100)



North Broadway Avenue from North Service Road to 18th Street (GISID 1366, PCI = 97) – Rated as Excellent, this pavement displays little to no surface distresses. The ride is smooth, and the surface and the base are intact. Excellent roads should be periodically assessed for crack development that would trigger routine maintenance activities.

3.4. City Network Condition Distribution

Figure 14 shows the distribution of pavement condition for the roadway network in Moore. While direct comparisons to other agencies can be difficult due to variations in agency size, age, and recent development, the City is above average in condition and displays a distribution that suggests a continued investment in renewal.

- Seventeen percent (17%) of the network can be considered in “Excellent” condition and should be closely monitored to ensure timely application of early localized preventive measures.
- Thirty-one percent (31%) of the network falls into the PCI range considered “Very Good”. These are roads that benefit most from preventative maintenance techniques such as spot patching and slurry seals.
- Twenty-eight percent (28%) of the streets are rated as “Good” and may still be candidates for slurry seals or thin overlays.
- Twenty-two percent (22%) of network can be considered “Fair” to “Marginal” condition and representing candidates for progressively thicker overlay-based rehabilitation. If left untreated, they will decline rapidly into reconstruction candidates.
- The remaining one percent (1%) of the network is rated as “Poor” or “Very Poor”, meaning these roadways have deteriorated to the point where surface rehabilitation can no longer restore the pavement to a point of structural adequacy. Rehabilitation of the entire pavement structure is required for these segments.




Figure 14 - Roadway Network Present Status Using Descriptive Terms

3.5. Condition By Functional Classification

When assessing the overall condition of the network, there are additional subsets of data that can give a deeper insight into where an agency may want to focus resources. **Figure 15** highlights the pavement condition distribution for each functional class. It is important to note that highway and arterial roadways, which are the streets that support the greatest traffic volumes in a given timeframe, should receive additional consideration when selecting rehabilitation candidates.




Figure 15 - Condition Rating by Functional Classification

3.6. Structural Strength Analysis

As mentioned in section 2, the full pavement network in Moore was tested for structural strength using a Dynaflect deflectometer.

Weak pavements generally display a high ratio of load associated distresses compared to their PCI score and generally require increased pavement thickness to achieve long-term pavement life. Strong pavements are those that have a low load associated distress to PCI ratio and have suitable structural capacity. Surface treatments are generally acceptable rehabilitation solutions. Moderate pavements are those that require localized rehabilitation and/or increased thickness to achieve full pavement life. These are pavements that are starting to display structural failures, such as rutting or alligator cracking.

The following **Figure 16** shows the comparison between the SI on a segment and the PCI of the segment. It is important to note that the large majority of the City pavements can be classified as moderate or

strong based off the SI recorded on the street. There are also several segments that show stronger than expected structural strength based on their PCI (above the trend line). These pavements may be good candidates for thin overlays, where normally a thick overlay or reconstruction would be recommended. Segments that fall below the trend line present weaker than expected structural strength and may require thicker overlays and structural patching to rehabilitate to full service.




Figure 16 – SI vs PCI

Note: Segments in the shaded area have a high pavement condition index (> 75) but have low structural index (< 75). This may be due to too thin of an overlay, structurally inadequate base, or high traffic loading.

3.7. Summary

Section 3 reviewed the results of the condition survey in the City. The section described each of the three functional classifications in the City and outlined their respective conditions on the PCI scale. The PCI scale was explained further through a series of pavement photographs that were taken during the 2022 survey. The section concluded with a discussion on the overall pavement condition distribution in the City and some useful charts that help put the survey results into perspective. **The network average PCI in Moore is 70 with a backlog of 1%.**

4.0 REHABILITATION PLAN AND BUDGET DEVELOPMENT

4.1. Foreword

This section discusses the results of the pavement management analysis that was performed using the ESA pavement management system. First is an overview of the assumptions that were used when implementing the system. Some of these include the development of accurate unit rates, and the selection methodology for rehabilitation candidates. Next, in 4.3, the results of each of the various budget runs is detailed, along with their predicted conditions. This is highlighted further through a series of charts that are used to demonstrate the advantages and disadvantages of various funding models.

4.2. Key Analysis Set Points and Assumptions

Pavement management analysis requires user inputs to complete its condition forecasting and prioritization. A series of operating parameters were developed to create an efficient program that is tailored to the City's needs.

Selecting Segments for Rehabilitation

The selection of rehabilitation candidates through a worst first approach or subjective committee input is neither efficient nor cost effective. A series of criteria must be established and their importance in the selection process determined. ESA has defined commonly used criteria within the program that allows different weighting factors to be applied depending on the City's goals.

- **PCI** – As mentioned earlier in this section the results of the pavement condition survey are used to generate a Pavement Condition Index that ranges from 0-100 where 0 is considered the worst and 100 the best. This factor can be given a higher weight to give greater priority to poor condition streets.
- **Cost of Deferral** – As time passes a pavement will deteriorate and require more costly repairs as it ages. ESA can be configured to prioritize streets nearing the point where this cost increase occurs.
- **Pavement Strength** – Through the use of deflection testing or the prevalence of load associated distresses the relative strength of a pavement can be determined. A prioritization factor can be applied that gives preference to streets that may deteriorate faster in order to apply more cost-effective rehabilitation early in the life cycle.
- **Pavement Type** – Depending on costs, design life, and the City's goals, a weighting factor can be applied based on the materials used to construct the pavement.
- **Functional Class** – Generally higher volume streets are given the greatest priority within a program since they serve the most vehicles.
- **Area** – Project selection can consider the size of a project when determining rehabilitation priority. The City can decide to select large groups of streets over small ones if that approach suits the goals set forth at the beginning of the project.

For the City, weighting factors for these categories were set to maximize the savings from the concept of cost of deferral and address lower PCI 'Weak' streets in order to minimize backlog growth.

Rehabilitation Strategies and Unit Rates

The rehabilitation strategies and unit rates used in the budget analysis are the driving factors in determining funding requirements for the City. A detailed listing of how each rehabilitation activity is applied and its associated cost can be found in **Table 5**. Some important parameters include:

- **Rehab Activity** – The assigned identifier and name to each rehabilitation strategy. Various degrees of slurry sealing are outlined to highlight the increasing cost associated with additional patching requirements for lower PCI streets.
- **Min, Max, and Critical PCI** – These values compose the PCI range for which a particular rehabilitation activity can be applied where the Min and Max values define the upper and lower limit, and the Critical PCI is the point at which the rehabilitation becomes a higher priority to take advantage of the cost of deferral factor. Overlap in the PCI range allows for additional rehabilitation differentiation based on pavement strength.
- **Unit Rates** – The rehab costs are presented on a per square yard basis for each pavement type, functional class, and rehabilitation activity combination. A base unit rate is established for the lowest assumed cost for a work type and adjusted for each functional class depending on the additional work that may be required for traffic control, intersection improvements, landscaping, utility adjustments, and right-of-way (ROW) infrastructure. IMS worked closely with the City to determine rates that accurately represent the cost of work.

Table 5 – Rehabilitation Rates

Pavetype	Rehab Code	Rehab Activity				Base Unit Rate (\$/yd2)	Highway Unit Rate (\$/yd2)	Minor Arterial Unit Rate (\$/yd2)	Local Unit Rate (\$/yd2)
			Min PCI	Critical PCI (Need Year)	Max PCI				
All	5	Routine Maintenance	85	100	100	0.00	0.00	0.00	0.00
Asphalt	10	Slurry Seal / Preventive Maintenance	80	82	85	3.10	3.40	3.30	3.30
Asphalt	20	Surface Treatment / Chip Seal	70	73	80	4.80	5.30	5.20	5.00
Asphalt	30	Edge Mill + Thin Overlay (1.5 - 2.0)	60	63	70	19.25	21.25	20.75	20.25
Asphalt	40	EW/FWM + Moderate Overlay (2.0 - 3.0)	50	54	60	26.50	30.50	29.50	28.50
Asphalt	50	FWM + Thick Overlay (> 2.0 - 3.0)	40	44	50	31.00	37.50	36.00	34.00
Asphalt	60	Surf Recon + Base Rehab / FWM + Strctrl Pch + Olay	25	30	40	46.00	55.50	53.00	50.50
Asphalt	70	ACP Full Depth Reconstruction	0	15	25	74.50	82.00	80.00	78.00
Concrete	510	PCC Jnt Rehab & Crk Seal	80	82	100	1.25	1.40	1.35	1.30
Concrete	520	PCC Localized Rehab	70	73	80	5.00	5.75	5.50	5.50
Concrete	530	PCC Slight Pnl Rplcmnt (<10%)	60	63	70	15.00	18.25	17.25	16.50
Concrete	540	PCC Moderate Pnl Rplcmnt (< 20%)	50	54	60	28.00	35.50	33.50	31.50
Concrete	550	PCC Extensive Pnl Rplcmnt (<33%)	40	44	50	41.00	54.50	51.00	47.50
Concrete	560	PCC Partial Reconstruction	25	30	40	101.00	128.00	121.00	114.00
Concrete	570	PCC Full Depth Reconstruction	0	15	25	143.00	190.00	178.00	166.00

4.3. Network Budget Analysis Models

By combining the condition assessment, deterioration model, prioritization factors, and rehabilitation assignments, the ESA program can determine the outcomes of various funding levels or suggest the funds required to attain a goal. IMS ran a series of budgets to model network trends and estimate the funding levels needed to reach certain condition and distribution targets. The results of this analysis are outlined in this section.

Budget Targets

The following scenarios were generated to forecast the outcomes of the current estimated City budget over the next five years and determine what level of funding may be appropriate going forward. The values for backlog and PCI have been rounded to the nearest whole number in order for the figures to be more legible. Varying budget figures will have slightly different outcomes that are visible in the charts but may not be completely represented in the legend text.

- **Moore Budget** (Green Line) – This represents the City’s current average annual budget of **\$5M/Yr.** dedicated to pavement preservation and rehabilitation. This level of funding will result in a network average PCI score of **73** and a backlog of **3%** after five years. Additionally, this budget was extrapolated out in a 5-year model that can be seen in **Figure 20**.
- **Steady State PCI** (Red Line) – This is simply the funds required to maintain the current network average PCI at a **70**. The annual budget required to do so is approximately **\$3.6M/Yr.** Backlog will grow to **4%** of the network after five years.
- **Backlog Control** (Purple Dashed Line) – The backlog control budget was developed in order to maintain a maximum backlog of **4%**. The minimum funding required to achieve this backlog goal is **\$3.73M/Yr** and will also result in a PCI of **70** after five years.
- **Maintain Current Backlog** (Red Dashed Line)– The Maintain Current Backlog budget was developed in order to maintain the backlog at **2%**. This results in a budget value of **\$7.13M/Yr.** and a PCI increase to **76** after five years.
- **PCI Control** (Purple Line) – A PCI control budget was developed in order to maintain a minimum PCI of **68**. This budget is on the order of **\$2.74M/Yr** and will result in a backlog of **5%** after five years.

The results of the analysis are summarized in **Figure 17**. The X-axis highlights the annual budget, while the Y-axis plots the 5 Year Post Rehab Network Average PCI value. The diagonal blue line is the network trend model developed to show estimated PCI along with a funding range up to \$10M/Yr.




Figure 17 – 5-Year Post Rehab Network PCI Analysis Results

Figure 18 presents the resultant network backlog against the annual budget. It is similar to **Figure 17**, but instead of plotting the average PCI score, the blue diagonal line represents the total backlog after 5 years. The City currently maintains a backlog of 1%. While some growth is acceptable, every effort should be made to keep that value as low as possible. As the backlog grows, the funding required to return to the current level will increase considerably.




Figure 18 – 5-Year Post Rehab Network Backlog Results

Figure 19 presents the analysis results on an annual basis. This shows that if the budget falls below \$3.6M/Yr. (Steady State PCI Budget), over time the overall condition of the roads will deteriorate as the backlog continues to grow.




Figure 19 – 5-Year Annual PCI

4.4. Post Rehabilitation Condition

The following figure (**Figure 20**) compares the current network condition distribution (red) against the projected 5-year (blue) post rehabilitation distribution at the current estimated \$5M/Yr. funding level. Based on current models, the average PCI is expected to increase to 73 by the end of the five-year analysis period and the backlog to increase slightly to approximately 3%.




Figure 20 – PCI Distribution Comparison - Current Conditions VS 5th Year Post Rehabilitation

4.5. Summary

This section reviewed the results of the 2022 pavement analysis models that were run in the ESA program. The current City budget of \$5M/Yr will result in a 5-year post rehab PCI of 73 and a backlog of approximately 3%. These models demonstrate that a budget that falls below \$3.6M/Yr (steady state PCI model) will result in an overall PCI decrease over the course of 5-years.

5.0 PROJECT RECOMMENDATIONS AND COMMENTS

5.1. Project Summary and Recommendations

A pavement condition survey was performed in July 2022 on the full City pavement network. The results of the condition survey were aggregated into the ESA pavement management system. This system was used to organize a georeferenced pavement inventory, develop an accurate model of the network's condition and anticipated deterioration, and provide funding recommendations for various level-of-service goals.

The following broad recommendations are presented to the City as an output from the pavement analysis and must be read in conjunction with the previous sections.

- The City should make efforts to keep the ESA spreadsheet up to date.
 - By maintaining and updating the rehabilitation unit rates, work history of the segments, and accuracy of the inventory the City will be able to reliably forecast funding needs for future years. This allows the City to be proactive in maintaining the condition of the pavement network at an acceptable level.
- The City should periodically resurvey the pavement network.
 - Pavement performance over time involves many variables, such as traffic volumes, environmental factors, maintenance timing, and design standards. As these variables change, the rate at which a pavement deteriorates will change with them. The periodic resurvey of pavement conditions allows the City to track these changes and update models accordingly to ensure that appropriate rehabilitation measures are being planned.
- The City should investigate new and additional rehabilitation activities.
 - As technology progresses, improvements in pavement rehabilitation are constantly being made. When possible, the City should refresh the rehabilitation activities planned in ESA to ensure these advances are used to the City's advantage.
- The City should strive to maintain or better its current condition if possible.
 - Generally, it is more cost effective to maintain a condition than it is to regain ground lost to deterioration. The City currently maintains an overall network PCI of 70 with a backlog of 1%. The current annual budget of \$5M will result in a PCI of 73 and a backlog of 3%.

5.2. Closing

The IMS Team greatly appreciates the opportunity to work with the City on this pavement management update. Over the course of this project, it has become clear that the City staff demonstrates a strong commitment to providing the highest level of service that they can to their community. IMS stands ready to assist the City with training and technical support as necessary, and we welcome the opportunity to work with the City on future pavement management projects.

Appendix A

Street Inventory and Condition Summary

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2514	10th Ct	SW END	Old Mill Rd	Local	Concrete	71	52	84	Mod	Good	0	0		69
2370	10th Ct	Julies Trl	EAST END	Local	Asphalt	82	63	90	Strng	V Good	11	8		79
2853	10th Pl	Desiree Pl	Julies Trl	Local	Asphalt	75	59	90	Strng	V Good	11	15		74
3356	10th St	N Broadway Ave	Nail Pkwy	Local	Asphalt	79	61	90	Strng	V Good	9	12		77
3585	10th St	N Silver Leaf Dr	Lincoln Ave	Local	Concrete	85	66	89	Mod	V Good	0	0		81
2118	10th St	Bronze Medal Rd	Stadium Rd	Local	Concrete	84	66	53	Mod	V Good	0	0		71
1399	10th St	Elm Creek Dr	N Bryant Ave	Local	Asphalt	81	62	74	Mod	V Good	6	13		74
2029	10th St	Leafhurst Rd	DS@483E Leafhurst Rd	Local	Concrete	88	69	42	Mod	V Good	0	0		71
2527	10th St	DS@483E Leafhurst Rd	Zachary Dr	Local	Concrete	77	61	40	Mod	Good	0	0		63
1052	10th St	Zachary Dr	David Rd	Local	Concrete	83	64	48	Mod	Good	0	0		69
1015	10th St	N Santa Fe Ave	Kings Ct	Local	Concrete	87	68	48	Mod	V Good	0	0		72
1187	10th St	Southminster Ave	St George Ave	Local	Concrete	94	83	46	Mod	V Good	0	0		79
1576	10th St	S Eastern Ave	DS@789E S Eastern Ave	Local	Concrete	96	86	47	Mod	V Good	0	0		81
1469	10th St	DS@789E S Eastern Ave	S Patterson Dr	Local	Concrete	79	60	50	Mod	Good	0	0		67
2547	10th St	Sweetgum St	Whispering Oaks Blvd	Local	Concrete	91	72	51	Mod	V Good	0	0		76
2368	10th St	Julies Trl	Bryan Dr	Local	Asphalt	55	49	72	Mod	Fair	32	13		57
1923	10th St	Bryan Dr	Kelsi Dr	Local	Asphalt	61	38	90	Strng	Good	18	21		62
1158	10th St	Jacob Dr	Lanie Ln	Local	Asphalt	48	42	90	Strng	Fair	26	26		56
3903	10th St	Lindsey Ln	Dayton Ln	Local	Asphalt	80	61	80	Strng	V Good	4	15		75
3448	10th St	WEST END	Newport Ave	Local	Concrete	62	49	61	Mod	Fair	0	0		58
3449	10th St	Newport Ave	Penn Ln	Local	Concrete	54	48	46	Mod	Fair	0	0		50
3455	10th St	Eagle Dr	Eagle Dr	Local	Concrete	98	89	69	Mod	Excellent	0	0		88
1286	10th St	Eagle Dr	Ridgeway Dr	Local	Concrete	100	90	62	Mod	Excellent	0	0		88
1897	10th St	Ridgeway Dr	Dreesen Dr	Local	Concrete	97	88	76	Mod	Excellent	0	0		89
2633	10th St	S Janeway Ave	St Cecil Ave	Local	Concrete	97	89	48	Mod	V Good	0	0		83
2256	10th St	St Cecil Ave	Heather Ln	Local	Concrete	90	71	43	Mod	V Good	0	0		73
1254	10th St	Heather Ln	S Telephone Rd	Local	Asphalt	57	61	78	Strng	Good	13	30		62
1305	10th St	S Howard Ave	S Broadway Ave	Local	Asphalt	38	55	90	Strng	Fair	30	32		55
2601	11th Cir	Oak Creek Dr	EAST END	Local	Asphalt	60	45	76	Strng	Good	18	22		59
3586	11th Pl	WEST END	Summerhill Dr	Local	Asphalt	64	58	90	Strng	Good	17	20		68
2912	11th St	N Broadway Ave	Nail Pkwy	Local	Asphalt	77	59	85	Strng	V Good	7	16		74
1443	11th St	WEST END	N Eastern Ave	Local	Concrete	56	53	44	Mod	Fair	0	0		52
1634	11th St	Sequoyah Cir	Lincoln Ave	Local	Concrete	100	90	88	Mod	Excellent	0	0		94
3000	11th St	N Avery Dr	Old Mill Rd	Local	Concrete	88	69	43	Mod	V Good	0	0		71
2174	11th St	Bronze Medal Rd	Stadium Rd	Local	Concrete	82	64	61	Mod	V Good	0	0		72
1162	11th St	Oak Creek Dr	Elm Creek Dr	Local	Asphalt	73	61	65	Mod	Good	9	17		67
1046	11th St	Leafhurst Rd	Price Dr	Local	Concrete	80	64	40	Mod	Good	0	0		66
1736	11th St	S Bouziden Dr	DS@206E S Bouziden Dr	Local	Concrete	66	45	47	Mod	Fair	0	0		56
1737	11th St	DS@206E S Bouziden Dr	S English Dr	Local	Concrete	87	68	52	Mod	V Good	0	0		73

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1631	11th St	S English Dr	S Morgan Dr	Local	Concrete	75	55	53	Mod	Good	0	0		64
2371	11th St	Desiree Pl	Julies Trl	Local	Asphalt	78	58	90	Strng	V Good	12	10		76
2372	11th St	Julies Trl	Bryan Dr	Local	Asphalt	54	68	88	Strng	Good	43	3		65
1458	11th St	Kelsi Dr	Jacob Dr	Local	Asphalt	74	52	86	Strng	V Good	11	16		71
2648	11th St	Lanie Ln	Ryan Rd	Local	Asphalt	69	45	90	Strng	Good	9	22		68
3907	11th St	Samantha Ln	Noah Dr	Local	Asphalt	83	64	90	Strng	V Good	0	18		79
3906	11th St	Noah Dr	Lindsey Ln	Local	Asphalt	61	57	96	Strng	Good	27	11		68
2516	11th St	S Santa Fe Ave	DS@501E S Santa Fe Ave	Local	Concrete	73	51	44	Mod	Good	0	0		59
3454	11th St	DS@501E S Santa Fe Ave	Penn Ln	Local	Concrete	77	57	44	Mod	Good	0	0		63
3452	11th St	Penn Ln	Eagle Dr	Local	Concrete	95	85	59	Mod	V Good	0	0		83
3813	11th St	Eagle Dr	Eagle Dr	Local	Concrete	99	90	69	Mod	Excellent	0	0		88
3815	11th St	Eagle Dr	Ridgeway Dr	Local	Concrete	87	68	43	Mod	V Good	0	0		71
3817	11th St	Ridgeway Dr	Macalpine Ave	Local	Concrete	100	90	67	Mod	Excellent	0	0		89
3816	11th St	Macalpine Ave	SW 12th St	Local	Concrete	84	66	50	Mod	V Good	0	0		71
1880	11th St	Heather Ln	S Telephone Rd	Local	Concrete	95	85	63	Mod	V Good	0	0		84
3255	11th St	S Telephone Rd	S I-35 Service Rd	Local	Asphalt	89	70	86	Strng	V Good	1	10		83
1882	11th St	S Howard Ave	S Broadway Ave	Local	Asphalt	62	67	90	Strng	V Good	9	29		70
1627	12th Ct	SE 12th Ct	NE END	Local	Concrete	65	37	46	Mod	Fair	0	0		52
2524	12th St	NW 12th St	Brookside Dr	Minor Arterial	Concrete	88	69	81	Mod	V Good	0	0		81
1355	12th St	Brookside Dr	Nail Pkwy	Minor Arterial	Concrete	93	80	75	Mod	Excellent	0	0		85
1768	12th St	Nail Pkwy	Smoking Tree Rd	Minor Arterial	Concrete	83	65	78	Mod	V Good	0	0		77
2318	12th St	Smoking Tree Rd	Messenger Ln	Minor Arterial	Concrete	45	40	71	Mod	Marginal	0	0		49
2797	12th St	Messenger Ln	Foxfire	Minor Arterial	Concrete	43	36	65	Mod	Marginal	0	0		46
2114	12th St	Foxfire	Silver Ash Dr	Minor Arterial	Concrete	41	49	73	Mod	Fair	0	0		50
2493	12th St	Silver Ash Dr	Flicker Ridge Rd	Minor Arterial	Concrete	42	44	82	Mod	Fair	0	0		52
2738	12th St	Flicker Ridge Rd	Parkwood Ct	Minor Arterial	Concrete	84	65	62	Mod	V Good	0	0		73
2295	12th St	Parkwood Ct	N Eastern Ave	Minor Arterial	Concrete	87	68	84	Mod	V Good	0	0		81
1100	12th St	N Eastern Ave	N Silver Leaf Dr	Minor Arterial	Concrete	97	88	85	Mod	Excellent	0	0		91
2533	12th St	N Silver Leaf Dr	Sequoyah Ave	Minor Arterial	Concrete	98	89	83	Mod	Excellent	0	0		92
2830	12th St	Sequoyah Ave	Lincoln Ave	Minor Arterial	Concrete	97	88	99	Mod	Excellent	0	0		94
2161	12th St	Lincoln Ave	Old Mill Rd	Minor Arterial	Concrete	100	90	98	Mod	Excellent	0	0		96
2608	12th St	Old Mill Rd	Old Mill Rd	Minor Arterial	Concrete	100	90	96	Mod	Excellent	0	0		96
3294	12th St	Old Mill Rd	Winding Creek Rd	Minor Arterial	Concrete	100	90	96	Mod	Excellent	0	0		96
3296	12th St	Winding Creek Rd	Home Run Dr	Minor Arterial	Concrete	100	90	94	Mod	Excellent	0	0		96
3297	12th St	Home Run Dr	Summerhill Dr	Minor Arterial	Concrete	100	90	97	Mod	Excellent	0	0		95
3299	12th St	Summerhill Dr	Bronze Medal Rd	Minor Arterial	Concrete	96	86	94	Mod	Excellent	0	0		92
3301	12th St	Bronze Medal Rd	Buck Thomas Dr	Minor Arterial	Concrete	100	90	86	Mod	Excellent	0	0		93
3308	12th St	Buck Thomas Dr	Stadium Rd	Minor Arterial	Concrete	100	90	90	Mod	Excellent	0	0		94
3306	12th St	Stadium Rd	Oak Creek Dr	Minor Arterial	Concrete	96	86	96	Mod	Excellent	0	0		93

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary							
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)
											OPCI Date		Current Segment PCI (CPCI)
2494	12th St	Oak Creek Dr	N Bryant Ave	Minor Arterial	Concrete	99	90	97	Mod	Excellent	0	0	95
1316	12th St	N Bryant Ave	Washington Cir	Minor Arterial	Concrete	62	59	77	Mod	Good	0	0	65
1317	12th St	Washington Cir	Price Dr	Minor Arterial	Concrete	55	61	79	Mod	Good	0	0	62
2279	12th St	Price Dr	Lost Creek Dr	Minor Arterial	Concrete	46	58	64	Mod	Fair	0	0	53
2333	12th St	Lost Creek Dr	Clear Creek Rd	Minor Arterial	Asphalt	39	59	38	Weak	Marginal	30	32	42
2334	12th St	Clear Creek Rd	Estell Dr	Minor Arterial	Asphalt	49	66	54	Mod	Fair	15	35	54
1695	12th St	Estell Dr	DS@445E Estell Dr	Minor Arterial	Asphalt	44	70	72	Mod	Fair	23	32	56
4105	12th St	DS@445E Estell Dr	Sonoma Lakes Blvd	Minor Arterial	Asphalt	42	63	71	Mod	Fair	26	32	54
1696	12th St	Sonoma Lakes Blvd	Atalon Dr	Minor Arterial	Asphalt	37	66	85	Strng	Fair	33	29	55
4109	12th St	Atalon Dr	DS@316E Atalon Dr	Minor Arterial	Asphalt	52	77	89	Strng	Good	9	39	66
2423	12th St	DS@316E Atalon Dr	Hilltop Dr	Minor Arterial	Asphalt	48	78	87	Strng	Good	10	42	64
3147	12th St	Hilltop Dr	N Sunnyslane Rd	Minor Arterial	Asphalt	33	65	81	Strng	Fair	37	30	52
3182	12th St	S Walker Ave	Grace Pointe Dr	Minor Arterial	Concrete	89	70	49	Mod	V Good	0	0	74
3060	12th St	Grace Pointe Dr	N Robinson Ave	Minor Arterial	Concrete	89	70	68	Mod	V Good	0	0	79
3059	12th St	N Robinson Ave	N Santa Fe Ave	Minor Arterial	Concrete	86	68	83	Mod	V Good	0	0	80
2327	12th St	N Santa Fe Ave	Kings Court Cir	Minor Arterial	Concrete	91	74	79	Mod	V Good	0	0	84
2219	12th St	Kings Court Cir	Kings Ct	Minor Arterial	Asphalt	53	71	79	Strng	Good	14	31	63
2218	12th St	Kings Ct	Southminster Ave	Minor Arterial	Asphalt	62	76	43	Weak	Good	7	31	60
2831	12th St	Southminster Ave	Southminster Ave	Minor Arterial	Asphalt	58	68	86	Strng	Good	10	28	67
3590	12th St	Southminster Ave	Regency Blvd	Minor Arterial	Asphalt	52	64	88	Strng	Good	21	27	63
2496	12th St	Regency Blvd	St George Ave	Minor Arterial	Asphalt	65	76	60	Mod	Good	9	26	66
2495	12th St	St George Ave	St George Ave	Minor Arterial	Asphalt	59	59	70	Mod	Good	16	24	61
2221	12th St	St George Ave	Cavalier Dr	Minor Arterial	Asphalt	65	74	74	Mod	Good	12	23	68
1866	12th St	Cavalier Dr	N Norman Ave	Minor Arterial	Asphalt	66	73	78	Strng	V Good	13	21	70
1867	12th St	N Norman Ave	N Janeway Ave	Minor Arterial	Asphalt	64	66	83	Strng	Good	7	29	68
2491	12th St	N Janeway Ave	N Gale Ave	Minor Arterial	Concrete	94	83	78	Mod	Excellent	0	0	87
2725	12th St	N Gale Ave	Lawton Ave	Minor Arterial	Concrete	90	71	89	Mod	Excellent	0	0	85
2330	12th St	Lawton Ave	Lawton Ave	Minor Arterial	Concrete	89	70	78	Mod	V Good	0	0	81
1613	12th St	Lawton Ave	City Ave	Minor Arterial	Concrete	95	85	82	Mod	Excellent	0	0	89
1079	12th St	City Ave	DS@43E City Ave	Minor Arterial	Concrete	89	74	88	Mod	Excellent	0	0	85
2331	12th St	DS@43E City Ave	Sunrise Dr	Minor Arterial	Concrete	93	79	77	Mod	Excellent	0	0	85
2332	12th St	Sunrise Dr	N Moore Ave	Minor Arterial	Concrete	60	43	87	Mod	Good	0	0	62
2108	12th St	N Moore Ave	I-35 Ramp	Minor Arterial	Concrete	43	42	63	Mod	Marginal	0	0	47
2109	12th St	I-35 Ramp	N Moore Ave	Minor Arterial	Concrete	47	40	90	Mod	Fair	0	0	55
2636	12th St	N Moore Ave	N Service Rd	Minor Arterial	Concrete	89	70	76	Mod	V Good	0	0	81
2123	12th St	N Service Rd	I-35 Ramp	Minor Arterial	Concrete	67	41	37	Mod	Fair	0	0	52
1995	12th St	I-35 Ramp	I-35 Ramp	Minor Arterial	Concrete	68	43	45	Mod	Fair	0	0	56
3053	12th St	I-35 Ramp	Briarwood St	Minor Arterial	Concrete	69	48	70	Mod	Good	0	0	64
3055	12th St	Briarwood St	N Broadway Ave	Minor Arterial	Concrete	79	59	82	Mod	V Good	0	0	74

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1828	12th St	Clover Rd	Stoneridge Dr	Local	Concrete	83	64	54	Mod	V Good	0	0		71
2530	12th St	Stoneridge Dr	S Eastern Ave	Local	Concrete	82	63	49	Mod	Good	0	0		68
2484	12th St	S Eastern Ave	SE 12th Ct	Local	Concrete	60	45	44	Mod	Fair	0	0		52
2534	12th St	SE 12th Ct	DS@202E SE 12th Ct	Local	Concrete	56	40	42	Mod	Marginal	0	0		48
1351	12th St	DS@202E SE 12th Ct	S Patterson Dr	Local	Concrete	63	50	44	Mod	Fair	0	0		54
2535	12th St	S Patterson Dr	DS@153E S Patterson Dr	Local	Concrete	94	81	48	Mod	V Good	0	0		79
2873	12th St	DS@153E S Patterson Dr	S Avery Dr	Local	Concrete	87	69	34	Mod	Good	0	0		69
3522	12th St	S Avery Dr	S Avery Dr	Local	Concrete	64	45	51	Mod	Fair	0	0		56
2875	12th St	S Avery Dr	DS@488E S Avery Dr	Local	Concrete	99	90	74	Mod	Excellent	0	0		90
1683	12th St	DS@488E S Avery Dr	S Morgan Dr	Local	Concrete	98	89	69	Mod	Excellent	0	0		89
1547	12th St	S Morgan Dr	DS@51E S Morgan Dr	Local	Concrete	89	70	58	Mod	V Good	0	0		76
1572	12th St	DS@51E S Morgan Dr	Sweetgum St	Local	Concrete	84	65	58	Mod	V Good	0	0		73
1146	12th St	Sweetgum St	Whispering Oaks Blvd	Local	Concrete	87	68	42	Mod	V Good	0	0		71
1301	12th St	Whispering Oaks Blvd	Spruce Dr	Local	Concrete	61	44	46	Mod	Fair	0	0		53
2603	12th St	Aspen Dr	DS@472E Aspen Dr	Local	Concrete	77	64	47	Mod	Good	0	0		66
1746	12th St	DS@472E Aspen Dr	Cottonwood Dr	Local	Concrete	50	42	72	Mod	Fair	0	0		53
1747	12th St	Cottonwood Dr	DS@88E Cottonwood Dr	Local	Concrete	88	69	50	Mod	V Good	0	0		74
1609	12th St	DS@88E Cottonwood Dr	Knollwood Ter	Local	Concrete	88	69	86	Mod	V Good	0	0		83
2306	12th St	Knollwood Ter	S Bryant Ave	Local	Concrete	77	58	42	Mod	Good	0	0		63
2829	12th St	Anns Pl	Brayden Dr	Local	Asphalt	58	54	75	Strng	Good	26	16		61
2033	12th St	Brayden Dr	Denver Cir	Local	Asphalt	64	53	69	Mod	Good	18	18		62
2034	12th St	Denver Cir	Brice Dr	Local	Asphalt	50	53	79	Strng	Fair	22	25		57
2048	12th St	S Santa Fe Ave	DS@515E S Santa Fe Ave	Local	Concrete	88	69	45	Mod	V Good	0	0		72
2525	12th St	DS@515E S Santa Fe Ave	Penn Ln	Local	Concrete	71	48	51	Mod	Good	0	0		59
3818	12th St	Macalpine Ave	SW 11th St	Local	Concrete	65	49	61	Mod	Good	0	0		59
2789	12th St	SW 11th St	Dreesen Dr	Local	Concrete	81	62	53	Mod	Good	0	0		69
2088	12th St	Heather Ln	S Telephone Rd	Local	Concrete	99	90	59	Mod	Excellent	0	0		86
1273	12th St	S Howard Ave	S Broadway Ave	Local	Asphalt	45	72	82	Strng	Good	27	28		61
2359	13th Pl	WEST END	Mead Ln	Local	Asphalt	58	50	69	Mod	Fair	16	25		58
2818	13th Pl	Mead Ln	Dorothy Dr	Local	Asphalt	64	74	76	Strng	Good	13	23		69
2358	13th Pl	Dorothy Dr	NW 14th St	Local	Asphalt	65	47	75	Strng	Good	16	20		62
1388	13th St	N Bryant Ave	EAST END	Local	Asphalt	64	60	86	Strng	Good	9	27		68
4106	13th St	Sonoma Lakes Blvd	Sonoma Lakes Blvd	Local	Asphalt	82	72	89	Strng	V Good	0	19		81
1785	13th St	N Santa Fe Ave	EAST END	Local	Concrete	58	49	41	Mod	Fair	0	0		51
1016	13th St	S Eastern Ave	Corbin Dr	Local	Concrete	81	62	51	Mod	Good	0	0		68
1069	13th St	Corbin Dr	S Patterson Dr	Local	Concrete	86	67	62	Mod	V Good	0	0		75
1005	13th St	Tara Dr	Meadow Run Dr	Local	Asphalt	62	57	90	Strng	Good	21	18		67
1004	13th St	Meadow Run Dr	January Pl	Local	Asphalt	64	64	90	Strng	V Good	12	25		69
2396	13th St	January Pl	Jordan Dr	Local	Asphalt	78	58	86	Strng	V Good	0	22		74

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1710	13th St	Aspen Dr	DS@508E Aspen Dr	Local	Concrete	63	54	48	Mod	Fair	0	0		56
1306	13th St	DS@508E Aspen Dr	DS@759E Aspen Dr	Local	Concrete	78	64	66	Mod	V Good	0	0		71
1307	13th St	DS@759E Aspen Dr	Knollwood Ter	Local	Concrete	86	67	43	Mod	V Good	0	0		70
3591	13th St	Brayden Dr	Brice Dr	Local	Asphalt	63	66	68	Mod	Good	17	20		64
2718	13th St	S Santa Fe Ave	DS@519E S Santa Fe Ave	Local	Concrete	89	70	53	Mod	V Good	0	0		75
1463	13th St	DS@519E S Santa Fe Ave	Penn Ln	Local	Concrete	79	60	49	Mod	Good	0	0		66
3820	13th St	Macalpine Ave	EAST END	Local	Concrete	99	90	44	Mod	V Good	0	0		83
1058	13th St	Heather Ln	S Telephone Rd	Local	Concrete	98	89	83	Mod	Excellent	0	0		92
2733	13th St	S Howard Ave	S Broadway Ave	Local	Concrete	100	90	52	Mod	Excellent	0	0		85
3593	14th Pl	Mead Ln	Dorothy Dr	Local	Asphalt	65	63	82	Strng	Good	17	18		68
2749	14th Pl	N Santa Fe Ave	Cambridge Ct	Local	Concrete	50	42	47	Mod	Marginal	0	0		46
2925	14th St	Silver Ash Dr	Flicker Ridge Rd	Local	Concrete	85	67	33	Mod	Good	0	0		67
2926	14th St	Flicker Ridge Rd	Wild Fire	Local	Concrete	88	69	42	Mod	V Good	0	0		71
2303	14th St	WEST END	Lost Creek Dr	Local	Asphalt	61	64	87	Strng	Good	22	17		67
4112	14th St	Sonoma Lakes Blvd	Atalon Dr	Local	Asphalt	83	67	90	Strng	V Good	0	17		80
2766	14th St	NW 13th Pl	Southminster Ave	Local	Concrete	49	41	79	Mod	Fair	0	0		54
1648	14th St	Southminster Ave	Regency Blvd	Local	Concrete	98	89	48	Mod	V Good	0	0		83
2456	14th St	Regency Blvd	St George Ave	Local	Asphalt	43	53	88	Strng	Fair	30	27		56
2582	14th St	St George Ave	Cavalier Dr	Local	Asphalt	42	65	90	Strng	Fair	25	31		59
1865	14th St	Cavalier Dr	N Norman Ave	Local	Asphalt	35	51	63	Mod	Marginal	35	31		45
2197	14th St	Corbin Dr	S Patterson Dr	Local	Concrete	72	50	73	Mod	Good	0	0		67
2342	14th St	S Patterson Dr	Autumn Dr	Local	Concrete	71	49	59	Mod	Good	0	0		62
1709	14th St	S Avery Dr	Sun Tree Cir	Local	Concrete	73	51	29	Mod	Fair	0	0		56
2455	14th St	Sun Tree Cir	S Morgan Dr	Local	Concrete	65	44	43	Mod	Fair	0	0		54
2557	14th St	S Morgan Dr	Tara Dr	Local	Concrete	97	89	38	Mod	V Good	0	0		80
1122	14th St	Meadow Run Dr	DS@361E Meadow Run Dr	Local	Asphalt	61	56	56	Mod	Fair	14	26		58
1095	14th St	DS@361E Meadow Run Dr	January Pl	Local	Asphalt	50	21	90	Strng	Fair	17	33		52
2776	14th St	Jordan Dr	DS@151E Jordan Dr	Local	Asphalt	66	52	67	Mod	Good	13	21		62
1873	14th St	DS@151E Jordan Dr	Aspen Dr	Local	Concrete	75	55	42	Mod	Good	0	0		62
2166	14th St	Aspen Dr	DS@509E Aspen Dr	Local	Concrete	92	78	57	Mod	V Good	0	0		79
1858	14th St	DS@509E Aspen Dr	DS@828E Aspen Dr	Local	Concrete	87	68	74	Mod	V Good	0	0		79
2681	14th St	DS@828E Aspen Dr	Knollwood Ter	Local	Concrete	77	57	41	Mod	Good	0	0		63
2890	14th St	Knollwood Ter	S Bryant Ave	Local	Concrete	76	55	44	Mod	Good	0	0		62
1539	14th St	S Santa Fe Ave	DS@525E S Santa Fe Ave	Local	Concrete	90	71	49	Mod	V Good	0	0		74
2148	14th St	DS@525E S Santa Fe Ave	Penn Ln	Local	Concrete	84	65	47	Mod	Good	0	0		69
3809	14th St	Ginger Ave	Eagle Dr	Local	Concrete	77	57	45	Mod	Good	0	0		63
3808	14th St	Eagle Dr	Ridgeway Dr	Local	Concrete	88	69	42	Mod	V Good	0	0		71
3825	14th St	Macalpine Ave	DS@856E Macalpine Ave	Local	Concrete	100	90	59	Mod	Excellent	0	0		87
2089	14th St	S Janeway Ave	S Telephone Rd	Local	Concrete	98	89	87	Mod	Excellent	0	0		93

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2481	14th St	WEST END	S I-35 Service Rd	Local	Asphalt	83	64	90	Strng	V Good	4	13		79
2654	14th St	S Howard Ave	S Broadway Ave	Local	Concrete	97	88	57	Mod	Excellent	0	0		85
1877	156th St	S Sunnyslane Rd	EAST END	Local	Asphalt	11	51	30	Weak	Poor	61	29		25
2928	15th St	Flicker Ridge Rd	Wild Fire	Local	Concrete	80	61	54	Mod	Good	0	0		69
2304	15th St	WEST END	DS@646E WEST END	Local	Asphalt	75	71	71	Mod	V Good	11	15		72
2305	15th St	DS@646E WEST END	Lost Creek Dr	Local	Asphalt	69	62	90	Strng	V Good	11	20		72
1901	15th St	Lost Creek Dr	High Meadow Ln	Local	Asphalt	70	62	90	Strng	V Good	14	13		73
1483	15th St	High Meadow Ln	Clear Creek Rd	Local	Asphalt	65	76	90	Strng	V Good	18	12		74
4221	15th St	Sonoma Lakes Blvd	Pendleton Pl	Local	Asphalt	91	72	90	Strng	Excellent	6	3		85
4223	15th St	Pendleton Pl	DS@444E Pendleton Pl	Local	Asphalt	91	73	92	Strng	Excellent	0	9		86
4226	15th St	DS@444E Pendleton Pl	DS@606E Pendleton Pl	Local	Asphalt	94	83	90	Strng	Excellent	0	6		90
4228	15th St	DS@606E Pendleton Pl	Atalon Dr	Local	Asphalt	88	72	90	Strng	V Good	5	7		84
4227	15th St	Atalon Dr	NE 16th St	Local	Asphalt	94	83	90	Strng	Excellent	0	6		90
4229	15th St	NE 16th St	NORTH END	Local	Asphalt	91	73	90	Strng	Excellent	0	9		86
2315	15th St	Mead Ln	Dorothy Dr	Local	Asphalt	53	59	86	Strng	Good	21	27		62
1988	15th St	N Santa Fe Ave	Southminster Ave	Local	Concrete	52	46	55	Mod	Fair	0	0		50
1720	15th St	Southminster Ave	Regency Blvd	Local	Concrete	59	54	43	Mod	Fair	0	0		53
1277	15th St	Regency Blvd	Windermere Dr	Local	Asphalt	36	64	75	Strng	Fair	32	32		52
1278	15th St	Windermere Dr	N Janeway Ave	Local	Asphalt	28	60	90	Strng	Fair	38	34		51
1688	15th St	N Gale Ave	Lawton Ave	Local	Concrete	71	52	45	Mod	Fair	0	0		59
1689	15th St	Lawton Ave	City Ave	Local	Concrete	90	71	70	Mod	V Good	0	0		80
2913	15th St	S Eastern Ave	Corbin Cir	Local	Concrete	96	87	44	Mod	V Good	0	0		81
2196	15th St	Corbin Cir	Autumn Dr	Local	Concrete	87	68	63	Mod	V Good	0	0		76
2732	15th St	Autumn Dr	DS@138E Autumn Dr	Local	Concrete	73	52	42	Mod	Good	0	0		60
1488	15th St	SE 16th St	S Morgan Dr	Local	Concrete	99	90	69	Mod	Excellent	0	0		89
1063	15th St	Tara Dr	Meadow Run Dr	Local	Asphalt	82	63	65	Mod	V Good	5	13		72
1067	15th St	Meadow Run Dr	Meadow Run Dr	Local	Asphalt	75	55	90	Strng	V Good	6	18		74
1951	15th St	Aspen Dr	Knollwood Ter	Local	Concrete	93	81	51	Mod	V Good	0	0		79
1538	15th St	S Santa Fe Ave	DS@460E S Santa Fe Ave	Local	Concrete	68	52	44	Mod	Fair	0	0		57
1141	15th St	DS@460E S Santa Fe Ave	Penn Ln	Local	Concrete	67	59	45	Mod	Fair	0	0		59
2090	15th St	S Janeway Ave	S Telephone Rd	Local	Concrete	99	90	59	Mod	Excellent	0	0		87
2598	15th St	S Howard Ave	S Broadway Ave	Local	Concrete	100	90	59	Mod	Excellent	0	0		87
1353	16th St	Smoking Tree Rd	DS@366E Smoking Tree Rd	Local	Concrete	93	80	28	Mod	V Good	0	0		73
3018	16th St	DS@366E Smoking Tree Rd	Flicker Ridge Rd	Local	Concrete	92	78	48	Mod	V Good	0	0		77
3029	16th St	Flicker Ridge Rd	Wild Fire	Local	Concrete	93	78	53	Mod	V Good	0	0		79
3030	16th St	Wild Fire	N Eastern Ave	Local	Concrete	80	61	43	Mod	Good	0	0		65
4224	16th St	Pendleton Pl	NE 15th St	Local	Asphalt	81	62	90	Strng	V Good	11	8		78
1276	16th St	NW 17th St	N Janeway Ave	Local	Asphalt	39	58	74	Mod	Fair	22	39		51
3524	16th St	N Janeway Ave	N Gale Ave	Local	Concrete	57	36	45	Mod	Marginal	0	0		48

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2975	16th St	N Gale Ave	City Ave	Local	Concrete	68	42	45	Mod	Fair	0	0		55
1589	16th St	SE 15th St	S Morgan Dr	Local	Concrete	85	67	87	Mod	V Good	0	0		81
1148	16th St	S Morgan Dr	EAST END	Local	Concrete	73	65	62	Mod	Good	0	0		68
2005	16th St	Tara Dr	Meadow Run Dr	Local	Asphalt	62	37	90	Strng	Good	19	19		62
1170	16th St	Meadow Run Dr	DS@141E Meadow Run Dr	Local	Asphalt	70	46	49	Mod	Fair	12	18		58
1379	16th St	DS@141E Meadow Run Dr	January Pl	Local	Asphalt	67	42	90	Strng	Good	15	18		66
1604	16th St	January Pl	Jordan Dr	Local	Asphalt	63	35	58	Mod	Fair	13	24		54
1753	16th St	Aspen Dr	Knollwood Ter	Local	Concrete	70	54	61	Mod	Good	0	0		64
3562	16th St	Knollwood Ter	S Bryant Ave	Local	Concrete	85	66	42	Mod	Good	0	0		69
1537	16th St	S Santa Fe Ave	DS@461E S Santa Fe Ave	Local	Concrete	61	55	44	Mod	Fair	0	0		55
1293	16th St	DS@461E S Santa Fe Ave	Penn Ln	Local	Concrete	80	61	48	Mod	Good	0	0		67
1885	16th St	S Howard Ave	S Broadway Ave	Local	Asphalt	95	84	84	Strng	Excellent	0	5		89
2322	17th Ct	N Eastern Ave	EAST END	Local	Concrete	72	49	49	Mod	Good	0	0		60
1970	17th St	Briar Hill St	DS@327E Briar Hill St	Local	Concrete	59	53	59	Mod	Fair	0	0		57
3983	17th St	DS@327E Briar Hill St	Lincoln Ave	Local	Concrete	78	59	50	Mod	Good	0	0		65
2216	17th St	NW 16th St	N Janeway Ave	Local	Asphalt	39	42	90	Strng	Fair	28	29		52
2976	17th St	N Gale Ave	City Ave	Local	Concrete	74	53	44	Mod	Good	0	0		61
1612	17th St	City Ave	Sunrise Dr	Local	Concrete	74	52	34	Mod	Fair	0	0		58
2617	17th St	Sunrise Dr	DS@284E Sunrise Dr	Local	Concrete	70	47	43	Mod	Fair	0	0		57
2188	17th St	DS@284E Sunrise Dr	N Moore Ave	Local	Concrete	60	40	74	Mod	Fair	0	0		58
1169	17th St	Tara Dr	Meadow Run Dr	Local	Asphalt	69	45	90	Strng	Good	14	17		68
3503	17th St	WEST END	S Bryant Ave	Local	Asphalt	70	51	70	Mod	Good	18	12		65
3939	17th St	Yule	DS@468E Yule	Local	Asphalt	53	47	93	Strng	Good	40	0		61
3942	17th St	Dreesen Dr	S Janeway Ave	Local	Concrete	100	90	96	Mod	Excellent	0	0		96
2091	17th St	S Janeway Ave	S Telephone Rd	Local	Concrete	100	90	88	Mod	Excellent	0	0		94
3980	18th Ct	Lincoln Ave	EAST END	Local	Concrete	75	54	58	Mod	Good	0	0		65
1195	18th Pl	N Gale Ave	City Ave	Local	Concrete	64	40	48	Mod	Fair	0	0		53
2185	18th Pl	City Ave	Sunrise Dr	Local	Concrete	81	62	48	Mod	Good	0	0		67
1847	18th St	N Broadway Ave	Kimberling Ave	Local	Concrete	48	27	44	Mod	Marginal	0	0		41
2094	18th St	Kimberling Ave	Julie Dr	Local	Concrete	51	40	44	Mod	Marginal	0	0		45
1826	18th St	Julie Dr	Kimberling Ave	Local	Concrete	47	38	54	Mod	Marginal	0	0		45
2513	18th St	Kimberling Ave	Bellaire Dr	Local	Concrete	58	49	88	Mod	Good	0	0		62
3004	18th St	Bellaire Dr	Fox Ave	Local	Concrete	17	41	51	Mod	Poor	0	0		31
3006	18th St	Fox Ave	Nail Pkwy	Local	Concrete	31	53	57	Mod	Marginal	0	0		42
3026	18th St	Parkside Dr	Metlock Ln	Local	Concrete	90	71	34	Mod	V Good	0	0		71
3027	18th St	Metlock Ln	N Eastern Ave	Local	Concrete	78	59	56	Mod	Good	0	0		67
2150	18th St	WEST END	High Meadow Ln	Local	Asphalt	67	76	81	Strng	V Good	15	18		72
2203	18th St	High Meadow Ln	EAST END	Local	Asphalt	60	62	91	Strng	Good	23	18		68
2312	18th St	N Santa Fe Ave	Dakota Dr	Local	Asphalt	49	51	87	Strng	Fair	17	34		59

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1929	18th St	WEST END	Queensbury Rd	Local	Concrete	48	59	42	Mod	Marginal	0	0		49
1024	18th St	Camelot Dr	N Janeway Ave	Local	Asphalt	46	53	92	Strng	Fair	32	22		58
1026	18th St	Camelot Dr	N Gale Ave	Local	Concrete	54	41	54	Mod	Fair	0	0		50
1299	18th St	N Gale Ave	Sunrise Dr	Local	Concrete	62	43	53	Mod	Fair	0	0		54
2720	18th St	Sunrise Dr	Sunrise Dr	Local	Concrete	74	53	69	Mod	Good	0	0		67
1698	18th St	Sunrise Dr	N Moore Ave	Local	Concrete	76	56	45	Mod	Good	0	0		63
3264	18th St	Meadow Run Dr	January Pl	Local	Asphalt	78	58	90	Strng	V Good	3	19		76
2451	18th St	January Pl	Jordan Dr	Local	Asphalt	80	61	57	Mod	Good	0	20		69
3529	18th St	Evans Ct	S Bryant Ave	Local	Asphalt	62	66	70	Mod	Good	21	17		65
3052	19th Pl	NE 20th Pl	East Hills Dr	Local	Concrete	94	83	58	Mod	V Good	0	0		82
1323	19th St	Julie Dr	Bellaire Dr	Local	Concrete	53	36	46	Mod	Marginal	0	0		46
3035	19th St	Bellaire Dr	Fox Ave	Local	Concrete	79	60	45	Mod	Good	0	0		65
3039	19th St	Fox Ave	N Nail Pkwy	Local	Concrete	59	35	58	Mod	Fair	0	0		52
1744	19th St	Parkside Dr	Bluegrass Ct	Local	Concrete	79	60	32	Mod	Good	0	0		62
1973	19th St	Bluegrass Ct	New Haven Ct	Local	Concrete	87	68	29	Mod	Good	0	0		67
1701	19th St	New Haven Ct	Metlock Ln	Local	Concrete	100	90	68	Mod	Excellent	0	0		89
2151	19th St	Parkside Ct	Blue Jay Ct	Local	Concrete	94	82	77	Mod	Excellent	0	0		86
3020	19th St	Blue Jay Ct	N Eastern Ave	Local	Concrete	61	46	59	Mod	Fair	0	0		56
2888	19th St	N Eastern Ave	Briar Hill St	Local	Concrete	87	68	66	Mod	V Good	0	0		77
3066	19th St	Briar Hill St	Briar Hill St	Local	Concrete	95	85	92	Mod	Excellent	0	0		91
3067	19th St	Briar Hill St	Sequoyah Ct	Local	Concrete	93	79	70	Mod	V Good	0	0		83
1120	19th St	Sequoyah Ct	Shelly Ct	Local	Concrete	97	89	72	Mod	Excellent	0	0		88
3979	19th St	Shelly Ct	Lincoln Ave	Local	Concrete	84	65	88	Mod	V Good	0	0		80
1600	19th St	Mead Ln	Dorothy Dr	Local	Asphalt	55	57	78	Strng	Good	21	23		61
1502	19th St	N Santa Fe Ave	Dakota Dr	Local	Asphalt	39	52	73	Mod	Fair	33	28		50
2781	19th St	WEST END	Queensbury Rd	Local	Concrete	43	43	52	Mod	Marginal	0	0		44
2239	19th St	Queensbury Rd	Tudor Dr	Local	Asphalt	33	57	90	Strng	Fair	39	26		52
1080	19th St	Tudor Dr	Astoria Ave	Local	Asphalt	28	58	90	Strng	Fair	50	21		50
3558	19th St	Astoria Ave	Regency Blvd	Local	Asphalt	53	56	93	Strng	Good	19	28		63
1949	19th St	Regency Blvd	N Janeway Ave	Local	Asphalt	29	52	88	Strng	Marginal	44	27		49
1324	19th St	Sunset Dr	Sunrise Dr	Local	Concrete	61	44	57	Mod	Fair	0	0		55
1558	19th St	Sunrise Dr	NE END	Local	Concrete	75	71	56	Mod	Good	0	0		69
3463	19th St	S Broadway Ave	Crystal Dr	Minor Arterial	Concrete	87	68	83	Mod	V Good	0	0		81
3462	19th St	Crystal Dr	DS@154E Crystal Dr	Minor Arterial	Asphalt	100	90	93	Strng	Excellent	0	0		95
2707	19th St	DS@154E Crystal Dr	Tower Dr	Minor Arterial	Asphalt	93	80	76	Strng	Excellent	5	2		85
1762	19th St	Tower Dr	Linda Ln	Minor Arterial	Asphalt	42	57	93	Strng	Fair	31	27		58
1985	19th St	Linda Ln	Sidney Dr	Minor Arterial	Asphalt	40	65	68	Mod	Fair	29	31		52
3239	19th St	Sidney Dr	Glenwood Dr	Minor Arterial	Asphalt	49	70	88	Strng	Good	18	34		63
3234	19th St	Glenwood Dr	Kirby Dr	Minor Arterial	Asphalt	49	67	90	Strng	Good	18	34		63

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1766	19th St	Kirby Dr	Dale Dr	Minor Arterial	Asphalt	54	73	90	Strng	Good	12	34		67
3697	19th St	Dale Dr	Dyer Dr	Minor Arterial	Asphalt	52	74	94	Strng	Good	9	39		67
3692	19th St	Dyer Dr	S Eastern Ave	Minor Arterial	Concrete	98	89	90	Mod	Excellent	0	0		93
3693	19th St	S Eastern Ave	Lewis Ln	Minor Arterial	Asphalt	81	78	85	Strng	V Good	5	14		81
3696	19th St	Lewis Ln	Meadow Run Dr	Minor Arterial	Asphalt	85	100	80	Strng	Excellent	7	7		87
3727	19th St	Meadow Run Dr	S Bryant Ave	Minor Arterial	Asphalt	74	97	78	Strng	V Good	19	8		80
3725	19th St	S Bryant Ave	Edgewater Dr	Minor Arterial	Asphalt	80	99	82	Strng	Excellent	11	10		85
4163	19th St	Edgewater Dr	Scott Dr	Minor Arterial	Asphalt	81	100	81	Strng	Excellent	8	10		85
1989	19th St	Scott Dr	S Sunnyslane Rd	Minor Arterial	Asphalt	79	78	88	Strng	V Good	10	11		80
3607	19th St	WEST END	Westmore Dr	Minor Arterial	Asphalt	72	81	84	Strng	V Good	11	16		77
1652	19th St	Westmore Dr	Lonnie Ln	Minor Arterial	Asphalt	64	78	73	Mod	Good	12	24		69
1654	19th St	Lonnie Ln	DS@382E Lonnie Ln	Minor Arterial	Asphalt	60	80	59	Mod	Good	15	24		64
3195	19th St	DS@382E Lonnie Ln	Meench Dr	Minor Arterial	Asphalt	61	79	66	Mod	Good	10	29		66
3197	19th St	Meench Dr	S Santa Fe Ave	Minor Arterial	Asphalt	52	70	85	Strng	Good	21	26		64
3795	19th St	S Santa Fe Ave	Greens Driveway	Minor Arterial	Asphalt	78	70	99	Strng	V Good	5	17		80
3794	19th St	Greens Driveway	Eagle Dr	Minor Arterial	Asphalt	87	93	90	Strng	Excellent	7	6		88
4124	19th St	Eagle Dr	Private Dr	Minor Arterial	Asphalt	80	79	93	Strng	V Good	5	14		82
3937	19th St	Private Dr	Fritts Blvd	Minor Arterial	Asphalt	80	87	89	Strng	V Good	5	14		84
3941	19th St	Fritts Blvd	S Telephone Rd	Minor Arterial	Asphalt	73	71	75	Strng	V Good	8	20		72
3804	19th St	S Telephone Rd	Riverwalk Dr	Minor Arterial	Concrete	93	80	79	Mod	Excellent	0	0		86
3805	19th St	Riverwalk Dr	S I-35 Service Rd	Minor Arterial	Concrete	89	81	89	Mod	Excellent	0	0		86
2979	19th St	S I-35 Service Rd	S I-35 Service Rd	Minor Arterial	Concrete	90	70	73	Mod	V Good	0	0		81
2978	19th St	S I-35 Service Rd	S Broadway Ave	Minor Arterial	Concrete	89	70	88	Mod	V Good	0	0		84
1934	19th Ter	Metlock Ln	Parkside Ct	Local	Asphalt	88	69	89	Strng	V Good	4	8		83
3077	1st Pl	S Irving Dr	SW 2nd St	Local	Asphalt	62	66	78	Strng	Good	9	29		67
4012	1st St	NW 1st St	EAST END	Local	Asphalt	19	49	57	Mod	Poor	47	34		35
1595	1st St	N Santa Fe St	N Turner Ave	Local	Asphalt	51	53	90	Strng	Good	25	24		61
2499	1st St	N Ramblin Oaks Dr	Pinewood Cir	Local	Concrete	94	83	54	Mod	V Good	0	0		81
1333	1st St	Pinewood Cir	N Hickory Ln	Local	Concrete	77	57	58	Mod	Good	0	0		67
2802	1st St	Evie Pl	Asher Ct	Local	Asphalt	73	65	86	Strng	V Good	11	16		74
2416	1st St	Asher Ct	N Bryant Ave	Local	Asphalt	57	59	97	Strng	Good	11	32		67
3187	1st St	N Santa Fe Ave	N Markwell Ave	Local	Concrete	63	44	43	Mod	Fair	0	0		52
2744	1st St	N Markwell Ave	N Norman Ave	Local	Asphalt	36	48	60	Mod	Marginal	26	34		44
2906	1st St	N Norman Ave	N Bristow Ave	Local	Asphalt	35	53	90	Strng	Fair	34	31		52
2907	1st St	N Bristow Ave	N Dallas Ave	Local	Asphalt	54	50	93	Strng	Good	12	33		62
1704	1st St	N Dallas Ave	N Dillon Ave	Local	Asphalt	27	57	67	Mod	Marginal	41	28		43
2214	1st St	N Dillon Ave	N Janeway Ave	Local	Asphalt	54	66	88	Strng	Good	12	34		65
1523	1st St	S Irving Dr	NW 2nd St	Local	Asphalt	82	89	85	Strng	V Good	5	13		84
1524	1st St	NW 2nd St	N Telephone Rd	Local	Asphalt	81	77	90	Strng	V Good	5	13		82

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary							
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)
													OPCI Date
													Current Segment PCI (CPCI)
1253	1st St	N Telephone Rd	N Service Rd	Local	Asphalt	42	49	90	Strng	Fair	26	32	55
4027	1st St	N Service Rd	N Chestnut Ave	Local	Asphalt	63	62	80	Strng	Good	15	21	66
4014	1st St	N Chestnut Ave	N Howard Ave	Local	Asphalt	41	43	76	Strng	Fair	34	25	49
4016	1st St	N Howard Ave	N Broadway Ave	Local	Concrete	100	90	68	Mod	Excellent	0	0	89
4007	1st St	S Broadway Ave	EAST END	Local	Concrete	100	90	75	Mod	Excellent	0	0	91
1208	1st St	S Santa Fe St	S Turner Ave	Local	Asphalt	72	68	76	Strng	V Good	8	20	72
3407	1st St	WEST END	S English Dr	Local	Concrete	86	67	42	Mod	V Good	0	0	69
2921	1st St	S Ramblin Oaks Dr	EAST END	Local	Concrete	82	64	66	Mod	V Good	0	0	73
1011	1st St	Parkway Dr	DS@49E Parkway Dr	Local	Concrete	100	90	47	Mod	V Good	0	0	84
1345	1st St	DS@49E Parkway Dr	Admiralty Rd	Local	Concrete	97	89	81	Mod	Excellent	0	0	91
1430	1st St	Admiralty Rd	S Bryant Ave	Local	Concrete	99	90	76	Mod	Excellent	0	0	90
2956	1st St	S Santa Fe Ave	S Markwell Ave	Local	Concrete	60	45	41	Mod	Fair	0	0	51
2957	1st St	S Markwell Ave	S Norman Ave	Local	Asphalt	51	49	71	Mod	Fair	20	29	55
2948	1st St	S Norman Ave	S Bristow Ave	Local	Concrete	89	70	79	Mod	V Good	0	0	81
2938	1st St	S Bristow Ave	S Dallas Ave	Local	Asphalt	96	87	76	Strng	Excellent	0	4	89
2940	1st St	S Dallas Ave	S Dillon Ave	Local	Asphalt	96	87	90	Strng	Excellent	0	4	92
2936	1st St	S Dillon Ave	S Baer Dr	Local	Asphalt	99	90	90	Strng	Excellent	0	2	93
3088	1st St	S Baer Dr	S Rock Pl	Local	Asphalt	99	90	90	Strng	Excellent	0	1	94
3089	1st St	S Rock Pl	S Janeway Ave	Local	Asphalt	92	76	91	Strng	Excellent	0	8	87
1814	1st St	S Janeway Ave	S Irving Dr	Local	Asphalt	45	47	90	Strng	Fair	24	30	56
3843	1st St	S Irving Dr	S Telephone Rd	Local	Asphalt	54	68	90	Strng	Good	17	29	66
3846	1st St	S Telephone Rd	S Classen Ave	Local	Concrete	100	90	88	Mod	Excellent	0	0	94
3848	1st St	S Classen Ave	S I-35 Service Rd	Local	Concrete	100	90	89	Mod	Excellent	0	0	94
2883	1st St	S I-35 Service Rd	S Chestnut Ave	Local	Asphalt	47	38	90	Strng	Fair	30	23	55
4000	1st St	S Chestnut Ave	S Howard Ave	Local	Asphalt	40	38	90	Strng	Fair	31	27	51
4005	1st St	S Howard Ave	S Broadway Ave	Local	Asphalt	31	40	90	Strng	Marginal	39	30	47
4253	20th Cir	Northfork Dr	EAST END	Local	Asphalt	100	90	83	Strng	Excellent	0	0	93
4117	20th Pl	Cox Ln	Avondale Dr	Local	Asphalt	98	89	90	Strng	Excellent	1	1	93
3051	20th Pl	NE 19th Pl	East Hills Dr	Local	Concrete	79	60	58	Mod	Good	0	0	69
3037	20th St	Bellaire Dr	Fox Ave	Local	Concrete	58	44	55	Mod	Fair	0	0	53
3040	20th St	Fox Ave	N Nail Pkwy	Local	Concrete	64	35	48	Mod	Fair	0	0	52
2780	20th St	Sarah Ln	Parkside Ct	Local	Asphalt	41	61	90	Strng	Fair	22	37	58
1918	20th St	Parkside Ct	Stefanie Ln	Local	Asphalt	59	68	90	Strng	Good	16	26	68
1522	20th St	WEST END	DS@68E WEST END	Local	Concrete	93	80	59	Mod	V Good	0	0	81
1352	20th St	Briar Hill St	Briar Hill St	Local	Concrete	68	51	60	Mod	Good	0	0	61
1255	20th St	Briar Hill St	Lincoln Ave	Local	Concrete	56	56	61	Mod	Fair	0	0	57
3976	20th St	Lincoln Ave	Lincoln Ave	Local	Concrete	53	49	57	Mod	Fair	0	0	52
3977	20th St	Lincoln Ave	EAST END	Local	Concrete	54	61	45	Mod	Fair	0	0	53
1931	20th St	N Santa Fe Ave	Queensbury Rd	Local	Concrete	57	48	54	Mod	Fair	0	0	53

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2002	20th St	Queensbury Rd	Astoria Ave	Local	Asphalt	55	64	84	Strng	Good	14	31		64
1106	20th St	N Janeway Ave	Sunset Dr	Local	Concrete	52	48	55	Mod	Fair	0	0		51
1196	20th St	Sunset Dr	Sunrise Dr	Local	Concrete	62	47	53	Mod	Fair	0	0		55
1998	20th St	Lakecrest Dr	Westmore Dr	Local	Concrete	97	88	47	Mod	V Good	0	0		82
3526	20th St	Westmore Dr	Parkview Dr	Local	Concrete	53	35	54	Mod	Marginal	0	0		48
1999	20th St	Parkview Dr	Briarcliff Dr	Local	Concrete	77	57	46	Mod	Good	0	0		64
2000	20th St	Briarcliff Dr	Lonnie Ln	Local	Concrete	95	85	59	Mod	V Good	0	0		83
2600	20th St	Lonnie Ln	DS@183E Lonnie Ln	Local	Concrete	99	90	61	Mod	Excellent	0	0		87
1396	20th St	DS@183E Lonnie Ln	S Robinson Ave	Local	Concrete	95	85	61	Mod	V Good	0	0		84
2127	20th St	S Robinson Ave	Meench Dr	Local	Concrete	59	33	48	Mod	Fair	0	0		49
1833	20th St	Meench Dr	DS@184E Meench Dr	Local	Concrete	87	68	57	Mod	V Good	0	0		74
1397	20th St	DS@184E Meench Dr	Goodrich Dr	Local	Concrete	76	58	47	Mod	Good	0	0		64
1177	21st Ct	Lincoln Ave	DS@278E Lincoln Ave	Local	Concrete	83	64	87	Mod	V Good	0	0		79
1715	21st Ct	DS@278E Lincoln Ave	EAST END	Local	Concrete	79	59	89	Mod	V Good	0	0		76
2110	21st Pl	WEST END	East Hills Dr	Local	Concrete	50	45	33	Mod	Marginal	0	0		44
1365	21st St	N Broadway Ave	Julie Dr	Local	Concrete	57	48	61	Mod	Fair	0	0		55
2343	21st St	Julie Dr	DS@528N Julie Dr	Local	Concrete	72	49	44	Mod	Fair	0	0		59
2344	21st St	DS@528N Julie Dr	Ridgewood Dr	Local	Concrete	65	44	68	Mod	Good	0	0		59
1719	21st St	WEST END	N Nail Pkwy	Local	Concrete	89	70	53	Mod	V Good	0	0		75
2022	21st St	Sarah Ln	DS@356E Sarah Ln	Local	Asphalt	48	60	56	Mod	Fair	20	32		52
2023	21st St	DS@356E Sarah Ln	Stefanie Ln	Local	Asphalt	47	61	76	Strng	Fair	24	30		57
3886	21st St	Stefanie Ln	N Eastern Ave	Local	Asphalt	59	24	93	Strng	Fair	6	35		58
4116	21st St	N Eastern Ave	Cox Ln	Local	Asphalt	91	74	90	Strng	Excellent	0	9		86
4114	21st St	Cox Ln	Avondale Dr	Local	Asphalt	97	88	90	Strng	Excellent	0	3		92
2794	21st St	N Santa Fe Ave	Kings Rd	Local	Concrete	70	46	88	Mod	Good	0	0		68
4184	21st St	Regency Blvd	EAST END	Local	Asphalt	29	34	85	Strng	Marginal	43	28		43
2699	21st St	N Janeway Ave	Sunset Dr	Local	Concrete	86	67	57	Mod	V Good	0	0		74
2561	21st St	Sunset Dr	Sunrise Dr	Local	Concrete	78	59	68	Mod	V Good	0	0		70
2822	21st St	Sunrise Dr	N Moore Ave	Local	Concrete	80	61	61	Mod	V Good	0	0		70
1735	21st St	Lakecrest Dr	Westmore Dr	Local	Concrete	93	78	47	Mod	V Good	0	0		77
1424	21st St	Westmore Dr	Parkview Dr	Local	Concrete	72	51	46	Mod	Good	0	0		59
1734	21st St	Briarcliff Dr	Lonnie Ln	Local	Concrete	87	68	46	Mod	V Good	0	0		71
1568	21st St	S Robinson Ave	Meench Dr	Local	Concrete	74	53	47	Mod	Good	0	0		61
2141	21st St	Meench Dr	Goodrich Dr	Local	Concrete	62	39	44	Mod	Fair	0	0		51
3466	21st St	Crystal Dr	Crystal Dr	Local	Concrete	72	50	46	Mod	Good	0	0		60
3465	21st St	Crystal Dr	EAST END	Local	Concrete	66	52	46	Mod	Fair	0	0		57
1969	22nd St	Lincoln Ave	DS@304E Lincoln Ave	Local	Concrete	69	46	58	Mod	Good	0	0		60
1651	22nd St	DS@304E Lincoln Ave	DS@677E Lincoln Ave	Local	Concrete	76	55	48	Mod	Good	0	0		63
2320	22nd St	DS@677E Lincoln Ave	East Hills Dr	Local	Concrete	82	63	48	Mod	Good	0	0		68

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3175	22nd St	N Santa Fe Ave	Kings Rd	Local	Concrete	63	43	48	Mod	Fair	0	0		54
1971	22nd St	Queensbury Rd	Regency Blvd	Local	Asphalt	43	67	88	Strng	Good	22	35		59
1792	22nd St	Regency Blvd	N Janeway Ave	Local	Asphalt	45	70	89	Strng	Good	19	36		61
2024	22nd St	Sunset Dr	Sunrise Dr	Local	Concrete	49	39	55	Mod	Marginal	0	0		47
4255	22nd St	Northfork Dr	Creek Side Cir	Local	Asphalt	91	73	95	Strng	Excellent	7	2		87
2507	22nd St	Lonnie Ln	DS@225E Lonnie Ln	Local	Concrete	78	58	86	Mod	V Good	0	0		74
2028	22nd St	DS@225E Lonnie Ln	DS@531E Lonnie Ln	Local	Concrete	89	70	71	Mod	V Good	0	0		79
2027	22nd St	DS@531E Lonnie Ln	DS@733E Lonnie Ln	Local	Concrete	93	78	84	Mod	Excellent	0	0		87
2026	22nd St	DS@733E Lonnie Ln	DS@950E Lonnie Ln	Local	Concrete	94	81	69	Mod	V Good	0	0		84
2025	22nd St	DS@950E Lonnie Ln	Tyler Ln	Local	Concrete	98	89	86	Mod	Excellent	0	0		92
3467	22nd St	Crystal Dr	EAST END	Local	Concrete	73	53	43	Mod	Good	0	0		60
2727	23rd St	N Broadway Ave	SE END	Local	Concrete	58	42	46	Mod	Fair	0	0		50
3883	23rd St	WEST END	N Eastern Ave	Local	Asphalt	75	57	88	Strng	V Good	9	16		73
3890	23rd St	N Eastern Ave	Kyle Robert Ln	Local	Concrete	85	67	70	Mod	V Good	0	0		77
3891	23rd St	Kyle Robert Ln	Truitt St	Local	Concrete	66	46	50	Mod	Fair	0	0		56
3892	23rd St	Truitt St	Cedar Brook Dr	Local	Concrete	72	51	78	Mod	Good	0	0		68
3285	23rd St	Cedar Brook Dr	Lincoln Ave	Local	Concrete	82	64	68	Mod	V Good	0	0		74
3286	23rd St	Lincoln Ave	W Park Pl	Local	Concrete	75	54	44	Mod	Good	0	0		61
2487	23rd St	W Park Pl	E Park Pl	Local	Concrete	53	49	79	Mod	Fair	0	0		58
2488	23rd St	E Park Pl	DS@93E E Park Pl	Local	Concrete	38	32	72	Mod	Marginal	0	0		45
3279	23rd St	DS@93E E Park Pl	Northridge Rd	Local	Concrete	38	29	60	Mod	Marginal	0	0		41
3280	23rd St	Northridge Rd	N Park Pl	Local	Concrete	46	32	43	Mod	Marginal	0	0		41
3174	23rd St	N Santa Fe Ave	Kings Rd	Local	Concrete	67	44	52	Mod	Fair	0	0		57
2521	23rd St	Kings Rd	Queensbury Rd	Local	Concrete	94	82	97	Mod	Excellent	0	0		91
2746	23rd St	Queensbury Rd	Piccadilly Cir	Local	Asphalt	68	64	80	Strng	V Good	1	31		70
2769	23rd St	Piccadilly Cir	Nottingham Way	Local	Asphalt	72	70	90	Strng	V Good	9	19		76
1876	23rd St	Nottingham Way	N Janeway Ave	Local	Asphalt	28	61	90	Strng	Fair	34	36		51
3659	23rd St	Westchester Dr	Avenel Dr	Local	Asphalt	78	68	90	Strng	V Good	5	18		78
3660	23rd St	Avenel Dr	Karsten Creek Dr	Local	Asphalt	73	67	82	Strng	V Good	0	27		73
4256	23rd St	Northfork Dr	Creek Side Cir	Local	Asphalt	84	67	87	Strng	V Good	10	7		80
2162	23rd St	Lakecrest Dr	Westmore Dr	Local	Concrete	97	87	64	Mod	Excellent	0	0		86
1560	23rd St	Westmore Dr	DS@387E Westmore Dr	Local	Concrete	86	67	67	Mod	V Good	0	0		76
1559	23rd St	DS@387E Westmore Dr	Lonnie Ln	Local	Concrete	96	87	54	Mod	V Good	0	0		83
2158	23rd St	Lonnie Ln	DS@707E Lonnie Ln	Local	Concrete	96	87	57	Mod	V Good	0	0		84
2242	23rd St	DS@707E Lonnie Ln	DS@931E Lonnie Ln	Local	Concrete	100	90	67	Mod	Excellent	0	0		89
2553	23rd St	DS@931E Lonnie Ln	DS@1066E Lonnie Ln	Local	Concrete	86	76	52	Mod	V Good	0	0		75
2241	23rd St	DS@1066E Lonnie Ln	DS@1245E Lonnie Ln	Local	Concrete	86	67	52	Mod	V Good	0	0		72
2155	23rd St	DS@1245E Lonnie Ln	Tyler Ln	Local	Concrete	74	53	44	Mod	Good	0	0		61
3469	23rd St	Crystal Dr	EAST END	Local	Concrete	81	62	42	Mod	Good	0	0		66

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2864	24th St	N Eastern Ave	Thomas Dr	Local	Concrete	53	39	100	Mod	Good	0	0		61
2350	24th St	Thomas Dr	Truitt St	Local	Concrete	44	30	68	Mod	Marginal	0	0		46
3893	24th St	Truitt St	Lincoln Ave	Local	Concrete	70	47	70	Mod	Good	0	0		64
3282	24th St	Lincoln Ave	EAST END	Local	Concrete	51	39	79	Mod	Fair	0	0		55
3173	24th St	N Santa Fe Ave	Kings Rd	Local	Concrete	75	54	60	Mod	Good	0	0		65
2973	24th St	Queensbury Rd	Yorkshire Ave	Local	Asphalt	22	63	90	Strng	Marginal	36	41		49
1561	24th St	Yorkshire Ave	Nottingham Way	Local	Asphalt	21	45	61	Mod	Poor	43	36		36
2602	24th St	Nottingham Way	Regency Pl	Local	Asphalt	12	41	90	Strng	Poor	46	29		38
1474	24th St	Regency Pl	N Janeway Ave	Local	Asphalt	12	42	90	Strng	Poor	46	29		38
3670	24th St	S Eastern Ave	Port Rush Dr	Local	Asphalt	69	63	71	Mod	Good	10	21		67
3656	24th St	Port Rush Dr	Augusta Dr	Local	Asphalt	80	66	90	Strng	V Good	7	13		79
3671	24th St	Augusta Dr	Westchester Dr	Local	Asphalt	71	74	49	Mod	Good	0	29		65
3666	24th St	SE 25th St	Westchester Dr	Local	Asphalt	71	50	90	Strng	V Good	6	23		70
2165	24th St	SW END	Lakecrest Dr	Local	Concrete	91	74	52	Mod	V Good	0	0		77
1503	24th St	Westmore Dr	DS@673E Westmore Dr	Local	Asphalt	82	76	85	Strng	V Good	8	11		81
2599	24th St	DS@673E Westmore Dr	DS@812E Westmore Dr	Local	Asphalt	80	77	90	Strng	V Good	3	17		81
1677	24th St	DS@812E Westmore Dr	DS@1021E Westmore Dr	Local	Asphalt	78	82	90	Strng	V Good	7	15		82
1266	24th St	DS@1021E Westmore Dr	DS@1253E Westmore Dr	Local	Asphalt	75	75	91	Strng	V Good	12	14		79
1265	24th St	DS@1253E Westmore Dr	DS@1428E Westmore Dr	Local	Asphalt	67	69	90	Strng	V Good	16	17		73
1264	24th St	DS@1428E Westmore Dr	Tyler Ln	Local	Asphalt	60	55	90	Strng	Good	10	29		66
2668	24th St	Tyler Ln	Tyler Ln	Local	Concrete	69	45	62	Mod	Good	0	0		60
2615	24th St	Tyler Ln	S Santa Fe Ave	Local	Concrete	86	67	77	Mod	V Good	0	0		78
3470	24th St	Crystal Dr	EAST END	Local	Concrete	64	49	48	Mod	Fair	0	0		56
1674	25th Cir	SW END	SW 25th St	Local	Asphalt	61	35	88	Strng	Good	8	32		60
1954	25th Ct	Thomas Dr	Jefferson Dr	Local	Asphalt	49	51	91	Strng	Fair	18	28		59
1519	25th Ct	Jefferson Dr	EAST END	Local	Asphalt	49	31	90	Strng	Fair	21	30		54
3272	25th St	Sequoyah Ave	Lincoln Ave	Local	Concrete	66	54	44	Mod	Fair	0	0		57
3274	25th St	Lincoln Ave	Old Mill Rd	Local	Concrete	95	85	70	Mod	Excellent	0	0		86
3289	25th St	Amber St	Andrea Ct	Local	Concrete	39	43	87	Mod	Fair	0	0		51
3291	25th St	Andrea Ct	Amy Ct	Local	Concrete	50	55	54	Mod	Fair	0	0		52
3880	25th St	Ethan Ln	DS@565E Ethan Ln	Local	Asphalt	92	76	72	Mod	V Good	0	8		83
4098	25th St	DS@565E Ethan Ln	Siena Ln	Local	Asphalt	87	68	61	Mod	V Good	0	14		75
4101	25th St	Siena Ln	S Bryant Ave	Local	Asphalt	78	60	84	Strng	V Good	0	22		74
3170	25th St	S Santa Fe Ave	Kings Rd	Local	Concrete	74	53	72	Mod	Good	0	0		67
3664	25th St	Augusta Dr	SE 24th St	Local	Asphalt	69	67	61	Mod	Good	6	26		66
3663	25th St	SE 24th St	Southern Hills Dr	Local	Asphalt	70	46	80	Strng	Good	11	20		66
1334	25th St	Lonnie Ln	SW 25th Cir	Local	Concrete	79	59	67	Mod	V Good	0	0		70
1395	25th St	SW 25th Cir	DS@628E SW 25th Cir	Local	Asphalt	64	55	75	Strng	Good	13	23		64
2084	25th St	DS@628E SW 25th Cir	DS@1016E SW 25th Cir	Local	Asphalt	60	68	87	Strng	Good	10	30		68

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2083	25th St	DS@1016E SW 25th Cir	DS@1244E SW 25th Cir	Local	Asphalt	46	69	64	Mod	Fair	13	41		55
1393	25th St	DS@1244E SW 25th Cir	DS@1416E SW 25th Cir	Local	Asphalt	49	63	90	Strng	Good	13	38		62
3975	25th St	DS@1416E SW 25th Cir	Tyler Ln	Local	Asphalt	51	56	67	Mod	Fair	6	42		56
4281	25th St	Fritts Blvd	S Telephone Rd	Local	Concrete	100	90	66	Mod	Excellent	0	0		88
2706	25th St	S Telephone Rd	S I-35 Service Rd	Local	Asphalt	63	52	83	Strng	Good	8	29		64
3544	25th St	Crystal Dr	EAST END	Local	Concrete	74	53	61	Mod	Good	0	0		65
2517	26th Ct	Jefferson Dr	EAST END	Local	Asphalt	43	34	90	Strng	Fair	25	32		52
3947	26th St	Lincoln Ave	Lincoln Ave	Local	Concrete	84	66	43	Mod	Good	0	0		69
3946	26th St	Lincoln Ave	Old Mill Rd	Local	Concrete	93	81	66	Mod	V Good	0	0		83
3960	26th St	Amber St	Amy Ct	Local	Concrete	64	51	49	Mod	Fair	0	0		57
3878	26th St	Ethan Ln	DS@560E Ethan Ln	Local	Asphalt	87	68	75	Strng	V Good	0	13		79
4097	26th St	DS@560E Ethan Ln	Siena Ln	Local	Asphalt	89	69	84	Strng	V Good	0	12		82
3167	26th St	N Santa Fe Ave	Larkspur Rd	Local	Concrete	82	64	65	Mod	V Good	0	0		73
3669	26th St	WEST END	Port Rush Dr	Local	Asphalt	71	57	89	Strng	V Good	2	27		71
3667	26th St	Port Rush Dr	Southern Hills Dr	Local	Asphalt	73	70	77	Strng	V Good	7	20		73
1431	26th St	Chisholm Trail Ln	Land Run Rd	Local	Asphalt	69	63	58	Mod	Good	11	19		64
2209	26th St	Briarcliff Dr	Lonnie Ln	Local	Concrete	96	87	77	Mod	Excellent	0	0		89
3473	26th St	Crystal Dr	EAST END	Local	Concrete	87	68	74	Mod	V Good	0	0		79
1937	27th St	I-35 S	N Broadway Ave	Minor Arterial	Concrete	95	85	89	Mod	Excellent	0	0		91
1367	27th St	N Broadway Ave	Highland Dr	Minor Arterial	Concrete	90	71	91	Mod	Excellent	0	0		85
1097	27th St	Highland Dr	Pole Rd	Minor Arterial	Concrete	78	58	73	Mod	V Good	0	0		71
1099	27th St	Pole Rd	Pioneer Ln	Minor Arterial	Concrete	93	81	84	Mod	Excellent	0	0		87
1098	27th St	Pioneer Ln	Little Ln	Minor Arterial	Concrete	92	77	95	Mod	Excellent	0	0		88
1960	27th St	Little Ln	DS@717E Little Ln	Minor Arterial	Concrete	93	79	95	Mod	Excellent	0	0		89
1607	27th St	DS@717E Little Ln	N Eastern Ave	Minor Arterial	Concrete	87	68	85	Mod	V Good	0	0		81
2680	27th St	N Eastern Ave	Jefferson Dr	Minor Arterial	Concrete	93	81	69	Mod	V Good	0	0		84
3496	27th St	Jefferson Dr	Sequoyah Ave	Minor Arterial	Asphalt	42	48	64	Mod	Marginal	30	26		48
3271	27th St	Sequoyah Ave	Brookstone Ct	Minor Arterial	Concrete	72	50	49	Mod	Good	0	0		60
3944	27th St	Brookstone Ct	Lincoln Ave	Minor Arterial	Concrete	93	79	80	Mod	Excellent	0	0		86
3943	27th St	Lincoln Ave	Bradford Dr	Minor Arterial	Concrete	86	68	77	Mod	V Good	0	0		79
3920	27th St	Bradford Dr	Old Mill Rd	Minor Arterial	Concrete	99	90	91	Mod	Excellent	0	0		94
3922	27th St	Old Mill Rd	East Hills Dr	Minor Arterial	Concrete	89	69	64	Mod	V Good	0	0		77
3924	27th St	East Hills Dr	Amber St	Minor Arterial	Concrete	90	70	84	Mod	V Good	0	0		83
3925	27th St	Amber St	Nemaha Dr	Minor Arterial	Concrete	96	87	48	Mod	V Good	0	0		81
3959	27th St	Nemaha Dr	Siena Blvd	Minor Arterial	Asphalt	43	68	68	Mod	Fair	35	21		55
3958	27th St	Siena Blvd	N Bryant Ave	Minor Arterial	Asphalt	60	68	79	Strng	Good	13	27		66
3165	27th St	N Santa Fe Ave	Larkspur Rd	Minor Arterial	Concrete	87	69	77	Mod	V Good	0	0		80
1821	27th St	Larkspur Rd	Kings Rd	Minor Arterial	Asphalt	73	81	74	Mod	V Good	8	20		74
2970	27th St	Kings Rd	Queensbury Rd	Minor Arterial	Asphalt	72	74	59	Mod	Good	9	20		68

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2971	27th St	Queensbury Rd	Yorkshire Cir	Minor Arterial	Asphalt	74	82	78	Strng	V Good	10	16		76
2967	27th St	Yorkshire Cir	Yorkshire Ave	Minor Arterial	Asphalt	76	74	74	Mod	V Good	6	18		74
2969	27th St	Yorkshire Ave	Nottingham Way	Minor Arterial	Asphalt	73	76	74	Mod	V Good	2	24		74
2061	27th St	Nottingham Way	Regency Blvd	Minor Arterial	Asphalt	63	84	67	Mod	Good	10	27		68
1381	27th St	Regency Blvd	N Janeway Ave	Minor Arterial	Asphalt	27	60	71	Mod	Marginal	44	29		45
2056	27th St	N Janeway Ave	N Shields Blvd	Minor Arterial	Asphalt	28	35	65	Mod	Poor	37	35		38
1816	27th St	N Shields Blvd	N Shields Blvd	Minor Arterial	Asphalt	37	53	65	Mod	Marginal	36	24		47
1084	27th St	N Shields Blvd	Hillcrest Dr	Minor Arterial	Concrete	49	48	62	Mod	Fair	0	0		51
2698	27th St	Hillcrest Dr	Woodlawn Dr	Minor Arterial	Concrete	43	62	92	Mod	Fair	0	0		59
1818	27th St	Woodlawn Dr	Poplar Dr	Minor Arterial	Concrete	80	71	96	Mod	V Good	0	0		81
1204	27th St	Poplar Dr	N Service Rd	Minor Arterial	Concrete	92	77	95	Mod	Excellent	0	0		89
1936	27th St	N Service Rd	I-35 S	Minor Arterial	Concrete	98	89	96	Mod	Excellent	0	0		94
3687	27th St	S Broadway Ave	Angela Frances Pl	Local	Concrete	72	50	48	Mod	Good	0	0		60
3741	27th St	Angela Frances Pl	Elisabeth Anne Ter	Local	Concrete	62	50	45	Mod	Fair	0	0		54
3745	27th St	Elisabeth Anne Ter	EAST END	Local	Concrete	71	61	41	Mod	Good	0	0		61
2179	27th St	Chisholm Trail Ln	Land Run Rd	Local	Asphalt	68	49	82	Strng	Good	13	20		66
2178	27th St	Land Run Rd	S Sunnyslane Rd	Local	Asphalt	74	53	90	Strng	V Good	5	21		72
4283	27th St	Old Hackberry Dr	S Telephone Rd	Local	Concrete	100	90	96	Mod	Excellent	0	0		96
3460	27th St	S I-35 Service Rd	Crystal Dr	Local	Concrete	71	50	53	Mod	Good	0	0		61
3461	27th St	Crystal Dr	EAST END	Local	Concrete	81	62	48	Mod	Good	0	0		68
1532	27th St	Christina Ct	Danielle Ter	Local	Asphalt	73	52	90	Strng	V Good	9	18		72
3875	27th Ter	Ethan Ln	Siena Blvd	Local	Asphalt	84	66	70	Mod	V Good	0	16		76
3876	27th Ter	Siena Blvd	Siena Ln	Local	Asphalt	77	60	88	Strng	V Good	0	23		75
3561	28th St	Clarisa Dr	Loren Dr	Local	Asphalt	72	61	90	Strng	V Good	6	22		73
1527	28th St	Larkspur Rd	Kings Rd	Local	Concrete	54	49	44	Mod	Fair	0	0		49
1622	28th St	Kings Rd	Nottingham Way	Local	Concrete	64	55	49	Mod	Fair	0	0		57
3778	28th St	WEST END	Elisabeth Anne Ter	Local	Concrete	83	64	66	Mod	V Good	0	0		74
1457	28th St	S Santa Fe Ave	Fleshmans Dr	Local	Asphalt	35	67	76	Strng	Fair	34	29		52
3209	28th St	San Juan Trls	Woodstock Rd	Local	Asphalt	56	50	90	Strng	Good	24	17		62
2828	28th St	Alethea Dr	Elmo Way	Local	Asphalt	76	77	80	Strng	V Good	8	17		77
3759	28th St	Danielle Ter	S Broadway Ave	Local	Asphalt	60	47	90	Strng	Good	20	21		63
2410	29th Cir	Alethea Dr	EAST END	Local	Asphalt	62	54	49	Mod	Fair	15	23		56
2457	29th Ct	WEST END	Red Rock Dr	Local	Asphalt	74	58	86	Strng	V Good	2	23		72
1978	29th St	N Eastern Ave	Clarisa Dr	Local	Asphalt	70	51	82	Strng	Good	11	19		68
1489	29th St	Bradford Dr	Bradford Dr	Local	Asphalt	66	65	56	Mod	Good	17	18		62
2392	29th St	Larkspur Rd	Prairie Field Ln	Local	Asphalt	64	64	88	Strng	Good	6	30		69
2393	29th St	Prairie Field Ln	EAST END	Local	Asphalt	70	66	92	Strng	V Good	1	29		74
3774	29th St	WEST END	Elisabeth Anne Ter	Local	Concrete	82	64	58	Mod	V Good	0	0		71
2564	2nd St	NW 2nd St	EAST END	Local	Asphalt	26	34	90	Strng	Marginal	46	29		43

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2454	2nd St	N Santa Fe St	N Turner Ave	Local	Concrete	100	90	71	Mod	Excellent	0	0		90
1344	2nd St	N Ramblin Oaks Dr	Red Oak Cir	Local	Concrete	70	49	66	Mod	Good	0	0		63
3553	2nd St	Red Oak Cir	N Hickory Ln	Local	Concrete	96	86	64	Mod	Excellent	0	0		85
2588	2nd St	N Hickory Ln	Wellington Ln	Local	Concrete	69	45	52	Mod	Fair	0	0		58
1159	2nd St	Wellington Ln	Nelson Park Cir	Local	Concrete	81	62	57	Mod	V Good	0	0		69
2337	2nd St	Nelson Park Cir	DS@269E Nelson Park Cir	Local	Asphalt	65	40	48	Mod	Fair	8	28		53
2051	2nd St	WEST END	Schooner Way	Local	Asphalt	74	53	95	Strng	V Good	8	18		74
2172	2nd St	Schooner Way	EAST END	Local	Asphalt	75	63	91	Strng	V Good	7	18		76
3188	2nd St	N Santa Fe Ave	EAST END	Local	Concrete	62	46	44	Mod	Fair	0	0		53
2897	2nd St	WEST END	N Markwell Ave	Local	Concrete	54	38	34	Mod	Marginal	0	0		44
2899	2nd St	N Markwell Ave	N Butler Ave	Local	Asphalt	54	53	90	Strng	Good	16	30		62
1055	2nd St	N Butler Ave	N Arnold Ave	Local	Asphalt	38	73	90	Strng	Fair	38	24		59
1056	2nd St	N Norman Ave	N Norman Ave	Local	Asphalt	44	63	90	Strng	Good	22	34		59
1534	2nd St	N Rock Pl	N Janeway Ave	Local	Concrete	94	83	50	Mod	V Good	0	0		80
2826	2nd St	NW 1st St	N Telephone Rd	Local	Asphalt	83	65	89	Strng	V Good	3	14		80
4025	2nd St	N Service Rd	N Chestnut Ave	Local	Concrete	100	90	71	Mod	Excellent	0	0		90
4020	2nd St	N Chestnut Ave	N Howard Ave	Local	Concrete	100	90	43	Mod	V Good	0	0		83
4018	2nd St	N Howard Ave	N Broadway Ave	Local	Concrete	97	89	70	Mod	Excellent	0	0		88
4004	2nd St	S Broadway Ave	EAST END	Local	Concrete	98	89	48	Mod	V Good	0	0		83
1210	2nd St	S Santa Fe St	S Turner Ave	Local	Asphalt	71	61	59	Mod	Good	5	24		65
1511	2nd St	WEST END	S Ramblin Oaks Dr	Local	Concrete	76	56	86	Mod	V Good	0	0		73
2745	2nd St	S Ramblin Oaks Dr	EAST END	Local	Concrete	76	56	68	Mod	Good	0	0		68
2737	2nd St	Parkway Dr	DS@376E Parkway Dr	Local	Concrete	100	90	92	Mod	Excellent	0	0		95
1614	2nd St	DS@376E Parkway Dr	S Bryant Ave	Local	Concrete	97	87	79	Mod	Excellent	0	0		89
3967	2nd St	S Santa Fe Ave	S Markwell Ave	Local	Concrete	72	50	43	Mod	Fair	0	0		59
3966	2nd St	S Markwell Ave	S Cagle Ave	Local	Asphalt	37	63	72	Mod	Fair	27	36		51
2951	2nd St	S Cagle Ave	S Norman Ave	Local	Asphalt	51	58	90	Strng	Good	13	36		62
1536	2nd St	S Dallas Ave	S Janeway Ave	Local	Asphalt	51	74	86	Strng	Good	20	28		65
2807	2nd St	S Irving Dr	SW 1st Pl	Local	Asphalt	54	65	77	Strng	Good	10	35		62
3841	2nd St	SW 1st Pl	S Telephone Rd	Local	Asphalt	66	77	92	Strng	V Good	0	34		75
3839	2nd St	S Telephone Rd	S Classen Ave	Local	Concrete	100	90	87	Mod	Excellent	0	0		94
3837	2nd St	S Classen Ave	S I-35 Service Rd	Local	Concrete	99	90	59	Mod	Excellent	0	0		86
4003	2nd St	S Howard Ave	S Broadway Ave	Local	Asphalt	38	48	86	Strng	Fair	27	35		52
3547	30th Cir	Elmo Way	EAST END	Local	Asphalt	76	56	56	Mod	Good	1	23		65
2394	30th Ct	WEST END	Prairie Field Ln	Local	Asphalt	73	53	90	Strng	V Good	0	27		72
2395	30th Ct	Prairie Field Ln	EAST END	Local	Asphalt	61	39	89	Strng	Good	13	26		62
1713	30th Ct	WEST END	Red Rock Dr	Local	Asphalt	73	58	48	Mod	Good	9	17		63
3543	30th Ct	WEST END	S Telephone Rd	Local	Asphalt	62	50	90	Strng	Good	17	21		66
2691	30th St	Clarisa Dr	Loren Dr	Local	Asphalt	69	56	90	Strng	V Good	2	28		71

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3781	30th St	WEST END	Elisabeth Anne Ter	Local	Concrete	68	52	70	Mod	Good	0	0		64
3598	30th St	Birch Dr	Oak Dr	Local	Asphalt	66	56	80	Strng	Good	15	20		66
1156	30th St	S Santa Fe Ave	DS@1985E S Santa Fe Ave	Local	Asphalt	62	73	78	Strng	Good	21	17		68
2787	30th St	DS@1985E S Santa Fe Ave	Fleshmans Dr	Local	Asphalt	77	73	93	Strng	V Good	9	14		79
1115	30th St	S Eastern Ave	Christina Ct	Local	Asphalt	75	54	90	Strng	V Good	8	17		73
1992	30th St	Christina Ct	Danielle Ter	Local	Asphalt	60	45	78	Strng	Good	9	31		60
1714	31st Ct	Red Rock Dr	EAST END	Local	Asphalt	67	46	70	Mod	Good	1	32		62
2805	31st Pl	Windmill Rd	Sparrow Dr	Local	Asphalt	68	55	90	Strng	V Good	14	18		69
2903	31st Pl	Sparrow Dr	EAST END	Local	Asphalt	71	57	71	Mod	Good	6	22		67
2365	31st St	Marilyn Dr	S Bryant Ave	Local	Asphalt	47	57	75	Strng	Fair	31	22		56
2546	31st St	Oak Dr	Willow Ln	Local	Asphalt	66	58	61	Mod	Good	15	19		62
1064	31st St	Willow Ln	Cedar Valley Rd	Local	Asphalt	62	66	82	Strng	Good	16	22		67
1042	31st St	Cedar Valley Rd	Maple Ln	Local	Asphalt	63	60	90	Strng	Good	12	25		68
2675	31st St	Maple Ln	S Santa Fe Ave	Local	Asphalt	46	37	90	Strng	Fair	31	23		54
1409	31st St	S Santa Fe Ave	Carey Pl	Local	Asphalt	67	44	90	Strng	Good	12	20		67
1408	31st St	Carey Pl	Blue Stem Blvd	Local	Asphalt	70	61	90	Strng	V Good	10	20		72
1358	31st St	Blue Stem Blvd	Nighthawk Ln	Local	Asphalt	67	62	74	Mod	Good	9	24		66
1410	31st Ter	Carey Pl	Blue Stem Blvd	Local	Asphalt	68	59	80	Strng	Good	13	20		68
1357	31st Ter	Blue Stem Blvd	Nighthawk Ln	Local	Asphalt	66	58	88	Strng	Good	11	23		69
1199	32nd St	Loren Dr	Gabriel Ct	Local	Asphalt	69	62	63	Mod	Good	10	21		65
2351	32nd St	Marilyn Dr	Sharon Dr	Local	Asphalt	61	55	90	Strng	Good	17	22		66
2808	32nd St	Sharon Dr	Ashton Dr	Local	Asphalt	60	61	90	Strng	Good	17	23		67
2478	32nd St	Ashton Dr	Paul Dr	Local	Asphalt	51	52	69	Mod	Fair	24	25		55
3137	32nd St	Paul Dr	S Bryant Ave	Local	Asphalt	69	47	88	Strng	Good	9	22		68
3164	32nd St	N Santa Fe Ave	Kyle Ct	Local	Asphalt	99	90	95	Strng	Excellent	0	1		95
1783	32nd St	Kyle Ct	Larkspur Rd	Local	Asphalt	98	89	90	Strng	Excellent	0	2		93
1837	32nd St	Larkspur Rd	Webster Ave	Local	Asphalt	92	77	71	Mod	V Good	8	0		82
2458	32nd St	Red Rock Dr	SE 31st Pl	Local	Asphalt	76	64	74	Mod	V Good	5	18		72
1796	32nd St	Willow Ln	Cedar Valley Rd	Local	Asphalt	66	61	80	Strng	Good	10	23		68
1039	32nd St	Carey Pl	Blue Stem Blvd	Local	Asphalt	62	60	82	Strng	Good	17	20		66
1479	32nd St	Blue Stem Blvd	Nighthawk Ln	Local	Asphalt	71	59	80	Strng	V Good	10	19		70
3992	32nd St	San Juan Trls	Woodstock Rd	Local	Asphalt	81	62	92	Strng	V Good	0	19		79
3752	32nd St	Twin Cir	St Thomas Ave	Local	Concrete	82	64	58	Mod	V Good	0	0		71
3754	32nd St	St Thomas Ave	St John Ave	Local	Concrete	73	51	50	Mod	Good	0	0		61
4204	33rd St	N Eastern Ave	Superior Dr	Local	Asphalt	77	58	81	Strng	V Good	9	13		73
4212	33rd St	Superior Dr	Michigan Ave	Local	Asphalt	90	83	92	Strng	Excellent	0	10		88
3161	33rd St	N Santa Fe Ave	Webster Ave	Local	Asphalt	81	62	72	Mod	V Good	10	9		74
3623	33rd St	Carol Cir	Judy Ter	Local	Asphalt	67	56	41	Weak	Fair	12	21		57
3625	33rd St	Judy Ter	EAST END	Local	Asphalt	63	60	68	Mod	Good	16	21		63

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2905	33rd St	Red Rock Dr	Blue Creek Dr	Local	Asphalt	47	49	87	Strng	Fair	28	25		57
4074	33rd St	Blue Creek Dr	Blue Creek Dr	Local	Asphalt	85	66	92	Strng	V Good	0	16		81
2904	33rd St	Blue Creek Dr	Sparrow Dr	Local	Asphalt	75	55	70	Mod	Good	1	24		68
1570	33rd St	Birch Dr	Red Maple Ln	Local	Asphalt	51	42	78	Strng	Fair	26	17		55
1569	33rd St	Red Maple Ln	Cypress Ct	Local	Asphalt	64	65	77	Strng	Good	8	27		67
1531	33rd St	Cypress Ct	Pin Oak Rd	Local	Asphalt	68	52	81	Strng	Good	9	24		66
1797	33rd St	Pin Oak Rd	Willow Ln	Local	Asphalt	67	59	90	Strng	V Good	10	23		70
2066	33rd St	Willow Ln	Cedar Valley Rd	Local	Asphalt	81	62	68	Mod	V Good	0	19		72
1845	33rd St	Carey Pl	Blue Stem Blvd	Local	Asphalt	69	66	79	Strng	V Good	14	16		70
2621	33rd St	Blue Stem Blvd	Nighthawk Ln	Local	Asphalt	68	57	79	Strng	Good	15	17		67
4209	33rd Ter	Michigan Ave	Ontario Cir	Local	Asphalt	81	68	82	Strng	V Good	1	18		78
4207	33rd Ter	Ontario Cir	Huron Cir	Local	Asphalt	81	67	93	Strng	V Good	5	15		80
4218	33rd Ter	Huron Cir	DS@258N Huron Cir	Local	Asphalt	89	73	61	Mod	V Good	6	6		77
4250	33rd Ter	DS@258N Huron Cir	DS@762E Huron Cir	Local	Asphalt	91	74	77	Strng	V Good	4	5		83
4271	33rd Ter	DS@762E Huron Cir	Grady Ln	Local	Asphalt	82	71	90	Strng	V Good	0	18		81
4272	33rd Ter	Grady Ln	Tahoe Dr	Local	Asphalt	83	64	86	Strng	V Good	5	12		79
4202	34th St	N Eastern Ave	Superior Dr	Local	Asphalt	80	61	83	Strng	V Good	0	20		76
2362	34th St	Marilyn Dr	Sharon Dr	Local	Asphalt	68	64	86	Strng	V Good	16	16		71
2363	34th St	Sharon Dr	Ashton Dr	Local	Asphalt	57	50	63	Mod	Fair	24	19		56
3159	34th St	N Santa Fe Ave	Victorian Dr	Local	Asphalt	18	39	87	Strng	Marginal	51	31		40
1611	34th St	Victorian Dr	Webster Ave	Local	Asphalt	16	44	85	Strng	Marginal	58	27		39
1900	34th St	Webster Ave	N Shields Blvd	Local	Asphalt	34	55	70	Mod	Marginal	35	30		47
3646	34th St	S Broadway Ave	Country Club Dr	Minor Arterial	Concrete	82	63	52	Mod	Good	0	0		69
3648	34th St	Country Club Dr	Necia Dr	Minor Arterial	Concrete	68	48	62	Mod	Good	0	0		61
2189	34th St	Necia Dr	Tiffany Dr	Minor Arterial	Concrete	86	67	40	Mod	Good	0	0		69
3765	34th St	Tiffany Dr	Shannon Dr	Minor Arterial	Concrete	92	78	48	Mod	V Good	0	0		77
3762	34th St	Shannon Dr	Phillips Blvd	Minor Arterial	Concrete	99	90	59	Mod	Excellent	0	0		86
3764	34th St	Phillips Blvd	Fairway Dr	Minor Arterial	Concrete	66	49	54	Mod	Fair	0	0		58
3760	34th St	Fairway Dr	Quail Run Dr	Minor Arterial	Concrete	87	69	83	Mod	V Good	0	0		81
3706	34th St	Quail Run Dr	S Bryant Ave	Minor Arterial	Concrete	92	77	78	Mod	V Good	0	0		84
3724	34th St	S Bryant Ave	Shady Creek Ln	Minor Arterial	Asphalt	67	82	65	Mod	V Good	21	10		69
1374	34th St	Shady Creek Ln	Stratford Pl	Minor Arterial	Asphalt	94	83	66	Mod	V Good	6	0		84
3480	34th St	Stratford Pl	S Sunnyslane Rd	Minor Arterial	Asphalt	80	72	67	Mod	V Good	19	1		74
3483	34th St	S Sunnyslane Rd	Joshua Ln	Minor Arterial	Asphalt	59	67	78	Strng	Good	19	22		65
3484	34th St	Joshua Ln	Blue Creek Dr	Minor Arterial	Asphalt	73	82	70	Mod	V Good	11	17		74
3485	34th St	Blue Creek Dr	Sooner Dr	Minor Arterial	Asphalt	60	80	55	Mod	Good	19	21		63
2757	34th St	Sooner Dr	Churchill Rd	Minor Arterial	Asphalt	69	96	72	Mod	V Good	6	24		76
1608	34th St	Churchill Rd	S Sooner Rd	Minor Arterial	Asphalt	65	75	71	Mod	Good	17	17		68
1564	34th St	S Sooner Rd	DS@2513E S Sooner Rd	Minor Arterial	Asphalt	70	66	63	Mod	Good	14	16		66

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1990	34th St	DS@2513E S Sooner Rd	EAST END	Minor Arterial	Asphalt	58	71	68	Mod	Good	19	24		63
3200	34th St	WEST END	Pin Oak Rd	Minor Arterial	Asphalt	98	100	91	Strng	Excellent	0	2		95
4121	34th St	Pin Oak Rd	S Santa Fe Ave	Minor Arterial	Asphalt	87	84	86	Strng	Excellent	9	4		86
3955	34th St	S Santa Fe Ave	Blue Stem Blvd	Minor Arterial	Asphalt	86	100	92	Strng	Excellent	7	6		90
3952	34th St	Blue Stem Blvd	Sendera Lakes Dr	Minor Arterial	Asphalt	89	100	93	Strng	Excellent	0	11		92
3953	34th St	Sendera Lakes Dr	Brush Arbor Dr	Minor Arterial	Asphalt	88	90	97	Strng	Excellent	6	7		90
3951	34th St	Brush Arbor Dr	S Telephone Rd	Minor Arterial	Concrete	95	85	87	Mod	Excellent	0	0		90
3868	34th St	S Telephone Rd	S I-35 Service Rd	Minor Arterial	Concrete	100	90	79	Mod	Excellent	0	0		91
1296	34th St	S I-35 Service Rd	DS@780E S I-35 Service Rd	Minor Arterial	Concrete	100	90	62	Mod	Excellent	0	0		87
3220	34th St	DS@780E S I-35 Service Rd	DS@1775E S I-35 Service Rd	Minor Arterial	Concrete	100	90	82	Mod	Excellent	0	0		92
3645	34th St	DS@1775E S I-35 Service Rd	Kensington Dr	Minor Arterial	Asphalt	54	54	65	Mod	Fair	12	34		56
3642	34th St	Kensington Dr	Lake Woods Blvd	Minor Arterial	Asphalt	43	43	58	Mod	Marginal	33	22		45
3685	34th St	Mackenzie Dr	S Eastern Ave	Minor Arterial	Asphalt	45	61	89	Strng	Fair	24	26		59
3681	34th St	S Eastern Ave	Green Apple Pl	Minor Arterial	Asphalt	46	59	60	Mod	Fair	32	21		51
3680	34th St	Green Apple Pl	Liberty Dr	Minor Arterial	Asphalt	44	70	85	Strng	Good	26	26		60
3637	34th St	Liberty Dr	S Broadway Ave	Minor Arterial	Asphalt	42	61	55	Mod	Fair	35	22		49
4214	34th Ter	Superior Dr	Lakeside Dr	Local	Asphalt	86	75	89	Strng	V Good	0	14		84
1945	35th Pl	Notting Hill Dr	Kensington Dr	Local	Asphalt	71	49	86	Strng	Good	9	20		68
1944	35th Pl	Kensington Dr	Kensington Dr	Local	Asphalt	79	59	80	Strng	V Good	0	21		74
4217	35th St	Lakeside Dr	Lola Dr	Local	Asphalt	84	65	81	Strng	V Good	0	16		78
4248	35th St	Lola Dr	DS@650E Lola Dr	Local	Asphalt	89	70	57	Mod	V Good	0	11		76
4273	35th St	DS@650E Lola Dr	Grady Ln	Local	Asphalt	82	64	87	Strng	V Good	0	18		78
4274	35th St	Grady Ln	Tahoe Dr	Local	Asphalt	98	89	90	Strng	Excellent	0	2		93
3157	35th St	Webster Ave	SE 97th St	Local	Asphalt	47	64	70	Mod	Fair	20	32		56
3158	35th St	SE 97th St	SE 97th St	Local	Asphalt	40	66	91	Strng	Fair	28	32		59
3606	35th St	SE 97th St	S Shields Blvd Median	Local	Asphalt	20	51	86	Strng	Marginal	55	23		43
1228	35th St	Teresa Dr	Quail Run Cir	Local	Asphalt	69	51	59	Mod	Good	4	27		61
3771	35th St	Quail Run Cir	Quail Run Dr	Local	Asphalt	70	72	88	Strng	V Good	0	30		74
3705	35th St	Quail Run Dr	Quail Ridge Dr	Local	Asphalt	66	68	72	Mod	Good	1	33		68
1583	35th St	WEST END	Park Glenn Dr	Local	Asphalt	65	60	62	Mod	Good	20	15		62
1582	35th St	Park Glenn Dr	S Telephone Rd	Local	Asphalt	68	61	53	Mod	Good	16	16		62
2105	35th St	WEST END	Mackenzie Dr	Local	Asphalt	55	51	57	Mod	Fair	18	27		54
3634	35th St	Liberty Dr	Ellis Ave	Local	Asphalt	62	54	90	Strng	Good	11	27		66
3708	36th St	Harmony Dr	Quail Ridge Dr	Local	Asphalt	72	64	72	Mod	V Good	2	26		69
1943	36th St	Mackenzie Dr	WEST END	Local	Asphalt	56	46	66	Mod	Fair	16	28		55
1376	36th St	Mackenzie Dr	Brittany Ct	Local	Asphalt	61	49	90	Strng	Good	12	27		65
3631	36th St	WEST END	Green Apple Pl	Local	Asphalt	86	67	91	Strng	V Good	0	14		82
3713	37th St	Hope Dr	Quail Ridge Dr	Local	Asphalt	67	69	83	Strng	V Good	1	32		71
3702	37th St	Quail Ridge Dr	S Bryant Ave	Local	Asphalt	71	48	87	Strng	Good	7	22		69

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1312	37th St	WEST END	Mackenzie Dr	Local	Asphalt	50	47	70	Mod	Fair	24	26		54
3796	37th St	WEST END	Green Apple Pl	Local	Asphalt	78	62	90	Strng	V Good	7	15		76
2248	38th Pl	West End Ave	EAST END	Local	Asphalt	73	57	81	Strng	V Good	7	19		71
3767	38th St	Country Club Dr	Phillips Blvd	Local	Concrete	70	46	56	Mod	Good	0	0		60
3768	38th St	Phillips Blvd	Teresa Dr	Local	Concrete	98	89	72	Mod	Excellent	0	0		89
3769	38th St	Teresa Dr	Harmony Dr	Local	Concrete	90	71	47	Mod	V Good	0	0		74
3715	38th St	Harmony Dr	Hope Dr	Local	Asphalt	79	60	84	Strng	V Good	1	20		75
3722	38th St	Hope Dr	Quail Ridge Dr	Local	Asphalt	61	66	90	Strng	Good	12	27		69
4082	38th St	Rita Rd	DS@238E Rita Rd	Local	Asphalt	87	76	85	Strng	V Good	7	7		83
4081	38th St	DS@238E Rita Rd	DS@859E Rita Rd	Local	Asphalt	78	64	95	Strng	V Good	10	12		78
4083	38th St	DS@859E Rita Rd	DS@1424E Rita Rd	Local	Asphalt	69	70	75	Strng	V Good	14	17		70
2380	38th St	DS@1424E Rita Rd	SE 39th St	Local	Asphalt	63	36	90	Strng	Good	17	20		62
2384	38th St	SE 39th St	S Sunnyslane Rd	Local	Asphalt	75	57	74	Mod	V Good	10	15		69
4235	38th St	Timber Creek Way	Timber Valley Dr	Local	Asphalt	39	48	90	Strng	Fair	45	16		53
2164	38th St	Meadow Ln	Park Glenn Dr	Local	Asphalt	70	61	83	Strng	V Good	16	15		70
1584	38th St	Park Glenn Dr	S Telephone Rd	Local	Asphalt	66	65	86	Strng	V Good	22	12		70
1853	38th St	WEST END	Mackenzie Dr	Local	Asphalt	59	44	88	Strng	Good	23	18		62
3633	38th Ter	Liberty Dr	Ellis Ave	Local	Asphalt	75	54	90	Strng	V Good	8	17		73
4155	39th Ct	Carmona Lakes Dr	EAST END	Local	Asphalt	89	69	90	Strng	V Good	0	12		84
4086	39th St	Rita Rd	DS@276E Rita Rd	Local	Asphalt	86	67	87	Strng	V Good	5	9		81
4084	39th St	DS@276E Rita Rd	DS@904E Rita Rd	Local	Asphalt	67	57	87	Strng	Good	11	22		69
2480	39th St	DS@904E Rita Rd	DS@1404E Rita Rd	Local	Asphalt	64	58	85	Strng	Good	14	21		67
4085	39th St	DS@1404E Rita Rd	SE 38th St	Local	Asphalt	75	63	77	Strng	V Good	6	19		72
4232	39th St	S Sooner Rd	Timber Creek Way	Local	Asphalt	94	83	90	Strng	Excellent	0	6		90
4267	39th St	Coronado Dr	Catalina Ln	Local	Asphalt	100	90	83	Strng	Excellent	0	0		93
1851	39th St	WEST END	Mackenzie Dr	Local	Asphalt	77	57	85	Strng	V Good	7	16		73
1852	39th St	Mackenzie Dr	DS@257E Mackenzie Dr	Local	Asphalt	68	43	80	Strng	Good	16	16		64
1354	39th St	DS@257E Mackenzie Dr	New London Ave	Local	Asphalt	70	61	86	Strng	V Good	10	21		71
1803	39th St	New London Ave	S Eastern Ave	Local	Asphalt	76	56	90	Strng	V Good	6	18		74
1373	39th St	S Eastern Ave	West End Ave	Local	Asphalt	58	41	18	Weak	Marginal	18	24		42
1499	39th St	West End Ave	Green Apple Dr	Local	Asphalt	62	51	67	Mod	Good	15	23		60
1498	39th St	Green Apple Dr	Red Apple Cir	Local	Asphalt	56	53	77	Strng	Good	14	31		60
1497	39th St	Red Apple Cir	Red Apple Ter	Local	Asphalt	58	60	73	Mod	Good	20	22		62
2147	39th St	Queens Dr	Madison Ave	Local	Asphalt	58	50	90	Strng	Good	16	26		64
1154	39th St	Madison Ave	SW 40th St	Local	Asphalt	70	55	90	Strng	V Good	12	17		71
2690	39th St	SW 40th St	Central Park Dr	Local	Asphalt	47	40	90	Strng	Fair	20	33		56
3352	3rd St	N Broadway Ave	EAST END	Local	Asphalt	50	51	90	Strng	Good	26	23		60
2307	3rd St	N Santa Fe St	DS@230E N Santa Fe St	Local	Asphalt	44	56	90	Strng	Fair	34	23		58
1218	3rd St	DS@230E N Santa Fe St	N Turner Ave	Local	Asphalt	33	53	68	Mod	Marginal	33	34		46

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2300	3rd St	N Turner Ave	DS@357E N Turner Ave	Local	Asphalt	15	38	90	Strng	Poor	48	35		39
2192	3rd St	DS@357E N Turner Ave	DS@522E N Turner Ave	Local	Asphalt	32	56	56	Mod	Marginal	32	36		43
3414	3rd St	N English Dr	N Morgan Dr	Local	Concrete	77	57	49	Mod	Good	0	0		64
1134	3rd St	N Ramblin Oaks Dr	DS@551E N Ramblin Oaks Dr	Local	Concrete	86	67	47	Mod	V Good	0	0		71
1135	3rd St	DS@551E N Ramblin Oaks Dr	N Hickory Ln	Local	Concrete	90	70	68	Mod	V Good	0	0		79
4022	3rd St	N Service Rd	N Chestnut Ave	Local	Asphalt	47	64	90	Strng	Good	42	11		61
4038	3rd St	SW 3rd St	EAST END	Local	Asphalt	30	32	77	Strng	Marginal	37	33		41
2674	3rd St	S Santa Fe St	S Turner Ave	Local	Asphalt	75	56	76	Strng	V Good	5	20		69
2450	3rd St	WEST END	S Ramblin Oaks Dr	Local	Concrete	85	67	70	Mod	V Good	0	0		76
1428	3rd St	Wyndemere Spgs	Wyndemere Blvd	Local	Asphalt	78	83	90	Strng	V Good	13	9		82
1089	3rd St	Wyndemere Blvd	S Wyndemere Lakes Dr	Local	Asphalt	80	61	90	Strng	V Good	1	19		77
2863	3rd St	S Santa Fe Ave	S Markwell Ave	Local	Concrete	64	44	43	Mod	Fair	0	0		53
2870	3rd St	S Markwell Ave	S Cagle Ave	Local	Asphalt	25	57	90	Strng	Marginal	35	40		48
2953	3rd St	S Cagle Ave	S Norman Ave	Local	Asphalt	40	58	55	Mod	Marginal	23	37		47
3417	3rd St	S Dallas Ave	S Janeway Ave	Local	Asphalt	60	68	89	Strng	Good	14	26		68
3827	3rd St	S Irving Dr	S Irving Dr	Local	Asphalt	61	58	83	Strng	Good	3	36		65
3829	3rd St	S Irving Dr	S Telephone Rd	Local	Asphalt	75	76	88	Strng	V Good	5	20		78
3835	3rd St	S Telephone Rd	S Classen Ave	Local	Concrete	67	51	45	Mod	Fair	0	0		57
4040	3rd St	S Howard Ave	S Broadway Ave	Local	Asphalt	30	33	90	Strng	Marginal	44	27		45
4270	40th St	S Santa Fe Ave	Coronado Dr	Local	Asphalt	98	89	70	Mod	Excellent	0	2		88
4153	40th St	WEST END	Acoma Dr	Local	Asphalt	90	82	90	Strng	Excellent	0	10		88
1919	40th St	WEST END	Mackenzie Dr	Local	Asphalt	80	61	84	Strng	V Good	0	20		76
1920	40th St	Mackenzie Dr	EAST END	Local	Asphalt	76	56	79	Strng	V Good	9	15		71
1152	40th St	Madison Ave	SW 39th St	Local	Asphalt	74	53	90	Strng	V Good	8	18		72
4150	40th Ter	SW END	Carmona Lakes Dr	Local	Asphalt	92	77	42	Weak	V Good	3	5		75
2554	41st Pl	WEST END	Churchill Rd	Local	Asphalt	72	61	90	Strng	V Good	13	15		73
2504	41st Pl	Churchill Rd	EAST END	Local	Asphalt	56	58	78	Strng	Good	22	22		61
4233	41st St	WEST END	Timber Creek Way	Local	Asphalt	69	59	90	Strng	V Good	13	18		71
4234	41st St	Timber Creek Way	Timber Valley Dr	Local	Asphalt	61	56	90	Strng	Good	24	15		66
1942	41st St	Mackenzie Dr	Mackenzie Dr	Local	Asphalt	67	56	67	Mod	Good	4	29		64
1941	41st St	Mackenzie Dr	EAST END	Local	Asphalt	56	54	79	Strng	Good	18	26		61
1143	41st St	Green Apple Dr	Red Apple Ter	Local	Asphalt	59	62	75	Mod	Good	19	22		63
1183	41st St	Red Apple Ter	Queens Dr	Local	Asphalt	53	53	64	Mod	Fair	25	22		55
2247	41st St	Olde Copper Creek Rd	Crystal Springs Rd	Local	Concrete	100	90	67	Mod	Excellent	0	0		89
4152	41st Ter	WEST END	Acoma Dr	Local	Asphalt	98	89	74	Mod	Excellent	0	2		89
2662	42nd Ct	SW 42nd St	NORTH END	Local	Asphalt	64	35	92	Strng	Good	12	24		63
1119	42nd St	Katie Ridge Dr	Mackenzie Dr	Local	Asphalt	60	51	55	Mod	Fair	22	19		56
1062	42nd St	Manhattan Dr	SW 42nd Ct	Local	Asphalt	69	50	78	Strng	Good	20	12		66
1121	42nd St	SW 42nd Ct	Melrose Dr	Local	Asphalt	68	59	82	Strng	Good	15	17		69

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1206	42nd St	Melrose Dr	Central Park Dr	Local	Asphalt	77	57	41	Weak	Good	5	18		62
2704	42nd St	Central Park Dr	Applegate Dr	Local	Asphalt	78	59	89	Strng	V Good	6	15		76
1935	42nd St	Notting Hill Dr	Kensington Dr	Local	Asphalt	72	50	59	Mod	Good	11	17		63
2774	43rd St	Notting Hill Dr	Kensington Dr	Local	Asphalt	87	69	90	Strng	V Good	2	10		83
3126	43rd St	Boardwalk Ave	Sachs Ave	Local	Asphalt	77	65	90	Strng	V Good	11	12		77
3128	43rd St	Sachs Ave	Brooklyn Ave	Local	Asphalt	84	76	90	Strng	V Good	4	11		83
1404	43rd St	Apple Blossom Cir	Applegate Dr	Local	Asphalt	59	44	91	Strng	Good	14	27		63
3549	44th St	Boardwalk Ave	Brooklyn Ave	Local	Asphalt	71	66	86	Strng	V Good	6	23		73
2536	44th St	Apple Blossom Cir	Applegate Dr	Local	Asphalt	66	62	76	Strng	Good	10	24		67
1116	45th St	Katie Ridge Dr	Mackenzie Dr	Local	Asphalt	71	48	61	Mod	Good	10	19		62
2441	45th St	S Eastern Ave	Apple Estates Dr	Local	Asphalt	55	63	76	Strng	Good	27	18		62
1240	45th St	Apple Estates Rd	EAST END	Local	Asphalt	60	40	63	Mod	Fair	16	24		55
3985	4th Pl	S Markwell Ave	S Norman Ave	Local	Asphalt	27	64	63	Mod	Marginal	25	47		44
3418	4th Pl	S Dallas Ave	S Janeway Ave	Local	Asphalt	58	52	86	Strng	Good	17	23		63
3349	4th St	N Broadway Ave	EAST END	Local	Concrete	100	90	46	Mod	V Good	0	0		84
2955	4th St	N Eastern Ave	Wilkinson Dr	Local	Concrete	94	82	59	Mod	V Good	0	0		82
2845	4th St	Wilkinson Dr	Wilkinson Dr	Local	Concrete	58	45	43	Mod	Fair	0	0		50
3363	4th St	Wilkinson Dr	N Avery Dr	Local	Concrete	75	54	57	Mod	Good	0	0		64
2919	4th St	N Avery Dr	N Morgan Dr	Local	Concrete	82	63	43	Mod	Good	0	0		67
3541	4th St	N Ramblin Oaks Dr	N Hickory Ln	Local	Concrete	83	64	47	Mod	Good	0	0		68
2759	4th St	N Hickory Ln	Marathon Dr	Local	Concrete	80	62	46	Mod	Good	0	0		67
2581	4th St	N Bryant Ave	Allison Ln	Local	Asphalt	56	52	90	Strng	Good	14	30		63
2069	4th St	Allison Ln	Madeline Ln	Local	Asphalt	41	47	48	Mod	Marginal	26	33		43
2071	4th St	Madeline Ln	Loyd Ln	Local	Asphalt	75	62	88	Strng	V Good	11	14		74
1380	4th St	Loyd Ln	Nathan Ln	Local	Asphalt	68	61	87	Strng	V Good	20	12		71
2280	4th St	Nathan Ln	DS@102E Nathan Ln	Local	Asphalt	61	52	89	Strng	Good	25	14		65
4035	4th St	SW 4th St	S Santa Fe St	Highway	Concrete	88	69	46	Mod	V Good	0	0		72
2448	4th St	S Santa Fe St	S Turner Ave	Highway	Concrete	91	73	82	Mod	V Good	0	0		84
1282	4th St	S Turner Ave	Tower Dr	Highway	Concrete	88	69	78	Mod	V Good	0	0		80
1807	4th St	Tower Dr	Tower Pl	Highway	Concrete	86	68	83	Mod	V Good	0	0		80
1808	4th St	Tower Pl	Tower Cir	Highway	Concrete	89	70	76	Mod	V Good	0	0		81
3371	4th St	Tower Cir	S Eastern Ave	Highway	Concrete	95	85	83	Mod	Excellent	0	0		89
3372	4th St	S Eastern Ave	S Silver Leaf Dr	Highway	Concrete	92	76	86	Mod	Excellent	0	0		86
3376	4th St	S Silver Leaf Dr	S Silver Leaf Dr	Highway	Concrete	96	86	89	Mod	Excellent	0	0		91
3378	4th St	S Silver Leaf Dr	S Patterson Dr	Highway	Concrete	73	60	75	Mod	V Good	0	0		70
3380	4th St	S Patterson Dr	S Patterson Dr	Highway	Concrete	87	73	94	Mod	Excellent	0	0		85
3383	4th St	S Patterson Dr	S Avery Dr	Highway	Concrete	53	67	48	Mod	Fair	0	0		55
3384	4th St	S Avery Dr	S Avery Dr	Highway	Concrete	45	65	73	Mod	Fair	0	0		56
3386	4th St	S Avery Dr	S Bouziden Dr	Highway	Concrete	46	70	93	Mod	Good	0	0		63

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3388	4th St	S Bouziden Dr	S Bouziden Dr	Highway	Concrete	45	73	65	Mod	Fair	0	0		56
3390	4th St	S Bouziden Dr	S English Dr	Highway	Concrete	41	77	88	Mod	Good	0	0		61
3392	4th St	S English Dr	S Morgan Dr	Highway	Concrete	41	72	59	Mod	Fair	0	0		52
3393	4th St	S Morgan Dr	S Ramblin Oaks Dr	Highway	Concrete	49	73	85	Mod	Good	0	0		63
3394	4th St	S Ramblin Oaks Dr	Chateau Dr	Highway	Concrete	93	80	90	Mod	Excellent	0	0		89
3311	4th St	Chateau Dr	Post Oak Ln	Highway	Concrete	87	75	85	Mod	V Good	0	0		83
3313	4th St	Post Oak Ln	Whispering Oaks Blvd	Highway	Concrete	90	76	76	Mod	V Good	0	0		83
3312	4th St	Whispering Oaks Blvd	S Bryant Ave	Highway	Concrete	99	90	71	Mod	Excellent	0	0		89
2964	4th St	S Bryant Ave	S Bryant Ave	Highway	Concrete	91	74	37	Mod	V Good	0	0		73
1878	4th St	S Bryant Ave	Heatherwood Dr	Highway	Asphalt	71	72	81	Strng	V Good	8	21		73
2579	4th St	Heatherwood Dr	S Riverside Dr	Highway	Asphalt	72	79	79	Strng	V Good	8	20		75
1038	4th St	S Riverside Dr	S Olde Bridge Rd	Highway	Asphalt	68	89	60	Mod	V Good	5	26		71
2694	4th St	S Olde Bridge Rd	Jacob Dr	Highway	Asphalt	69	99	77	Strng	V Good	5	26		78
2821	4th St	Jacob Dr	Noah Rd	Highway	Asphalt	68	88	82	Strng	V Good	7	25		76
3143	4th St	Noah Rd	S Sunnyside Rd	Highway	Asphalt	65	75	72	Mod	Good	6	29		69
2078	4th St	S Santa Fe Ave	SW 4th Pl	Highway	Concrete	92	78	82	Mod	Excellent	0	0		86
2901	4th St	SW 4th Pl	S Markwell Ave	Highway	Concrete	88	74	63	Mod	V Good	0	0		78
3456	4th St	S Markwell Ave	Wilson Blvd	Highway	Concrete	75	71	82	Mod	V Good	0	0		75
3458	4th St	Wilson Blvd	S Norman Ave	Highway	Concrete	87	83	87	Mod	Excellent	0	0		86
1628	4th St	S Norman Ave	S Bristow Ave	Highway	Concrete	85	89	96	Mod	Excellent	0	0		88
1438	4th St	S Bristow Ave	Private Dr	Highway	Concrete	88	78	87	Mod	Excellent	0	0		85
1974	4th St	Private Dr	Private Dr	Highway	Concrete	87	71	87	Mod	V Good	0	0		82
3419	4th St	Private Dr	S Dallas Ave	Highway	Concrete	92	78	81	Mod	Excellent	0	0		85
3421	4th St	S Dallas Ave	S Janeway Ave	Highway	Concrete	84	75	83	Mod	V Good	0	0		81
3826	4th St	S Janeway Ave	S Irving Dr	Highway	Concrete	83	70	81	Mod	V Good	0	0		79
3830	4th St	S Irving Dr	S Telephone Rd	Highway	Concrete	92	76	79	Mod	V Good	0	0		84
3831	4th St	S Telephone Rd	S I-35 Service Rd	Highway	Concrete	88	69	62	Mod	V Good	0	0		77
2961	4th St	S I-35 Service Rd	S I-35 Service Rd Turn Lane	Highway	Concrete	87	69	36	Mod	Good	0	0		69
2962	4th St	S I-35 Service Rd Turn Lane	I-35 Ramp	Highway	Concrete	89	70	74	Mod	V Good	0	0		80
2983	4th St	S I-35 Service Rd	I-35 Ramp	Highway	Concrete	82	63	78	Mod	V Good	0	0		76
4044	4th St	I-35 Ramp	S Howard Ave	Highway	Concrete	77	65	58	Mod	Good	0	0		68
4043	4th St	S Howard Ave	S Broadway Ave	Highway	Concrete	66	55	64	Mod	Good	0	0		62
4041	4th St	S I-35 Service Rd	S Howard Ave	Local	Concrete	51	31	90	Mod	Fair	0	0		55
1940	4th St	S Classen Ave	S I-35 Service Rd	Local	Concrete	95	85	72	Mod	Excellent	0	0		86
2093	5th Ct	WEST END	Eastmoor Ct	Local	Asphalt	65	54	87	Strng	Good	16	19		67
3346	5th St	N Broadway Ave	EAST END	Local	Concrete	100	90	37	Mod	V Good	0	0		81
1193	5th St	Wilkinson Dr	N Patterson Dr	Local	Concrete	83	64	54	Mod	V Good	0	0		71
2175	5th St	N Patterson Dr	N Avery Pl	Local	Concrete	93	80	66	Mod	V Good	0	0		83
1548	5th St	N Avery Pl	N Bouziden Pl	Local	Concrete	93	79	44	Mod	V Good	0	0		77

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1549	5th St	N Bouziden Pl	Randall Dr	Local	Concrete	89	69	90	Mod	V Good	0	0		84
2724	5th St	Randall Dr	N Morgan Dr	Local	Concrete	75	54	49	Mod	Good	0	0		63
1665	5th St	N Ramblin Oaks Dr	Champion Ln	Local	Concrete	81	62	44	Mod	Good	0	0		67
1180	5th St	Champion Ln	NE 6th Ter	Local	Concrete	92	78	44	Mod	V Good	0	0		76
2052	5th St	NE 6th Ter	N Hickory Ln	Local	Concrete	67	45	50	Mod	Fair	0	0		56
1925	5th St	N Hickory Ln	NE 6th St	Local	Concrete	90	71	49	Mod	V Good	0	0		75
2894	5th St	N Santa Fe Ave	N Markwell Ave	Local	Concrete	81	62	45	Mod	Good	0	0		67
2896	5th St	N Markwell Ave	N Butler Ave	Local	Concrete	74	53	46	Mod	Good	0	0		62
1449	5th St	N Butler Ave	N Arnold Ave	Local	Concrete	96	87	54	Mod	V Good	0	0		83
2106	5th St	N Arnold Ave	N Norman Ave	Local	Concrete	41	56	63	Mod	Fair	0	0		49
2799	5th St	N Norman Ave	N Norman Ave	Local	Concrete	43	58	82	Mod	Fair	0	0		56
1450	5th St	N Norman Ave	N Bristow Ave	Local	Concrete	45	49	67	Mod	Fair	0	0		51
3570	5th St	N Bristow Ave	N Dallas Ave	Local	Concrete	82	63	44	Mod	Good	0	0		67
1750	5th St	N Dallas Ave	N Dillon Ave	Local	Concrete	62	57	48	Mod	Fair	0	0		57
1751	5th St	N Dillon Ave	N Baer Dr	Local	Concrete	41	53	52	Mod	Marginal	0	0		46
1287	5th St	N Baer Dr	N Rock Pl	Local	Concrete	45	46	72	Mod	Fair	0	0		51
1245	5th St	N Rock Pl	N Janeway Ave	Local	Concrete	43	39	84	Mod	Fair	0	0		52
3739	5th St	N Janeway Ave	N Gale Ave	Local	Concrete	43	42	86	Mod	Fair	0	0		53
4056	5th St	N Gale Ave	City Ave	Local	Concrete	55	49	59	Mod	Fair	0	0		54
4058	5th St	City Ave	N Moore Ave	Local	Concrete	58	56	53	Mod	Fair	0	0		56
4057	5th St	N Moore Ave	N Telephone Rd	Local	Concrete	41	46	71	Mod	Marginal	0	0		49
1390	5th St	N Telephone Rd	N Service Rd	Local	Concrete	45	40	99	Mod	Fair	0	0		56
3348	5th St	N Service Rd	N Service Rd	Local	Concrete	38	51	89	Mod	Fair	0	0		54
3343	5th St	N Service Rd	N Broadway Ave	Local	Concrete	37	33	50	Mod	Poor	0	0		38
1291	5th St	WEST END	Tower Dr	Local	Concrete	79	59	35	Mod	Good	0	0		62
1292	5th St	Tower Dr	Tower Pl	Local	Concrete	64	44	44	Mod	Fair	0	0		54
4200	5th St	WEST END	Post Oak Ln	Local	Concrete	74	53	43	Mod	Good	0	0		61
3316	5th St	Post Oak Ln	Pinewood Dr	Local	Concrete	78	58	73	Mod	V Good	0	0		72
3322	5th St	Pinewood Dr	Whispering Oaks Blvd	Local	Concrete	92	77	56	Mod	V Good	0	0		79
1525	5th St	Beechwood Way	Heatherwood Dr	Local	Asphalt	62	50	78	Strng	Good	17	21		62
2339	5th St	Heatherwood Dr	DS@360E Heatherwood Dr	Local	Asphalt	64	58	49	Mod	Fair	16	20		58
2340	5th St	DS@360E Heatherwood Dr	Hedgewood Dr	Local	Asphalt	67	54	74	Mod	Good	11	22		65
1932	5th St	Kelsi Dr	Jacob Dr	Local	Asphalt	68	44	67	Mod	Good	8	24		61
3589	5th St	Jacob Dr	Ryan Rd	Local	Asphalt	42	51	90	Strng	Fair	23	35		56
3910	5th St	Ryan Rd	Samantha Ln	Local	Asphalt	71	68	87	Strng	V Good	9	20		74
3912	5th St	Samantha Ln	Noah Rd	Local	Asphalt	68	54	90	Strng	V Good	7	25		69
3913	5th St	Noah Rd	Lindsey Ln	Local	Asphalt	69	53	80	Strng	Good	7	23		67
3914	5th St	Lindsey Ln	Dayton Cir	Local	Asphalt	63	55	90	Strng	Good	14	23		67
3516	5th St	Penn Ln	Wilson Blvd	Local	Concrete	76	55	79	Mod	V Good	0	0		71

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3445	5th St	Wilson Blvd	Plaza Dr	Local	Concrete	92	78	67	Mod	V Good	0	0		82
1298	5th St	S Howard Ave	S Broadway Ave	Local	Asphalt	80	75	92	Strng	V Good	5	15		81
3534	6th Cir	Kelsi Dr	EAST END	Local	Asphalt	38	49	90	Strng	Fair	20	43		53
2230	6th Pl	Wandering Way	Lakecrest Dr	Local	Concrete	77	57	46	Mod	Good	0	0		63
2232	6th Pl	Lakecrest Dr	Cedarbrook Ln	Local	Concrete	84	65	52	Mod	V Good	0	0		71
1976	6th Pl	Cedarbrook Ln	Briarcliff Dr	Local	Concrete	78	59	43	Mod	Good	0	0		64
1907	6th Pl	Briarcliff Dr	Lonnie Ln	Local	Concrete	68	44	42	Mod	Fair	0	0		55
1908	6th Pl	Lonnie Ln	N Robinson Ave	Local	Concrete	51	33	43	Mod	Marginal	0	0		43
1384	6th Pl	N Robinson Ave	N Robinson Ave	Local	Concrete	52	33	44	Mod	Marginal	0	0		44
2631	6th Pl	N Robinson Ave	Oakcliff St	Local	Concrete	71	49	60	Mod	Good	0	0		62
2473	6th Pl	Oakcliff St	N Santa Fe Ave	Local	Concrete	74	53	58	Mod	Good	0	0		64
1835	6th Pl	N Santa Fe Ave	Kings Ct	Local	Concrete	71	48	35	Mod	Fair	0	0		56
1557	6th Pl	Southminster Ave	N Markwell Ave	Local	Concrete	70	47	50	Mod	Fair	0	0		59
3340	6th St	N Broadway Ave	Nail Pkwy	Local	Asphalt	72	69	90	Strng	V Good	5	23		75
2945	6th St	Wilkinson Dr	N Silver Leaf Dr	Local	Concrete	97	88	48	Mod	V Good	0	0		82
2943	6th St	N Silver Leaf Dr	N Patterson Dr	Local	Concrete	85	66	71	Mod	V Good	0	0		77
1578	6th St	N Avery Pl	N Bouziden Pl	Local	Concrete	78	58	47	Mod	Good	0	0		65
1243	6th St	Randall Dr	N Morgan Dr	Local	Concrete	96	87	45	Mod	V Good	0	0		80
2009	6th St	N Morgan Dr	N Ramblin Oaks Dr	Local	Concrete	56	47	50	Mod	Fair	0	0		52
2857	6th St	N Ramblin Oaks Dr	Champion Ln	Local	Concrete	58	38	54	Mod	Fair	0	0		51
2856	6th St	Champion Ln	Silver Medal Dr	Local	Concrete	67	41	43	Mod	Fair	0	0		54
1194	6th St	Silver Medal Dr	Bronze Medal Rd	Local	Concrete	59	44	43	Mod	Fair	0	0		51
1108	6th St	Bronze Medal Rd	NE 6th Ter	Local	Concrete	79	60	72	Mod	V Good	0	0		72
2281	6th St	Marathon Dr	NE 6th Ter	Local	Concrete	89	70	50	Mod	V Good	0	0		74
3185	6th St	N Santa Fe Ave	N Markwell Ave	Local	Concrete	76	56	44	Mod	Good	0	0		62
2933	6th St	N Markwell Ave	N Butler Ave	Local	Concrete	70	46	48	Mod	Fair	0	0		57
2934	6th St	N Butler Ave	N Arnold Ave	Local	Concrete	71	48	44	Mod	Fair	0	0		57
2881	6th St	N Arnold Ave	Wall Cir	Local	Concrete	64	44	48	Mod	Fair	0	0		54
3068	6th St	Wall Cir	N Norman Ave	Local	Concrete	69	45	62	Mod	Good	0	0		61
3230	6th St	Glenwood Dr	Blue Ridge Rd	Local	Concrete	82	64	44	Mod	Good	0	0		67
2583	6th St	S Eastern Ave	Eastmoor Ct	Local	Asphalt	74	57	79	Strng	V Good	7	19		70
1346	6th St	Sweetgum St	DS@376E Sweetgum St	Local	Concrete	64	55	54	Mod	Fair	0	0		59
2640	6th St	DS@376E Sweetgum St	DS@865E Sweetgum St	Local	Concrete	98	89	43	Mod	V Good	0	0		82
1378	6th St	DS@865E Sweetgum St	Whispering Oaks Blvd	Local	Concrete	98	89	72	Mod	Excellent	0	0		89
1184	6th St	Beechwood Way	Heatherwood Dr	Local	Asphalt	56	53	71	Mod	Fair	15	28		58
2526	6th St	Heatherwood Dr	Applewood St	Local	Asphalt	72	49	67	Mod	Good	8	20		64
2439	6th St	Kelsi Dr	Ryan Rd	Local	Asphalt	50	58	83	Strng	Good	17	33		60
3442	6th St	Eagle Dr	Plaza Dr	Local	Concrete	87	68	43	Mod	V Good	0	0		71
2747	6th St	Heather Ln	S Telephone Rd	Local	Asphalt	65	74	90	Strng	V Good	11	24		73

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
4182	6th ST	S Telephone Rd	SW 6th St	Local	Asphalt	94	82	82	Strng	Excellent	4	3		87
1708	6th St	SW 6th ST	S Classen Ave	Local	Asphalt	60	51	90	Strng	Good	18	22		65
2503	6th St	DS@11E S Classen Ave	S I-35 Service Rd	Local	Asphalt	49	46	90	Strng	Fair	23	28		58
2072	6th St	S Howard Ave	S Broadway Ave	Local	Asphalt	93	80	85	Strng	Excellent	1	6		87
1415	6th Ter	NE 5th St	NE 6th St	Local	Concrete	76	56	44	Mod	Good	0	0		63
1032	7th Cir	Oak Creek Dr	EAST END	Local	Asphalt	81	62	90	Strng	V Good	7	12		78
2324	7th Cir	WEST END	Blue Ridge Rd	Local	Concrete	73	57	64	Mod	Good	0	0		66
2092	7th Ct	WEST END	Eastmoor Ct	Local	Asphalt	56	52	76	Strng	Good	11	32		59
1508	7th Ct	Beechwood Way	EAST END	Local	Asphalt	70	46	80	Strng	Good	13	17		66
1261	7th Pl	Lakecrest Dr	Stout Cir	Local	Concrete	95	85	54	Mod	V Good	0	0		82
1426	7th Pl	Stout Cir	Parkview Cir	Local	Concrete	75	55	44	Mod	Good	0	0		62
1262	7th Pl	Parkview Cir	Platt Cir	Local	Concrete	92	77	47	Mod	V Good	0	0		77
1263	7th Pl	Platt Cir	Briarcliff Dr	Local	Concrete	98	89	44	Mod	V Good	0	0		82
1114	7th Pl	N Robinson Ave	Brent Dr	Local	Concrete	75	54	51	Mod	Good	0	0		63
2263	7th Pl	Brent Dr	N Santa Fe Ave	Local	Concrete	82	64	52	Mod	V Good	0	0		69
3074	7th Pl	N Santa Fe Ave	EAST END	Local	Concrete	69	49	41	Mod	Fair	0	0		56
2642	7th Pl	Southminster Ave	N Markwell Ave	Local	Concrete	57	36	72	Mod	Fair	0	0		55
2963	7th Pl	S Bryant Ave	Old S Bryant Ave	Local	Asphalt	83	64	14	Weak	Good	2	15		60
2278	7th Pl	Old S Bryant Ave	Beechwood Way	Local	Asphalt	83	64	82	Strng	V Good	7	11		77
3576	7th St	N Broadway Ave	Nail Pkwy	Local	Asphalt	62	53	61	Mod	Fair	22	16		59
1029	7th St	Oak Creek Dr	N Bryant Ave	Local	Asphalt	84	65	89	Strng	V Good	0	16		80
1470	7th St	N Bryant Ave	Allison Ln	Local	Asphalt	14	40	59	Mod	Poor	55	30		31
2257	7th St	Allison Ln	Madeline Ln	Local	Asphalt	58	72	77	Strng	Good	12	30		65
2070	7th St	Madeline Ln	Loyd Ln	Local	Asphalt	62	62	69	Mod	Good	15	23		63
2641	7th St	Loyd Ln	Nathan Ln	Local	Asphalt	47	41	58	Mod	Marginal	19	25		47
2168	7th St	Nathan Ln	EAST END	Local	Asphalt	77	57	53	Mod	Good	0	23		65
1168	7th St	Oakcliff St	Brent Dr	Local	Concrete	41	47	43	Mod	Marginal	0	0		42
2649	7th St	Brent Dr	EAST END	Local	Concrete	84	65	43	Mod	Good	0	0		68
1314	7th St	N Santa Fe Ave	Kings Ct	Local	Concrete	75	54	44	Mod	Good	0	0		61
3527	7th St	Southminster Ave	N Markwell Ave	Local	Concrete	69	45	49	Mod	Fair	0	0		57
2930	7th St	N Norman Ave	N Bristow Ave	Local	Concrete	83	64	76	Mod	V Good	0	0		76
2932	7th St	N Bristow Ave	N Dallas Ave	Local	Concrete	85	66	66	Mod	V Good	0	0		75
2734	7th St	N Dallas Ave	N Janeway Ave	Local	Concrete	77	57	77	Mod	V Good	0	0		71
2637	7th St	Sweetgum St	Whispering Oaks Blvd	Local	Concrete	88	69	53	Mod	V Good	0	0		74
2576	7th St	Whispering Oaks Blvd	Hazelwood Ln	Local	Concrete	63	48	62	Mod	Fair	0	0		59
2687	7th St	Hazelwood Ln	Cottonwood Dr	Local	Concrete	82	64	72	Mod	V Good	0	0		75
1905	7th St	Heatherwood Dr	Applewood St	Local	Asphalt	74	59	74	Mod	V Good	9	17		70
1149	7th St	Applewood St	Ashwood Ln	Local	Asphalt	80	61	86	Strng	V Good	4	16		77
1281	7th St	Kelsi Dr	DS@900E Kelsi Dr	Local	Asphalt	42	54	87	Strng	Fair	25	33		55

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2868	7th St	DS@900E Kelsi Dr	Ryan Rd	Local	Asphalt	70	57	67	Mod	Good	12	19		65
1231	7th St	Kings Manor Dr	S Telephone Rd	Local	Asphalt	60	74	71	Mod	Good	14	27		65
2708	7th St	S Telephone Rd	Classen Ave	Local	Asphalt	69	62	84	Strng	V Good	10	21		70
2074	7th St	SW 8th St	S Broadway Ave	Local	Asphalt	42	49	90	Strng	Fair	29	28		55
3334	8th St	N Broadway Ave	Nail Pkwy	Local	Asphalt	77	62	57	Mod	Good	5	18		67
2739	8th St	N Avery Dr	DS@461E N Avery Dr	Local	Concrete	95	85	57	Mod	V Good	0	0		83
1658	8th St	DS@461E N Avery Dr	Randall Dr	Local	Concrete	89	70	58	Mod	V Good	0	0		76
1269	8th St	Bronze Medal Rd	NE 9th St	Local	Concrete	88	69	47	Mod	V Good	0	0		72
1515	8th St	Leafhurst Rd	DS@461E Leafhurst Rd	Local	Concrete	82	63	49	Mod	Good	0	0		69
1308	8th St	DS@461E Leafhurst Rd	DS@817E Leafhurst Rd	Local	Concrete	98	89	42	Mod	V Good	0	0		81
1506	8th St	DS@817E Leafhurst Rd	David Rd	Local	Concrete	73	51	42	Mod	Fair	0	0		59
2205	8th St	Lakecrest Dr	Briarcliff Dr	Local	Concrete	64	56	44	Mod	Fair	0	0		56
2501	8th St	Briarcliff Dr	N Robinson Ave	Local	Concrete	79	60	46	Mod	Good	0	0		65
1023	8th St	N Santa Fe Ave	Kings Ct	Local	Concrete	67	43	56	Mod	Fair	0	0		57
2861	8th St	Southminster Ave	N Markwell Ave	Local	Concrete	80	61	48	Mod	Good	0	0		67
3094	8th St	N Norman Ave	N Janeway Ave	Local	Concrete	78	58	74	Mod	V Good	0	0		71
3734	8th St	N Janeway Ave	N Gale Ave	Local	Concrete	92	77	6	Mod	Good	0	0		66
3736	8th St	N Gale Ave	N Gale Ave	Local	Concrete	61	37	97	Mod	Good	0	0		63
3738	8th St	N Gale Ave	Lawton Ave	Local	Concrete	44	47	43	Mod	Marginal	0	0		44
3730	8th St	Lawton Ave	City Ave	Local	Concrete	80	61	61	Mod	V Good	0	0		70
4053	8th St	City Ave	N Moore Ave	Local	Concrete	59	43	49	Mod	Fair	0	0		52
2742	8th St	WEST END	Tower Dr	Local	Concrete	56	52	69	Mod	Fair	0	0		58
3500	8th St	S Eastern Ave	S Silver Leaf Dr	Local	Concrete	63	43	42	Mod	Fair	0	0		52
3379	8th St	S Silver Leaf Dr	S Patterson Dr	Local	Concrete	81	62	42	Mod	Good	0	0		66
3398	8th St	S Patterson Dr	S Avery Dr	Local	Concrete	88	69	44	Mod	V Good	0	0		72
3400	8th St	S Avery Dr	S Bouziden Dr	Local	Concrete	84	65	46	Mod	Good	0	0		69
3399	8th St	S Bouziden Dr	DS@366E S Bouziden Dr	Local	Concrete	83	65	66	Mod	V Good	0	0		74
2922	8th St	DS@366E S Bouziden Dr	S Morgan Dr	Local	Concrete	60	47	56	Mod	Fair	0	0		55
3523	8th St	S Morgan Dr	Sweetgum St	Local	Concrete	67	42	54	Mod	Fair	0	0		57
1416	8th St	Sweetgum St	DS@373E Sweetgum St	Local	Concrete	84	65	80	Mod	V Good	0	0		78
1417	8th St	DS@373E Sweetgum St	Whispering Oaks Blvd	Local	Concrete	92	78	62	Mod	V Good	0	0		81
2282	8th St	Whispering Oaks Blvd	Cottonwood Dr	Local	Concrete	90	71	56	Mod	V Good	0	0		77
1733	8th St	Cottonwood Dr	S Bryant Ave	Local	Concrete	93	78	52	Mod	V Good	0	0		79
2604	8th St	Beechwood Way	Dogwood Ct	Local	Asphalt	79	63	71	Mod	V Good	7	14		73
2432	8th St	Dogwood Ct	Ashwood Ln	Local	Asphalt	66	60	85	Strng	Good	16	18		69
2811	8th St	Julies Trl	Bryan Dr	Local	Asphalt	71	58	87	Strng	V Good	19	9		71
1471	8th St	Kelsi Dr	Lanie Ln	Local	Asphalt	62	53	86	Strng	Good	15	16		65
2869	8th St	Lanie Ln	Ryan Rd	Local	Asphalt	65	53	67	Mod	Good	15	20		62
3928	8th St	Samantha Ln	Noah Dr	Local	Asphalt	78	59	90	Strng	V Good	6	16		76

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3929	8th St	Noah Dr	Lindsey Ln	Local	Asphalt	82	63	79	Strng	V Good	0	18		76
3439	8th St	Penn Ln	Eagle Dr	Local	Concrete	45	47	54	Mod	Marginal	0	0		47
3438	8th St	Eagle Dr	Plaza Dr	Local	Concrete	75	55	66	Mod	Good	0	0		67
3437	8th St	Plaza Dr	Cardan Pl	Local	Concrete	94	83	72	Mod	Excellent	0	0		86
3436	8th St	Cardan Pl	Fleming Cir	Local	Concrete	97	88	57	Mod	V Good	0	0		84
1909	8th St	Fleming Cir	Cardan Pl	Local	Concrete	100	90	73	Mod	Excellent	0	0		90
1910	8th St	Cardan Pl	Ridgeway Dr	Local	Concrete	97	89	76	Mod	Excellent	0	0		89
1592	8th St	Ridgeway Dr	EAST END	Local	Concrete	100	90	93	Mod	Excellent	0	0		95
2735	8th St	Heather Ln	S Telephone Rd	Local	Asphalt	48	71	90	Strng	Good	25	27		64
2910	8th St	S Howard Ave	SW 7th St	Local	Asphalt	47	58	68	Mod	Fair	14	39		54
1163	8th St	SW 7th St	S Broadway Ave	Local	Asphalt	26	52	90	Strng	Marginal	35	39		47
2399	9th Cir	SE 9th St	NORTH END	Local	Asphalt	75	55	85	Strng	V Good	0	25		72
2017	9th Cir	WEST END	Lanie Ln	Local	Asphalt	66	48	87	Strng	Good	17	16		66
1451	9th Ct	SW END	Old Mill Rd	Local	Concrete	84	65	43	Mod	Good	0	0		69
2325	9th Ct	SW END	Stoneridge Dr	Local	Concrete	53	32	73	Mod	Fair	0	0		52
3336	9th St	N Broadway Ave	Nail Pkwy	Local	Asphalt	49	50	90	Strng	Fair	26	25		59
3325	9th St	N Eastern Ave	N Silver Leaf Dr	Local	Concrete	98	89	67	Mod	Excellent	0	0		88
3330	9th St	N Silver Leaf Dr	Lincoln Ave	Local	Concrete	87	68	53	Mod	V Good	0	0		73
2574	9th St	Bronze Medal Rd	DS@57E Bronze Medal Rd	Local	Concrete	56	17	46	Mod	Marginal	0	0		43
2716	9th St	DS@57E Bronze Medal Rd	DS@176E Bronze Medal Rd	Local	Concrete	92	76	46	Mod	V Good	0	0		76
1487	9th St	DS@176E Bronze Medal Rd	NE 8th St	Local	Concrete	92	78	48	Mod	V Good	0	0		77
2014	9th St	Leafhurst Rd	DS@453E Leafhurst Rd	Local	Concrete	74	62	59	Mod	Good	0	0		67
2015	9th St	DS@453E Leafhurst Rd	DS@819E Leafhurst Rd	Local	Concrete	80	61	43	Mod	Good	0	0		66
2714	9th St	DS@819E Leafhurst Rd	David Rd	Local	Concrete	66	39	41	Mod	Fair	0	0		52
2085	9th St	WEST END	DS@76E WEST END	Local	Concrete	17	44	44	Mod	Poor	0	0		30
2559	9th St	DS@76E WEST END	Lakecrest Dr	Local	Concrete	43	51	50	Mod	Marginal	0	0		46
2639	9th St	Lakecrest Dr	DS@1019E Lakecrest Dr	Local	Concrete	51	55	44	Mod	Fair	0	0		49
1233	9th St	DS@1019E Lakecrest Dr	N Robinson Ave	Local	Concrete	72	52	44	Mod	Good	0	0		59
1059	9th St	N Santa Fe Ave	Kings Ct	Local	Concrete	63	49	47	Mod	Fair	0	0		55
2593	9th St	Kings Ct	Southminster Ave	Local	Concrete	76	55	45	Mod	Good	0	0		62
2538	9th St	Southminster Ave	Cavalier Dr	Local	Concrete	58	49	47	Mod	Fair	0	0		52
1049	9th St	N Norman Ave	N Janeway Ave	Local	Concrete	68	43	51	Mod	Fair	0	0		57
4231	9th St	WEST END	S Eastern Ave	Local	Concrete	66	53	42	Mod	Fair	0	0		56
1574	9th St	S Eastern Ave	DS@771E S Eastern Ave	Local	Concrete	82	63	48	Mod	Good	0	0		68
1575	9th St	DS@771E S Eastern Ave	S Patterson Dr	Local	Concrete	73	51	44	Mod	Good	0	0		60
3504	9th St	S Bouziden Dr	S English Dr	Local	Concrete	77	58	57	Mod	Good	0	0		67
2743	9th St	Sweetgum St	DS@377E Sweetgum St	Local	Concrete	79	59	62	Mod	Good	0	0		69
1350	9th St	DS@377E Sweetgum St	Whispering Oaks Blvd	Local	Concrete	53	47	48	Mod	Fair	0	0		50
1514	9th St	Whispering Oaks Blvd	Spruce Dr	Local	Concrete	83	65	59	Mod	V Good	0	0		72

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2653	9th St	Spruce Dr	Silver Maple Ct	Local	Concrete	89	70	64	Mod	V Good	0	0		78
1284	9th St	Silver Maple Ct	Aspen Ct	Local	Concrete	78	58	56	Mod	Good	0	0		67
1957	9th St	Aspen Ct	Teak Ct	Local	Concrete	79	60	59	Mod	Good	0	0		69
1964	9th St	Teak Ct	Cottonwood Dr	Local	Concrete	96	87	62	Mod	Excellent	0	0		85
1707	9th St	Renita Way	SE 9th Cir	Local	Asphalt	55	78	98	Strng	V Good	16	29		71
1663	9th St	SE 9th Cir	Ashwood Ln	Local	Asphalt	57	56	77	Strng	Good	15	28		61
2369	9th St	Julies Trl	Bryan Dr	Local	Asphalt	85	66	90	Strng	V Good	1	14		81
3901	9th St	Samantha Ln	Noah Dr	Local	Asphalt	91	74	90	Strng	Excellent	0	9		86
3899	9th St	Noah Dr	Lindsey Ln	Local	Asphalt	86	67	81	Strng	V Good	0	14		79
3898	9th St	Lindsey Ln	Dayton Ln	Local	Asphalt	71	58	86	Strng	V Good	14	15		71
1423	9th St	Heather Ln	S Telephone Rd	Local	Asphalt	58	63	90	Strng	Good	19	23		67
3062	9th St	S Howard Ave	S Broadway Ave	Local	Asphalt	32	57	90	Strng	Fair	35	33		52
4154	Acoma Dr	SW 41st Ter	SW 40th St	Local	Asphalt	96	87	90	Strng	Excellent	0	4		92
4146	Acoma Dr	SW 40th St	Carmona Lakes Dr	Local	Asphalt	79	71	90	Strng	V Good	15	6		79
3858	Acoma Dr	Carmona Lakes Dr	DS@494N Carmona Lakes Dr	Local	Asphalt	76	64	41	Weak	Good	15	9		63
3857	Acoma Dr	DS@494N Carmona Lakes Dr	Sendera Lakes Dr	Local	Asphalt	70	51	48	Mod	Fair	16	14		59
3856	Acoma Dr	Lago Dr	Sendera Lakes Dr	Local	Asphalt	87	68	90	Strng	V Good	7	6		83
1224	Admiralty Rd	SE 1st St	E Main St	Local	Concrete	69	46	47	Mod	Fair	0	0		57
2417	Alethea Dr	Woods Way	SW 29th Cir	Local	Asphalt	66	65	41	Weak	Fair	7	27		59
2411	Alethea Dr	SW 29th Cir	SW 28th St	Local	Asphalt	68	52	70	Mod	Good	8	24		64
2556	Allison Ln	NE 4th St	NE 7th St	Local	Asphalt	55	52	84	Strng	Good	18	26		61
3288	Amber St	SOUTH END	NE 25th St	Local	Concrete	84	66	43	Mod	Good	0	0		69
3962	Amber St	NE 25th St	NE 26th St	Local	Concrete	67	55	63	Mod	Good	0	0		63
3961	Amber St	NE 26th St	Blaine Ct	Local	Concrete	61	48	67	Mod	Fair	0	0		59
3926	Amber St	Blaine Ct	NE 27th St	Local	Concrete	79	59	66	Mod	V Good	0	0		70
3292	Amy Ct	NE 25th St	NE 26th St	Local	Concrete	55	62	46	Mod	Fair	0	0		54
3290	Andrea Ct	NE 25th St	NORTH END	Local	Concrete	44	52	51	Mod	Marginal	0	0		47
3784	Andrea Reve Pl	SW END	Elisabeth Anne Ter	Local	Concrete	71	49	44	Mod	Fair	0	0		58
2471	Angela Frances Pl	SE END	SE 27th St	Local	Concrete	78	58	46	Mod	Good	0	0		65
2355	Anns Pl	Brayden Dr	DS@323W Brayden Dr	Local	Asphalt	69	61	61	Mod	Good	14	18		64
2634	Anns Pl	DS@323W Brayden Dr	SE 12th St	Local	Asphalt	69	63	67	Mod	Good	13	18		66
1360	Apple Blossom Cir	SW 44th St	SW 43rd St	Local	Asphalt	68	61	76	Strng	Good	7	24		68
2635	Apple Estates Rd	SW 45th St	Baldwin Ave	Local	Asphalt	72	64	62	Mod	Good	12	15		67
3123	Apple Tree Ln	Boardwalk Ave	Brooklyn Ave	Local	Asphalt	78	81	71	Mod	V Good	7	15		76
4280	Apple Villas Cir	SOUTH END	Central Park Dr	Local	Asphalt	99	90	90	Strng	Excellent	1	0		94
2728	Applegate Dr	SOUTH END	SW 44th St	Local	Asphalt	63	56	92	Strng	Good	13	24		67
1392	Applegate Dr	SW 44th St	SW 43rd St	Local	Asphalt	75	67	90	Strng	V Good	4	21		77
1405	Applegate Dr	SW 43rd St	SW 42nd St	Local	Asphalt	66	54	83	Strng	Good	7	27		67
3495	Applegate Dr	SW 42nd St	NORTH END	Local	Asphalt	71	58	83	Strng	V Good	8	21		70

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1150	Applewood St	SE 7th St	SE 6th St	Local	Asphalt	77	57	70	Mod	V Good	11	12		70
1389	Armstrong St	WEST END	Barbour Ave	Local	Concrete	100	90	67	Mod	Excellent	0	0		89
1809	Armstrong St	Barbour Ave	Woods Ave	Local	Concrete	97	88	67	Mod	Excellent	0	0		87
2107	Arnold Ave	NW 2nd St	NW 5th St	Local	Asphalt	27	41	78	Strng	Marginal	38	35		42
2959	Arnold Ave	NW 6th St	N Norman Ave	Local	Concrete	58	38	44	Mod	Marginal	0	0		49
2415	Asher Ct	NE 1st St	Evie Pl	Local	Asphalt	58	58	89	Strng	Good	14	27		65
2509	Ashley Dr	WEST END	Willingham Way	Local	Concrete	87	68	67	Mod	V Good	0	0		77
2353	Ashton Dr	NE 32nd St	NE 34th St	Local	Asphalt	55	54	76	Strng	Good	25	18		59
2049	Ashwood Ln	Renita Way	SE 9th St	Local	Asphalt	64	69	80	Strng	Good	14	22		69
1009	Ashwood Ln	SE 9th St	Wimberley Creek Dr	Local	Asphalt	67	73	79	Strng	V Good	17	17		71
2444	Ashwood Ln	Wimberley Creek Dr	DS@95N Wimberley Creek Dr	Local	Asphalt	42	54	90	Strng	Fair	17	41		56
1151	Ashwood Ln	NW END	Ashwood Ln	Local	Asphalt	64	58	90	Strng	Good	16	21		68
2461	Ashwood Ln	DS@95N Wimberley Creek Dr	SE 8th St	Local	Asphalt	73	62	58	Mod	Good	9	18		66
2080	Ashwood Ln	SE 8th St	SE 7th St	Local	Asphalt	74	66	70	Mod	V Good	14	11		71
2677	Ashwood Ln	SE 7th St	Hedgewood Dr	Local	Asphalt	70	46	92	Strng	Good	14	16		69
1178	Aspen Ct	SW END	SE 9th St	Local	Concrete	85	66	61	Mod	V Good	0	0		74
1509	Aspen Dr	DS@11N SOUTH END	SE 16th St	Local	Concrete	89	69	69	Mod	V Good	0	0		79
2730	Aspen Dr	SE 16th St	SE 15th St	Local	Concrete	95	85	66	Mod	Excellent	0	0		85
1752	Aspen Dr	SE 15th St	SE 14th St	Local	Concrete	87	68	74	Mod	V Good	0	0		79
1874	Aspen Dr	SE 14th St	SE 13th St	Local	Concrete	67	43	42	Mod	Fair	0	0		54
1872	Aspen Dr	SE 13th St	SE 12th St	Local	Concrete	89	70	46	Mod	V Good	0	0		73
1928	Astoria Ave	Queensbury Rd	NW 20th St	Local	Asphalt	96	86	93	Strng	Excellent	0	4		92
1770	Astoria Ave	NW 20th St	DS@228E NW 20th St	Local	Asphalt	97	89	88	Strng	Excellent	0	3		92
1769	Astoria Ave	DS@228E NW 20th St	NW 19th St	Local	Asphalt	94	83	77	Strng	Excellent	2	4		86
4108	Atalon Dr	NE 12th St	NE 14th St	Local	Asphalt	77	59	86	Strng	V Good	8	13		74
4110	Atalon Dr	NE 14th St	NE 15th St	Local	Asphalt	78	58	90	Strng	V Good	10	12		75
3655	Augusta Dr	SE 25th St	SE 24th St	Local	Asphalt	76	56	76	Strng	V Good	7	17		70
3672	Augusta Dr	SE 24th St	NORTH END	Local	Asphalt	54	43	80	Strng	Fair	24	22		57
2791	Autumn Dr	SE 15th St	SE 14th St	Local	Concrete	89	70	62	Mod	V Good	0	0		77
3486	Autumn Dr	SE 14th St	NORTH END	Local	Concrete	92	78	68	Mod	V Good	0	0		83
3621	Auzela Cir	Judy Ter	NE END	Local	Asphalt	79	60	74	Mod	V Good	6	16		72
3658	Avenel Dr	SE 23rd St	NORTH END	Local	Asphalt	78	58	83	Strng	V Good	1	21		74
2858	Avery Dr	NE 4th St	N Patterson Dr	Local	Concrete	100	90	52	Mod	Excellent	0	0		85
2902	Avery Dr	NE 8th St	NE 11th St	Local	Concrete	86	67	56	Mod	V Good	0	0		73
2874	Avery Dr	SE 14th St	SE 12th St	Local	Concrete	72	50	40	Mod	Fair	0	0		58
2872	Avery Dr	SE 12th St	S Bouziden Dr	Local	Concrete	77	57	47	Mod	Good	0	0		64
3397	Avery Dr	S Bouziden Dr	SE 8th St	Local	Concrete	66	46	50	Mod	Fair	0	0		56
3396	Avery Dr	SE 8th St	DS@952N SE 8th St	Local	Concrete	72	49	47	Mod	Fair	0	0		59
3385	Avery Dr	DS@952N SE 8th St	SE 4th St	Local	Concrete	84	65	43	Mod	Good	0	0		69

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3402	Avery Dr	SE 4th St	S Bouziden Dr	Local	Concrete	84	66	59	Mod	V Good	0	0		73
2540	Avery Pl	NE 5th St	NE 6th St	Local	Concrete	82	63	59	Mod	V Good	0	0		71
4118	Avondale Dr	NE 20th Pl	NE 21st St	Local	Asphalt	96	87	72	Mod	Excellent	0	4		87
2462	Baer Dr	NW 5th St	N Janeway Ave	Local	Concrete	63	39	56	Mod	Fair	0	0		54
1535	Baer Dr	SW 1st St	W Main St	Local	Asphalt	74	57	80	Strng	V Good	6	20		71
4230	Baldwin Ave	SOUTH END	DS@966N SOUTH END	Local	Asphalt	88	70	86	Strng	V Good	0	12		82
1061	Baldwin Ave	DS@966N SOUTH END	Apple Estates Rd	Local	Asphalt	80	78	80	Strng	V Good	7	13		79
1283	Barbour Ave	Armstrong St	E Main St	Local	Concrete	71	48	61	Mod	Good	0	0		62
1406	Beechwood Way	SE 8th St	SE 7th Pl	Local	Asphalt	68	57	70	Mod	Good	13	19		65
1407	Beechwood Way	SE 7th Pl	SE 7th Ct	Local	Asphalt	82	69	90	Strng	V Good	0	18		80
1994	Beechwood Way	SE 7th Ct	SE 6th St	Local	Asphalt	63	56	91	Strng	Good	17	19		67
2723	Beechwood Way	SE 6th St	SE 5th St	Local	Asphalt	64	46	90	Strng	Good	16	20		65
1391	Bellaire Cir	WEST END	Bellaire Dr	Local	Concrete	72	54	73	Mod	Good	0	0		67
2982	Bellaire Dr	N Broadway Ave	Olympic Dr	Local	Concrete	59	46	77	Mod	Good	0	0		59
2701	Bellaire Dr	Olympic Dr	Meadowbrook Dr	Local	Concrete	83	64	63	Mod	V Good	0	0		72
1581	Bellaire Dr	Meadowbrook Dr	Bellaire Cir	Local	Concrete	52	40	42	Mod	Marginal	0	0		46
1982	Bellaire Dr	Bellaire Cir	NE 18th St	Local	Concrete	51	45	43	Mod	Marginal	0	0		47
1638	Bellaire Dr	NE 19th St	NE 20th St	Local	Concrete	75	55	46	Mod	Good	0	0		62
1322	Bellaire Dr	Garland St	Cherrywood Dr	Local	Concrete	72	51	45	Mod	Good	0	0		59
2326	Bellaire Dr	Cherrywood Dr	DS@345N Cherrywood Dr	Local	Concrete	50	39	70	Mod	Fair	0	0		52
1516	Bellaire Dr	DS@345N Cherrywood Dr	Sherwood Dr	Local	Concrete	64	41	64	Mod	Fair	0	0		58
1586	Bellaire Dr	Sherwood Dr	Cedar Ln	Local	Concrete	76	55	82	Mod	V Good	0	0		72
2116	Berwyck Dr	Crestmoor Dr	Elmhurst Dr	Local	Concrete	77	57	49	Mod	Good	0	0		64
2115	Berwyck Dr	Elmhurst Dr	NE 12th St	Local	Concrete	79	59	49	Mod	Good	0	0		66
2549	Birch Dr	SW 33rd St	Oak Dr	Local	Asphalt	63	59	78	Strng	Good	9	28		65
2146	Birch Dr	Oak Dr	SW 30th St	Local	Asphalt	70	50	93	Strng	V Good	8	22		70
1490	Blackjack Ln	Oak Creek Dr	Elm Creek Dr	Local	Asphalt	80	61	90	Strng	V Good	8	13		77
3293	Blaine Ct	Amber St	EAST END	Local	Concrete	87	68	74	Mod	V Good	0	0		79
3478	Blue Creek Dr	SE 34th St	SE 33rd St	Local	Asphalt	70	46	90	Strng	Good	12	16		68
3479	Blue Creek Dr	SE 34th St	SE 33rd St	Local	Asphalt	76	56	86	Strng	V Good	5	19		73
2541	Blue Jay Ct	SOUTH END	NE 19th St	Local	Asphalt	63	46	87	Strng	Good	27	10		64
1103	Blue Ridge Rd	Stoneridge Dr	Hunters Glen Ct	Local	Concrete	62	49	60	Mod	Fair	0	0		58
2077	Blue Ridge Rd	Hunters Glen Ct	SE 7th Cir	Local	Concrete	63	38	66	Mod	Fair	0	0		57
1140	Blue Ridge Rd	SE 7th Cir	SE 6th St	Local	Concrete	66	63	45	Mod	Good	0	0		60
3954	Blue Stem Blvd	SW 34th St	SW 33rd St	Local	Asphalt	50	26	74	Mod	Fair	28	22		49
1235	Blue Stem Blvd	SW 33rd St	SW 32nd St	Local	Asphalt	71	48	90	Strng	Good	9	20		69
1136	Blue Stem Blvd	SW 32nd St	DS@87N SW 32nd St	Local	Asphalt	68	43	80	Strng	Good	0	32		64
2685	Blue Stem Blvd	DS@87N SW 32nd St	SW 31st Ter	Local	Asphalt	70	47	90	Strng	Good	9	21		69
1040	Blue Stem Blvd	SW 31st Ter	SW 31st St	Local	Asphalt	72	49	86	Strng	Good	10	19		69

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2194	Bluegrass Ct	SOUTH END	NE 19th St	Local	Asphalt	74	53	72	Mod	Good	9	16		68
1425	Blueridge Ln	Clover Rd	Madison Ct	Local	Asphalt	64	51	90	Strng	Good	8	28		67
3124	Boardwalk Ave	Apple Tree Ln	SW 44th St	Local	Asphalt	80	70	91	Strng	V Good	6	14		80
3125	Boardwalk Ave	SW 44th St	SW 43rd St	Local	Asphalt	77	57	81	Strng	V Good	7	16		72
2887	Bouziden Dr	S Avery Dr	SE 11th St	Local	Concrete	57	37	43	Mod	Marginal	0	0		48
2893	Bouziden Dr	SE 11th St	SE 9th St	Local	Concrete	66	48	59	Mod	Fair	0	0		59
3401	Bouziden Dr	SE 9th St	SE 8th St	Local	Concrete	70	47	41	Mod	Fair	0	0		56
3395	Bouziden Dr	SE 8th St	DS@1018N SE 8th St	Local	Concrete	79	60	47	Mod	Good	0	0		66
3387	Bouziden Dr	DS@1018N SE 8th St	SE 4th St	Local	Concrete	86	67	72	Mod	V Good	0	0		78
3389	Bouziden Dr	SE 4th St	S Avery Dr	Local	Concrete	76	56	49	Mod	Good	0	0		64
3403	Bouziden Dr	S Avery Dr	E Main St	Local	Concrete	70	47	54	Mod	Good	0	0		60
2453	Bouziden Pl	NE 5th St	NE 6th St	Local	Concrete	91	75	58	Mod	V Good	0	0		79
3921	Bradford Dr	NE 27th St	NE 29th St	Local	Asphalt	71	71	85	Strng	V Good	17	12		74
1980	Bradford Dr	NE 29th St	NORTH END	Local	Asphalt	80	71	67	Mod	V Good	9	12		74
2208	Brayden Dr	SE 13th St	SE 12th St	Local	Asphalt	60	54	66	Mod	Fair	23	17		59
2262	Brent Dr	NW 7th St	NW 7th Pl	Local	Concrete	98	89	46	Mod	V Good	0	0		82
3988	Brian Ct	WEST END	Woodstock Rd	Local	Asphalt	75	62	90	Strng	V Good	8	17		75
3540	Briar Hill St	NE 17th St	DS@491N NE 17th St	Local	Concrete	73	51	62	Mod	Good	0	0		64
2889	Briar Hill St	DS@491N NE 17th St	NE 19th St	Local	Concrete	54	50	84	Mod	Good	0	0		60
3065	Briar Hill St	NE 19th St	NE 20th St	Local	Concrete	64	35	71	Mod	Fair	0	0		58
1875	Briarcliff Dr	SW 26th St	Lakecrest Dr	Local	Concrete	97	87	68	Mod	Excellent	0	0		87
2163	Briarcliff Dr	SW 21st St	SW 20th St	Local	Concrete	99	90	51	Mod	V Good	0	0		84
1975	Briarcliff Dr	NW 6th Pl	NW 7th Pl	Local	Concrete	74	57	58	Mod	Good	0	0		65
1585	Briarcliff Dr	NW 7th Pl	NW 8th St	Local	Concrete	88	69	46	Mod	V Good	0	0		72
2430	Briarwood St	N Service Rd	Platt Ln	Local	Asphalt	73	70	89	Strng	V Good	9	18		76
3054	Briarwood St	Platt Ln	NW 12th St	Local	Asphalt	69	51	84	Strng	Good	9	21		68
2469	Brice Dr	SE 13th St	Kelsi Dr	Local	Asphalt	70	57	74	Mod	Good	12	19		67
2908	Bristow Ave	S Bristow Ave	NW 1st St	Local	Asphalt	29	48	90	Strng	Marginal	37	34		48
2931	Bristow Ave	NW 5th St	NW 7th St	Local	Concrete	52	43	66	Mod	Fair	0	0		52
1962	Bristow Ave	SW 4th St	DS@240N SW 4th St	Local	Asphalt	65	48	85	Strng	Good	1	34		65
1961	Bristow Ave	DS@240N SW 4th St	DS@523N SW 4th St	Local	Asphalt	57	74	71	Mod	Good	12	32		64
3560	Bristow Ave	DS@523N SW 4th St	SW 1st St	Local	Asphalt	57	66	95	Strng	Good	11	32		68
2618	Bristow Ave	SW 1st St	SW 1st St	Local	Asphalt	43	64	90	Strng	Fair	24	33		59
2909	Bristow Ave	SW 1st St	N Bristow Ave	Local	Asphalt	38	58	90	Strng	Fair	29	33		56
2678	Brittany Ct	SW 36th St	NORTH END	Local	Asphalt	54	44	90	Strng	Good	18	24		59
4011	Broadway Ave	W Main St	NW 1st St	Local	Concrete	97	88	93	Mod	Excellent	0	0		93
4013	Broadway Ave	NW 1st St	NW 2nd St	Local	Asphalt	54	71	88	Strng	Good	14	32		66
3350	Broadway Ave	NW 2nd St	NE 3rd St	Local	Asphalt	56	74	85	Strng	Good	14	30		67
3351	Broadway Ave	NE 3rd St	NE 4th St	Local	Asphalt	42	66	84	Strng	Fair	24	34		58

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3345	Broadway Ave	NE 4th St	NE 5th St	Local	Asphalt	39	60	47	Mod	Marginal	29	32		45
3344	Broadway Ave	NE 5th St	NW 5th St	Local	Asphalt	45	54	84	Strng	Fair	21	34		56
3341	Broadway Ave	NW 5th St	NE 6th St	Local	Concrete	100	90	79	Mod	Excellent	0	0		92
3339	Broadway Ave	NE 6th St	NE 7th St	Local	Concrete	100	90	74	Mod	Excellent	0	0		91
3338	Broadway Ave	NE 7th St	Kelley Dr	Local	Concrete	100	90	44	Mod	V Good	0	0		83
3332	Broadway Ave	Kelley Dr	NE 8th St	Local	Concrete	100	90	91	Mod	Excellent	0	0		95
3512	Broadway Ave	NE 8th St	Thompson Dr	Local	Concrete	95	86	79	Mod	Excellent	0	0		88
3333	Broadway Ave	Thompson Dr	NE 9th St	Local	Concrete	100	90	92	Mod	Excellent	0	0		95
3358	Broadway Ave	NE 9th St	Eberle Dr	Local	Concrete	95	86	91	Mod	Excellent	0	0		91
3357	Broadway Ave	Eberle Dr	NE 10th St	Local	Concrete	100	90	82	Mod	Excellent	0	0		93
3359	Broadway Ave	NE 10th St	Leverich Ct	Local	Concrete	98	89	95	Mod	Excellent	0	0		95
3361	Broadway Ave	NE 11th St	Leverich Ct	Local	Concrete	86	67	91	Mod	V Good	0	0		82
3362	Broadway Ave	NE 11th St	NW 12th St	Local	Concrete	100	90	93	Mod	Excellent	0	0		95
2980	Broadway Ave	Bellaire Dr	NW 12th St	Local	Concrete	97	88	97	Mod	Excellent	0	0		94
2981	Broadway Ave	Sutton Cir	Bellaire Dr	Local	Concrete	100	90	95	Mod	Excellent	0	0		95
1247	Broadway Ave	Olympic Dr	Sutton Cir	Local	Concrete	88	69	83	Mod	V Good	0	0		82
2762	Broadway Ave	NE 18th St	Olympic Dr	Local	Concrete	98	89	93	Mod	Excellent	0	0		94
1366	Broadway Ave	N Service Rd	NE 18th St	Local	Concrete	100	90	100	Mod	Excellent	0	0		97
1382	Broadway Ave	N Service Rd	NE 21st St	Local	Concrete	96	86	99	Mod	Excellent	0	0		94
2688	Broadway Ave	NE 21st St	NE 23rd St	Local	Concrete	97	88	99	Mod	Excellent	0	0		94
2182	Broadway Ave	NE 23rd St	Highland Dr	Local	Concrete	96	87	99	Mod	Excellent	0	0		94
2748	Broadway Ave	Highland Dr	I-35 Ramp	Local	Concrete	100	90	98	Mod	Excellent	0	0		96
1697	Broadway Ave	I-35 Ramp	NE 27th St	Local	Concrete	90	72	91	Mod	Excellent	0	0		85
2036	Broadway Ave	NE 27th St	I-35 Ramp	Local	Concrete	100	90	99	Mod	Excellent	0	0		96
3675	Broadway Ave	S Bryant Ave	Mahogany Hills Dr	Local	Asphalt	48	80	84	Strng	Good	20	32		64
3676	Broadway Ave	Mahogany Hills Dr	Crystal Springs Rd	Local	Asphalt	40	79	79	Strng	Fair	23	36		59
3650	Broadway Ave	Crystal Springs Rd	Central Park Dr	Local	Asphalt	37	87	68	Mod	Fair	27	36		56
3649	Broadway Ave	Central Park Dr	SW 34th St	Local	Asphalt	44	65	67	Mod	Fair	24	31		54
3654	Broadway Ave	SW 34th St	Wesley Cir	Local	Asphalt	51	80	90	Strng	Good	13	36		67
3652	Broadway Ave	Wesley Cir	Willow Pine Dr	Local	Asphalt	47	75	85	Strng	Good	15	38		63
3755	Broadway Ave	Willow Pine Dr	St John Ave	Local	Asphalt	55	86	76	Strng	Good	10	35		67
3758	Broadway Ave	St John Ave	St Thomas Ave	Local	Asphalt	55	100	90	Strng	V Good	11	34		74
3783	Broadway Ave	St Thomas Ave	SW 28th St	Local	Asphalt	65	100	89	Strng	V Good	0	35		79
3782	Broadway Ave	SW 28th St	SE 27th St	Local	Asphalt	44	84	84	Strng	Good	25	31		63
3688	Broadway Ave	SE 27th St	S Eastern Ave	Local	Asphalt	40	83	90	Strng	Good	28	31		63
3677	Broadway Ave	S Eastern Ave	Industrial Blvd	Local	Asphalt	34	79	60	Mod	Fair	30	36		51
3690	Broadway Ave	Industrial Blvd	Tower Dr	Local	Asphalt	55	86	75	Mod	Good	6	39		67
2702	Broadway Ave	SW 19th St	SW 16th St	Local	Asphalt	71	80	86	Strng	V Good	7	22		77
2512	Broadway Ave	SW 16th St	SW 15th St	Local	Asphalt	81	100	83	Strng	Excellent	5	15		86

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1139	Broadway Ave	SW 15th St	SW 14th St	Local	Asphalt	82	100	79	Strng	Excellent	5	13		85
2186	Broadway Ave	SW 14th St	SW 13th St	Local	Asphalt	84	100	85	Strng	Excellent	0	16		88
2717	Broadway Ave	SW 13th St	SW 12th St	Local	Asphalt	75	100	84	Strng	V Good	8	17		83
1906	Broadway Ave	SW 12th St	SW 11th St	Local	Asphalt	78	100	81	Strng	V Good	5	17		84
2626	Broadway Ave	SW 11th St	SW 10th St	Local	Asphalt	77	100	56	Mod	V Good	7	16		77
1456	Broadway Ave	SW 10th St	SW 9th St	Local	Concrete	100	90	88	Mod	Excellent	0	0		94
2528	Broadway Ave	SW 9th St	SW 8th St	Local	Asphalt	62	75	71	Mod	Good	9	28		67
1455	Broadway Ave	SW 8th St	SW 7th St	Local	Asphalt	77	100	90	Strng	Excellent	7	16		86
2073	Broadway Ave	SW 6th St	SW 7th St	Local	Asphalt	81	100	76	Strng	V Good	6	14		84
2731	Broadway Ave	SW 6th St	SW 5th St	Local	Asphalt	81	100	82	Strng	Excellent	6	13		86
4034	Broadway Ave	SW 5th St	SW 4th St	Local	Concrete	97	87	87	Mod	Excellent	0	0		91
4037	Broadway Ave	SW 4th St	SW 3rd St	Local	Concrete	100	90	84	Mod	Excellent	0	0		93
4036	Broadway Ave	SW 3rd St	SW 2nd St	Local	Asphalt	52	67	72	Mod	Good	21	27		60
4006	Broadway Ave	SW 2nd St	SW 1st St	Local	Asphalt	43	71	92	Strng	Good	24	33		62
4008	Broadway Ave	SW 1st St	W Main St	Local	Concrete	96	86	91	Mod	Excellent	0	0		92
3747	Broadway Ter	NW END	St Thomas Ave	Local	Concrete	91	75	47	Mod	V Good	0	0		76
3748	Broadway Ter	St Thomas Ave	St John Ave	Local	Concrete	76	56	67	Mod	Good	0	0		68
1659	Bronze Medal Rd	NE 6th St	DS@195N NE 6th St	Local	Concrete	60	47	44	Mod	Fair	0	0		52
1630	Bronze Medal Rd	DS@195N NE 6th St	NE 8th St	Local	Concrete	63	34	47	Mod	Fair	0	0		51
1275	Bronze Medal Rd	NE 9th St	NE 8th St	Local	Concrete	71	47	48	Mod	Fair	0	0		59
1270	Bronze Medal Rd	NE 9th St	NE 10th St	Local	Concrete	82	63	57	Mod	V Good	0	0		70
1963	Bronze Medal Rd	NE 10th St	NE 11th St	Local	Concrete	68	44	64	Mod	Good	0	0		61
3300	Bronze Medal Rd	NE 11th St	NE 12th St	Local	Concrete	67	41	50	Mod	Fair	0	0		56
3127	Brooklyn Ave	Apple Tree Ln	SW 44th St	Local	Asphalt	87	77	67	Mod	V Good	1	12		79
3129	Brooklyn Ave	SW 44th St	SW 43rd St	Local	Asphalt	83	78	58	Mod	V Good	5	12		75
3130	Brooklyn Ave	SW 43rd St	Manhattan Dr	Local	Asphalt	79	60	74	Mod	V Good	3	17		73
3078	Brookside Dr	NE 12th St	Oakside Dr	Local	Concrete	57	26	48	Mod	Marginal	0	0		46
3080	Brookside Dr	Oakside Dr	Oakside Dr	Local	Concrete	80	61	63	Mod	V Good	0	0		71
3270	Brookstone Ct	NE 27th St	NORTH END	Local	Asphalt	82	63	57	Mod	V Good	1	17		70
2375	Bryan Dr	SE 11th St	SE 10th St	Local	Asphalt	83	64	90	Strng	V Good	8	9		80
2374	Bryan Dr	SE 10th St	SE 10th St	Local	Asphalt	50	19	95	Strng	Fair	10	40		53
2479	Bryan Dr	SE 10th St	SE 9th St	Local	Asphalt	84	67	83	Strng	V Good	6	9		79
2373	Bryan Dr	SE 9th St	SE 8th St	Local	Asphalt	74	60	89	Strng	V Good	14	12		74
2803	Bryant Ave	S Bryant Ave	NE 1st St	Minor Arterial	Concrete	100	90	83	Mod	Excellent	0	0		93
2414	Bryant Ave	NE 1st St	NE 4th St	Minor Arterial	Asphalt	62	81	80	Strng	V Good	20	18		70
2825	Bryant Ave	NE 4th St	NE 7th St	Minor Arterial	Asphalt	55	74	57	Mod	Good	22	23		59
2308	Bryant Ave	NE 7th St	NE 7th St	Minor Arterial	Asphalt	65	87	70	Mod	V Good	15	20		71
1031	Bryant Ave	NE 7th St	Leafcrest Dr	Minor Arterial	Concrete	74	57	41	Mod	Good	0	0		61
2260	Bryant Ave	Leafcrest Dr	NE 10th St	Minor Arterial	Concrete	66	41	41	Mod	Fair	0	0		53

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	OPCI Date
2259	Bryant Ave	NE 10th St	NE 12th St	Minor Arterial	Concrete	86	68	58	Mod	V Good	0	0		74
1101	Bryant Ave	NE 12th St	NE 13th St	Minor Arterial	Concrete	99	90	84	Mod	Excellent	0	0		92
2099	Bryant Ave	NE 13th St	DS@1056N NE 13th St	Minor Arterial	Asphalt	68	92	86	Strng	V Good	13	19		78
1903	Bryant Ave	DS@1056N NE 13th St	DS@1348N NE 13th St	Minor Arterial	Asphalt	79	96	94	Strng	Excellent	10	8		86
2289	Bryant Ave	DS@1348N NE 13th St	DS@2014N NE 13th St	Minor Arterial	Asphalt	72	92	88	Strng	V Good	10	18		81
1342	Bryant Ave	DS@2014N NE 13th St	DS@2510N NE 13th St	Minor Arterial	Asphalt	69	82	93	Strng	V Good	10	21		78
2212	Bryant Ave	DS@2510N NE 13th St	DS@3346N NE 13th St	Minor Arterial	Asphalt	71	90	91	Strng	V Good	9	20		80
4103	Bryant Ave	DS@3346N NE 13th St	S Bryant Ave	Minor Arterial	Asphalt	64	89	83	Strng	V Good	15	21		74
1776	Bryant Ave	S Bryant Ave	NE 27th St	Minor Arterial	Asphalt	81	82	60	Mod	V Good	11	7		81
2366	Bryant Ave	NE 27th St	S Bryant Ave	Minor Arterial	Asphalt	99	100	60	Mod	Excellent	1	0		98
2810	Bryant Ave	S Bryant Ave	S Bryant Ave	Minor Arterial	Asphalt	94	100	93	Strng	Excellent	0	6		94
3266	Bryant Ave	S Bryant Ave	S Bryant Ave	Minor Arterial	Asphalt	96	92	86	Strng	Excellent	0	4		92
3265	Bryant Ave	S Bryant Ave	S Bryant Ave	Minor Arterial	Asphalt	99	97	60	Mod	Excellent	0	1		97
3107	Bryant Ave	W Indian Hills Rd	S Broadway Ave	Minor Arterial	Asphalt	50	75	62	Mod	Fair	29	22		58
3582	Bryant Ave	S Broadway Ave	Valley View	Minor Arterial	Asphalt	55	56	61	Mod	Fair	19	26		56
3711	Bryant Ave	Valley View	DS@376N Valley View	Minor Arterial	Asphalt	61	88	57	Mod	Good	12	27		66
3710	Bryant Ave	DS@376N Valley View	SE 38th St	Minor Arterial	Asphalt	42	79	56	Mod	Fair	31	27		54
3701	Bryant Ave	SE 38th St	SE 37th St	Minor Arterial	Asphalt	30	62	54	Mod	Marginal	42	26		43
3703	Bryant Ave	SE 37th St	SE 34th St	Minor Arterial	Asphalt	36	69	62	Mod	Fair	35	26		50
3723	Bryant Ave	SE 34th St	SE 19th St	Minor Arterial	Asphalt	17	53	60	Mod	Poor	56	23		36
3726	Bryant Ave	SE 19th St	SE 18th St	Minor Arterial	Asphalt	77	57	78	Strng	V Good	0	23		72
1991	Bryant Ave	SE 17th St	SE 16th St	Minor Arterial	Concrete	100	90	87	Mod	Excellent	0	0		94
2892	Bryant Ave	SE 16th St	SE 14th St	Minor Arterial	Concrete	88	69	32	Mod	Good	0	0		68
2891	Bryant Ave	SE 14th St	SE 12th St	Minor Arterial	Concrete	84	66	32	Mod	Good	0	0		66
1280	Bryant Ave	SE 12th St	SE 8th St	Minor Arterial	Concrete	81	62	47	Mod	Good	0	0		67
2966	Bryant Ave	SE 8th St	SE 7th Pl	Minor Arterial	Concrete	81	62	30	Mod	Good	0	0		63
2965	Bryant Ave	SE 7th Pl	SE 4th St	Minor Arterial	Concrete	81	62	32	Mod	Good	0	0		63
1225	Bryant Ave	SE 4th St	Parkway Dr	Minor Arterial	Asphalt	42	70	66	Mod	Fair	31	23		54
1361	Bryant Ave	Parkway Dr	SE 2nd St	Minor Arterial	Concrete	94	83	46	Mod	V Good	0	0		79
2775	Bryant Ave	SE 2nd St	SE 1st St	Minor Arterial	Concrete	91	73	36	Mod	V Good	0	0		72
1668	Bryant Ave	SE 1st St	E Main St	Minor Arterial	Concrete	96	86	31	Mod	V Good	0	0		77
1012	Bryant Ave	DS@1346S N Bryant Ave	N Bryant Ave	Minor Arterial	Asphalt	76	95	85	Strng	V Good	6	18		82
2575	Bryant Ave	DS@510S N Bryant Ave	DS@1346S N Bryant Ave	Minor Arterial	Asphalt	71	97	87	Strng	V Good	9	20		81
4102	Bryant Ave	N Bryant Ave	DS@510S N Bryant Ave	Minor Arterial	Asphalt	68	98	87	Strng	V Good	16	16		80
3594	Bryant Ave	N Bryant Ave	N Bryant Ave	Minor Arterial	Asphalt	95	100	93	Strng	Excellent	0	6		95
3267	Bryant Ave	N Bryant Ave	N Bryant Ave	Minor Arterial	Asphalt	91	100	82	Strng	Excellent	3	7		90
3303	Buck Thomas Dr	NE 12th St	Touchdown Dr	Local	Asphalt	41	59	87	Strng	Fair	26	33		56
3304	Buck Thomas Dr	Touchdown Dr	Home Run Dr	Local	Asphalt	41	63	88	Strng	Fair	26	34		57
3248	Butler Ave	NW 2nd St	NW 5th St	Local	Asphalt	67	65	90	Strng	V Good	7	23		72

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary							
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)
													OPCI Date
													Current Segment PCI (CPCI)
3249	Butler Ave	NW 6th St	NW 7th St	Local	Concrete	60	41	53	Mod	Fair	0	0	53
2950	Cagle Ave	SW 3rd St	SW 2nd St	Local	Asphalt	52	55	90	Strng	Good	21	27	61
3477	Caleb Ct	Joshua Ln	NE END	Local	Asphalt	91	72	30	Weak	V Good	0	9	70
2703	Cambridge Ct	N Santa Fe Ave	NW 14th Pl	Local	Concrete	63	51	39	Mod	Fair	0	0	53
2550	Camelot Dr	Regency Blvd	NW 18th St	Local	Asphalt	48	63	78	Strng	Fair	26	23	58
2265	Camelot Dr	NW 18th St	N Janeway Ave	Local	Asphalt	54	58	68	Mod	Fair	23	23	57
1197	Camelot Dr	N Janeway Ave	NW 18th St	Local	Concrete	75	54	44	Mod	Good	0	0	61
2283	Camelot Dr	N Gale Ave	City Ave	Local	Concrete	68	42	46	Mod	Fair	0	0	55
3435	Cardan Pl	SW 8th St	SW 8th St	Local	Concrete	99	90	61	Mod	Excellent	0	0	87
2705	Carey Pl	SW 33rd St	SW 32nd St	Local	Asphalt	80	61	54	Mod	Good	0	20	68
1128	Carey Pl	SW 32nd St	SW 31st Ter	Local	Asphalt	70	48	72	Mod	Good	15	15	64
2436	Carey Pl	SW 31st Ter	SW 31st St	Local	Asphalt	70	46	53	Mod	Fair	11	19	59
4148	Carmona Lakes Cir	Carmona Lakes Dr	DS@334E Carmona Lakes Dr	Local	Asphalt	93	78	90	Strng	Excellent	3	5	88
4178	Carmona Lakes Cir	DS@334E Carmona Lakes Dr	Carmona Lakes Dr	Local	Asphalt	93	80	90	Strng	Excellent	0	7	88
4156	Carmona Lakes Dr	SW 39th Ct	Lago Dr	Local	Asphalt	78	68	50	Mod	Good	14	8	68
4149	Carmona Lakes Dr	Carmona Lakes Cir	SW 39th Ct	Local	Asphalt	96	87	73	Mod	Excellent	0	4	87
4151	Carmona Lakes Dr	SW 40th Ter	Carmona Lakes Cir	Local	Asphalt	95	84	43	Weak	V Good	0	5	79
4145	Carmona Lakes Dr	SW 40th Ter	Carmona Lakes Cir	Local	Asphalt	97	88	47	Mod	V Good	0	3	82
4157	Carmona Lakes Dr	Carmona Lakes Cir	Acoma Dr	Local	Asphalt	90	71	90	Strng	Excellent	0	10	85
3206	Carol Ann Pl	San Juan Trls	Woodstock Rd	Local	Asphalt	78	58	73	Mod	V Good	1	22	71
2851	Carol Ann Pl	Woodstock Rd	Lake Woods Blvd	Local	Asphalt	80	61	79	Strng	V Good	5	15	75
3219	Carol Ann Pl	Lake Woods Blvd	Elmo Way	Local	Asphalt	70	58	79	Strng	Good	8	21	69
3624	Carol Cir	SE 33rd St	Willow Pine Dr	Local	Asphalt	74	53	90	Strng	V Good	1	25	72
2711	Cass Ave	N Shields Blvd	Hillcrest Dr	Local	Concrete	100	90	74	Mod	Excellent	0	0	91
1841	Cass Ave	Hillcrest Dr	Woodlawn Dr	Local	Asphalt	27	56	90	Strng	Marginal	45	28	49
1521	Cass Ave	Woodlawn Dr	Poplar Dr	Local	Asphalt	22	47	89	Strng	Marginal	42	30	44
1755	Cass Ave	Poplar Dr	EAST END	Local	Asphalt	35	58	87	Strng	Fair	39	26	53
4265	Catalina Ln	SOUTH END	Lagos Dr	Local	Asphalt	99	90	71	Mod	Excellent	0	1	89
2222	Cavalier Dr	NW 9th St	NW 12th St	Local	Concrete	77	57	50	Mod	Good	0	0	64
1602	Cavalier Dr	NW 12th St	NW 14th St	Local	Asphalt	59	69	69	Mod	Good	6	35	63
1093	Cedar Brook Aly	Cedar Brook Dr	Lincoln Ave	Local	Concrete	60	47	71	Mod	Fair	0	0	59
3283	Cedar Brook Dr	Cedar Brook Aly	NE 23rd St	Local	Concrete	53	45	56	Mod	Fair	0	0	51
4158	Cedar Creek Dr	Northfork Dr	Edgewater Dr	Local	Asphalt	78	59	90	Strng	V Good	2	20	76
4160	Cedar Creek Dr	Edgewater Dr	Creek Side Cir	Local	Asphalt	64	67	92	Strng	V Good	17	19	71
1368	Cedar Ln	Edgewood Dr	Highland Dr	Local	Concrete	69	45	52	Mod	Fair	0	0	58
2696	Cedar Ln	Highland Dr	Ridgewood Dr	Local	Concrete	90	70	41	Mod	V Good	0	0	72
2097	Cedar Ln	Ridgewood Dr	Bellaire Dr	Local	Concrete	87	69	58	Mod	V Good	0	0	75
1359	Cedar Ln	Bellaire Dr	N Nail Pkwy	Local	Concrete	91	75	59	Mod	V Good	0	0	79
2065	Cedar Valley Rd	SW 33rd St	SW 32nd St	Local	Asphalt	73	53	92	Strng	V Good	3	25	72

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2064	Cedar Valley Rd	SW 32nd St	SW 31st St	Local	Asphalt	71	48	90	Strng	V Good	7	22		69
1794	Cedarbrook Ln	Lakecrest Dr	NW 6th Pl	Local	Concrete	97	88	60	Mod	Excellent	0	0		85
1476	Central Park Dr	SW 42nd St	SW 39th St	Local	Asphalt	66	59	81	Strng	Good	13	21		67
3651	Central Park Dr	SW 39th St	S Broadway Ave	Local	Asphalt	53	48	90	Strng	Good	21	25		60
1670	Century Dr	Crestmoor Dr	Craig Dr	Local	Concrete	91	72	57	Mod	V Good	0	0		77
1916	Century Dr	Craig Dr	DS@144E Craig Dr	Local	Concrete	51	35	43	Mod	Marginal	0	0		44
1917	Century Dr	DS@144E Craig Dr	Highlander Dr	Local	Concrete	47	36	79	Mod	Fair	0	0		51
1442	Century Dr	Highlander Dr	EAST END	Local	Concrete	71	51	77	Mod	Good	0	0		67
2855	Champion Ln	NE 5th St	NE 6th St	Local	Concrete	91	73	44	Mod	V Good	0	0		74
1319	Cherrywood Dr	Edgewood Dr	Ridgewood Dr	Local	Concrete	61	50	44	Mod	Fair	0	0		54
2767	Cherrywood Dr	Ridgewood Dr	Bellaire Dr	Local	Concrete	49	35	48	Mod	Marginal	0	0		44
3071	Chestnut Ave	W Main St	NW 1st St	Local	Asphalt	35	42	46	Mod	Poor	34	31		38
4019	Chestnut Ave	NW 1st St	NW 2nd St	Local	Asphalt	26	61	72	Mod	Marginal	41	34		45
4021	Chestnut Ave	NW 2nd St	NW 3rd St	Local	Asphalt	48	54	90	Strng	Fair	23	27		59
2884	Chestnut Ave	S I-35 Service Rd	SW 1st St	Local	Asphalt	43	53	90	Strng	Fair	28	29		56
2886	Chestnut Ave	SW 1st St	W Main St	Local	Asphalt	45	50	90	Strng	Fair	26	25		57
2657	Chisholm Trail Ln	SOUTH END	SE 27th St	Local	Asphalt	62	63	93	Strng	V Good	18	20		69
2177	Chisholm Trail Ln	SE 27th St	SE 26th St	Local	Asphalt	68	61	82	Strng	Good	12	20		69
1533	Christina Ct	SW 30th St	SW 27th St	Local	Asphalt	60	61	90	Strng	Good	10	29		67
3628	Christopher Todd Dr	Elisabeth Anne Ter	NORTH END	Local	Concrete	52	50	87	Mod	Good	0	0		60
2103	Churchill Rd	SE 41st Pl	SE 34th St	Local	Asphalt	62	60	88	Strng	Good	17	19		67
3740	Cindy Brook Ln	Elisabeth Anne Ter	SE END	Local	Concrete	94	83	67	Mod	V Good	0	0		84
4061	City Ave	NW 5th St	NW 7th St	Local	Asphalt	60	75	88	Strng	V Good	16	25		70
4060	City Ave	NW 8th St	NW 7th St	Local	Asphalt	62	81	67	Mod	Good	16	23		67
3729	City Ave	NW 8th St	NW 12th St	Local	Asphalt	48	63	82	Strng	Good	28	24		59
2329	City Ave	NW 12th St	NW 15th St	Local	Concrete	57	44	61	Mod	Fair	0	0		54
2284	City Ave	NW 15th St	NW 16th St	Local	Concrete	56	46	48	Mod	Fair	0	0		50
2672	City Ave	NW 16th St	NW 17th St	Local	Concrete	65	40	49	Mod	Fair	0	0		54
2798	City Ave	NW 17th St	Camelot Dr	Local	Concrete	68	43	46	Mod	Fair	0	0		56
1203	City Ave	Camelot Dr	NW 18th Pl	Local	Concrete	63	44	43	Mod	Fair	0	0		52
2784	Clarisa Dr	NE 28th St	NE 29th St	Local	Asphalt	59	53	82	Strng	Good	22	19		63
1979	Clarisa Dr	NE 29th St	NE 30th St	Local	Asphalt	75	55	90	Strng	V Good	3	22		73
1414	Classen Ave	SW 7th St	SW 6th ST	Local	Asphalt	79	62	85	Strng	V Good	2	19		76
1044	Classen Ave	W Main St	N Service Rd	Local	Asphalt	61	51	94	Strng	Good	15	24		66
1854	Classen Ave	SW 6th St	SW 5th St	Local	Asphalt	64	44	89	Strng	Good	11	23		64
2848	Classen Ave	S I-35 Service Rd	SW 4th St	Local	Concrete	96	87	87	Mod	Excellent	0	0		91
1678	Classen Ave	SW 4th St	SW 3rd St	Local	Concrete	48	49	45	Mod	Marginal	0	0		47
3836	Classen Ave	SW 3rd St	SW 2nd St	Local	Concrete	67	45	46	Mod	Fair	0	0		56
3847	Classen Ave	SW 2nd St	SW 1st St	Local	Concrete	92	78	71	Mod	V Good	0	0		83

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3849	Classen Ave	SW 1st St	W Main St	Local	Concrete	98	89	73	Mod	Excellent	0	0		89
2792	Clear Creek Rd	NE 12th St	NE 15th St	Local	Asphalt	71	67	79	Strng	V Good	14	12		72
1893	Clover Rd	White Oak Rd	Blueridge Ln	Local	Concrete	87	68	49	Mod	V Good	0	0		73
1892	Clover Rd	Blueridge Ln	SE 12th St	Local	Concrete	43	47	69	Mod	Fair	0	0		50
2068	Clover Rd	SE 12th St	Madison Ct	Local	Asphalt	77	57	61	Mod	Good	7	16		67
1054	Corbin Cir	SOUTH END	Corbin Dr	Local	Concrete	76	56	74	Mod	V Good	0	0		71
1053	Corbin Dr	Corbin Cir	SE 14th St	Local	Concrete	79	60	61	Mod	Good	0	0		70
2817	Corbin Dr	SE 14th St	SE 13th St	Local	Concrete	96	86	69	Mod	Excellent	0	0		86
4269	Coronado Dr	SOUTH END	SW 39th St	Local	Asphalt	100	90	90	Strng	Excellent	0	0		94
2646	Cottonwood Dr	SE 12th St	SE 9th St	Local	Concrete	89	69	58	Mod	V Good	0	0		76
1085	Cottonwood Dr	SE 9th St	SE 8th St	Local	Concrete	86	68	90	Mod	V Good	0	0		82
1019	Cottonwood Dr	SE 8th St	SE 7th St	Local	Concrete	87	68	48	Mod	V Good	0	0		72
1959	Cottonwood Dr	SE 7th St	Pinewood Dr	Local	Concrete	88	69	60	Mod	V Good	0	0		76
2081	Cottonwood Dr	Pinewood Dr	Whispering Oaks Blvd	Local	Concrete	79	59	57	Mod	Good	0	0		68
2229	Country Club Dr	SE 38th St	Shannon Dr	Local	Concrete	71	48	60	Mod	Good	0	0		62
2612	Country Club Dr	Shannon Dr	Tiffany Dr	Local	Concrete	82	63	68	Mod	V Good	0	0		73
1623	Country Club Dr	Tiffany Dr	Necia Dr	Local	Concrete	83	65	64	Mod	V Good	0	0		74
3647	Country Club Dr	Necia Dr	SE 34th St	Local	Concrete	49	43	46	Mod	Marginal	0	0		46
1718	Cowan Pl	SOUTH END	Sherwood Dr	Local	Concrete	74	55	60	Mod	Good	0	0		65
1318	Cowan Pl	Sherwood Dr	N Nail Pkwy	Local	Concrete	67	44	55	Mod	Fair	0	0		58
4115	Cox Ln	NE 20th Pl	NE 21st St	Local	Asphalt	99	90	90	Strng	Excellent	0	1		94
2736	Craig Dr	SOUTH END	Century Dr	Local	Concrete	74	53	86	Mod	V Good	0	0		71
2800	Craig Dr	Century Dr	Crestmoor Dr	Local	Concrete	88	69	73	Mod	V Good	0	0		79
4257	Creek Side Cir	SOUTH END	SE 23rd St	Local	Asphalt	98	89	71	Mod	Excellent	0	2		88
4254	Creek Side Cir	SE 23rd St	DS@473N SE 23rd St	Local	Asphalt	100	90	91	Strng	Excellent	0	0		95
4258	Creek Side Cir	DS@473N SE 23rd St	DS@558N SE 23rd St	Local	Asphalt	100	90	56	Mod	Excellent	0	0		86
4165	Creek Side Cir	DS@558N SE 23rd St	Pebble Creek St	Local	Asphalt	76	66	93	Strng	V Good	5	20		77
4161	Creek Side Cir	Pebble Creek St	Cedar Creek Dr	Local	Asphalt	80	81	90	Strng	V Good	0	20		82
4164	Creek Side Cir	Cedar Creek Dr	NORTH END	Local	Asphalt	73	69	52	Mod	Good	0	27		66
1217	Crestmoor Dr	SOUTH END	Elmhurst Dr	Local	Concrete	76	56	39	Mod	Good	0	0		61
1219	Crestmoor Dr	Elmhurst Dr	Century Dr	Local	Concrete	67	42	57	Mod	Fair	0	0		58
2296	Crestmoor Dr	Century Dr	Berwyck Dr	Local	Concrete	83	64	47	Mod	Good	0	0		69
2297	Crestmoor Dr	Berwyck Dr	Craig Dr	Local	Concrete	72	49	42	Mod	Fair	0	0		58
2299	Crestmoor Dr	Craig Dr	Harrington Dr	Local	Concrete	85	66	43	Mod	Good	0	0		69
2298	Crestmoor Dr	Harrington Dr	Highlander Dr	Local	Concrete	86	68	60	Mod	V Good	0	0		75
1722	Crestmoor Dr	Highlander Dr	Willingham Way	Local	Concrete	100	90	64	Mod	Excellent	0	0		88
3327	Crestmoor Dr	Willingham Way	N Eastern Ave	Local	Concrete	83	64	70	Mod	V Good	0	0		75
3242	Crosstimbers Dr	Willow Brook St	Glenwood Dr	Local	Concrete	85	66	50	Mod	V Good	0	0		71
3231	Crosstimbers Dr	Glenwood Dr	Hollow Oak	Local	Concrete	94	82	81	Mod	Excellent	0	0		87

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary							
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)
											OPCI Date	Current Segment PCI (CPCI)	
1681	Crosstimbers Dr	Hollow Oak	Emerwood Rd	Local	Concrete	95	85	43	Mod	V Good	0	0	79
1171	Crosstimbers Dr	Emerwood Rd	Emerwood Ct	Local	Concrete	96	86	61	Mod	V Good	0	0	84
1680	Crosstimbers Dr	Emerwood Ct	Turtle Lake Rd	Local	Concrete	85	66	60	Mod	V Good	0	0	74
2916	Crosstimbers Dr	Turtle Lake Rd	S Eastern Ave	Local	Concrete	71	48	84	Mod	Good	0	0	68
3474	Crystal Dr	SW 27th St	SW 26th St	Local	Concrete	62	37	67	Mod	Fair	0	0	56
3472	Crystal Dr	SW 26th St	SW 25th St	Local	Concrete	75	54	60	Mod	Good	0	0	65
3471	Crystal Dr	SW 25th St	SW 24th St	Local	Concrete	63	45	59	Mod	Fair	0	0	57
3468	Crystal Dr	SW 24th St	SW 23rd St	Local	Concrete	76	56	74	Mod	V Good	0	0	70
3575	Crystal Dr	SW 23rd St	SW 22nd St	Local	Concrete	70	47	74	Mod	Good	0	0	65
3517	Crystal Dr	SW 22nd St	SW 21st St	Local	Concrete	67	41	73	Mod	Good	0	0	62
3464	Crystal Dr	SW 21st St	SE 19th St	Local	Concrete	74	53	66	Mod	Good	0	0	67
1400	Crystal Springs Rd	SE END	SW 41st St	Local	Concrete	100	90	64	Mod	Excellent	0	0	88
3674	Crystal Springs Rd	SW 41st St	S Broadway Ave	Local	Concrete	100	90	60	Mod	Excellent	0	0	87
1810	Cypress Ct	SW 33rd St	NORTH END	Local	Asphalt	55	53	93	Strng	Good	22	23	64
2231	Dakota Dr	NW 18th St	NW 19th St	Local	Asphalt	42	44	70	Mod	Marginal	34	24	48
1480	Dale Dr	SOUTH END	SE 19th St	Local	Asphalt	32	37	78	Strng	Marginal	34	33	44
2819	Dallas Ave	S Dallas Ave	NW 1st St	Local	Asphalt	53	70	85	Strng	Good	16	31	65
1242	Dallas Ave	NW 5th St	NW 7th St	Local	Concrete	55	36	50	Mod	Marginal	0	0	48
3420	Dallas Ave	SW 4th St	SW 4th Pl	Local	Asphalt	46	17	91	Strng	Fair	25	29	49
3415	Dallas Ave	SW 4th Pl	SW 3rd St	Local	Asphalt	33	56	87	Strng	Fair	43	25	51
3416	Dallas Ave	SW 3rd St	SW 2nd St	Local	Asphalt	51	55	69	Mod	Fair	23	26	56
2939	Dallas Ave	SW 2nd St	SW 1st St	Local	Asphalt	30	42	90	Strng	Marginal	47	21	47
2937	Dallas Ave	SW 1st St	N Dallas Ave	Local	Asphalt	58	51	88	Strng	Good	12	29	63
1130	Danielle Ter	SW 30th St	SW 28th St	Local	Asphalt	50	55	90	Strng	Good	22	28	61
1131	Danielle Ter	SW 28th St	SW 27th St	Local	Asphalt	68	55	90	Strng	V Good	12	20	70
2555	David Rd	SOUTH END	NE 8th St	Local	Concrete	74	83	43	Mod	Good	0	0	68
2580	David Rd	NE 8th St	NE 9th St	Local	Concrete	59	60	41	Mod	Fair	0	0	54
3542	David Rd	NE 9th St	NE 10th St	Local	Concrete	69	61	41	Mod	Fair	0	0	59
2624	David Rd	NE 10th St	Leaf Dr	Local	Concrete	75	54	52	Mod	Good	0	0	64
3309	Dayton Cir	SOUTH END	SE 5th St	Local	Asphalt	55	49	90	Strng	Good	17	28	62
3902	Dayton Ln	SE 10th St	SE 9th St	Local	Asphalt	79	74	90	Strng	V Good	9	12	80
4032	Decker Dr	WEST END	N Sunnyslane Rd	Local	Asphalt	55	63	81	Strng	Good	20	22	63
2616	Delmar Cir	WEST END	Sequoyah Ave	Local	Concrete	71	58	41	Mod	Fair	0	0	59
2207	Denver Cir	SOUTH END	SE 12th St	Local	Asphalt	70	53	92	Strng	V Good	13	16	71
2390	Desiree Pl	SE 11th St	SE 10th Pl	Local	Asphalt	87	68	90	Strng	V Good	6	8	83
2389	Desiree Pl	SE 10th Pl	Julies Trl	Local	Asphalt	63	51	83	Strng	Good	27	7	65
2038	Dillon Ave	S Dillon Ave	NW 1st St	Local	Asphalt	39	40	90	Strng	Fair	32	29	51
2539	Dillon Ave	NW 5th St	N Janeway Ave	Local	Concrete	56	44	49	Mod	Fair	0	0	51
2935	Dillon Ave	SW 1st St	W Main St	Local	Asphalt	45	57	90	Strng	Fair	30	25	59

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1448	Dogwood Ct	SE 8th St	NORTH END	Local	Asphalt	55	22	89	Strng	Fair	17	28		55
2360	Dorothy Dr	NW 13th Pl	NW 14th Pl	Local	Asphalt	75	55	59	Mod	Good	9	16		65
2348	Dorothy Dr	NW 15th St	DS@284N NW 15th St	Local	Asphalt	60	62	90	Strng	Good	8	32		67
2349	Dorothy Dr	DS@284N NW 15th St	Odom Way	Local	Asphalt	62	56	82	Strng	Good	14	24		65
1599	Dorothy Dr	Odom Way	NW 19th St	Local	Asphalt	71	48	67	Mod	Good	9	20		63
2532	Dreesen Dr	SW 12th St	DS@137S SW 12th St	Local	Concrete	100	90	87	Mod	Excellent	0	0		94
2619	Dreesen Dr	SW 12th St	SW 10th St	Local	Concrete	47	62	39	Mod	Marginal	0	0		48
3698	Dyer Dr	SE 19th St	Williams Dr	Local	Concrete	64	38	44	Mod	Fair	0	0		52
3799	Eagle Dr	SW 19th St	Lakeview Dr	Local	Concrete	97	88	58	Mod	Excellent	0	0		85
3810	Eagle Dr	Lakeview Dr	SW 14th St	Local	Concrete	94	83	72	Mod	Excellent	0	0		85
3811	Eagle Dr	SW 14th St	SW 11th St	Local	Concrete	99	90	72	Mod	Excellent	0	0		89
3812	Eagle Dr	SW 11th St	SW 10th St	Local	Concrete	94	83	66	Mod	V Good	0	0		84
4073	Eagle Dr	SW 11th St	SW 10th St	Local	Concrete	98	89	72	Mod	Excellent	0	0		89
3579	Eagle Dr	SW 10th St	SW 8th St	Local	Concrete	95	84	71	Mod	Excellent	0	0		86
3443	Eagle Dr	SW 8th St	SW 6th St	Local	Concrete	54	42	48	Mod	Marginal	0	0		49
2997	East Hills Cir	NW END	East Hills Dr	Local	Concrete	87	68	42	Mod	V Good	0	0		71
1444	East Hills Dr	N Eastern Ave	Sequoyah Ave	Local	Concrete	73	52	71	Mod	Good	0	0		67
2268	East Hills Dr	Sequoyah Ave	Lincoln Ave	Local	Concrete	77	57	93	Mod	V Good	0	0		76
3045	East Hills Dr	Lincoln Ave	Old Mill Rd	Local	Concrete	83	65	68	Mod	V Good	0	0		74
3047	East Hills Dr	Old Mill Rd	Woodbine Ter	Local	Concrete	84	65	40	Mod	Good	0	0		68
3013	East Hills Dr	Woodbine Ter	East Hills Cir	Local	Concrete	79	60	60	Mod	Good	0	0		69
2998	East Hills Dr	East Hills Cir	Winding Creek Rd	Local	Concrete	74	53	58	Mod	Good	0	0		64
2996	East Hills Dr	Winding Creek Rd	Eastwood Cir	Local	Concrete	68	44	42	Mod	Fair	0	0		55
2995	East Hills Dr	Eastwood Cir	DS@300E Eastwood Cir	Local	Concrete	70	48	47	Mod	Fair	0	0		58
2143	East Hills Dr	DS@333N Eastwood Cir	DS@457N Eastwood Cir	Local	Concrete	73	70	44	Mod	Good	0	0		64
3050	East Hills Dr	DS@457N Eastwood Cir	NE 19th Pl	Local	Concrete	74	53	58	Mod	Good	0	0		64
3049	East Hills Dr	NE 19th Pl	NE 20th Pl	Local	Concrete	66	52	43	Mod	Fair	0	0		56
3048	East Hills Dr	NE 20th Pl	NE 21st Pl	Local	Concrete	61	34	45	Mod	Fair	0	0		50
2294	East Hills Dr	NE 21st Pl	NE 22nd St	Local	Concrete	54	36	49	Mod	Marginal	0	0		47
3023	East Hills Dr	NE 22nd St	Eastridge Cir	Local	Concrete	74	52	58	Mod	Good	0	0		64
3024	East Hills Dr	Eastridge Cir	N Park Pl	Local	Concrete	64	45	75	Mod	Good	0	0		62
3923	East Hills Dr	N Park Pl	NE 27th St	Local	Concrete	83	65	81	Mod	V Good	0	0		78
3365	Eastern Ave	S Eastern Ave	Lyons Estates Apts	Minor Arterial	Concrete	93	81	90	Mod	Excellent	0	0		89
3366	Eastern Ave	Lyons Estates Apts	NE 4th St	Minor Arterial	Concrete	98	89	86	Mod	Excellent	0	0		92
2860	Eastern Ave	NE 4th St	Highlander Dr	Minor Arterial	Concrete	91	73	96	Mod	Excellent	0	0		87
3326	Eastern Ave	Highlander Dr	Crestmoor Dr	Minor Arterial	Concrete	61	71	89	Mod	V Good	0	0		70
3328	Eastern Ave	Crestmoor Dr	NE 11th St	Minor Arterial	Concrete	38	47	82	Mod	Fair	0	0		51
2267	Eastern Ave	NE 11th St	NE 12th St	Minor Arterial	Concrete	45	49	83	Mod	Fair	0	0		55
3208	Eastern Ave	NE 12th St	East Hills Dr	Minor Arterial	Concrete	40	48	64	Mod	Marginal	0	0		47

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1285	Eastern Ave	East Hills Dr	NE 17th Ct	Minor Arterial	Concrete	67	49	61	Mod	Good	0	0		60
2542	Eastern Ave	NE 17th Ct	NE 16th St	Minor Arterial	Concrete	63	47	41	Mod	Fair	0	0		53
2867	Eastern Ave	NE 16th St	NE 18th St	Minor Arterial	Concrete	68	56	55	Mod	Good	0	0		61
2866	Eastern Ave	NE 18th St	NE 19th St	Minor Arterial	Concrete	78	59	69	Mod	V Good	0	0		71
3019	Eastern Ave	NE 19th St	NE 19th St	Minor Arterial	Concrete	81	63	53	Mod	Good	0	0		69
3887	Eastern Ave	NE 19th St	NE 21st St	Minor Arterial	Concrete	93	79	92	Mod	Excellent	0	0		89
3885	Eastern Ave	NE 21st St	Woodward Ave	Minor Arterial	Concrete	85	66	97	Mod	V Good	0	0		83
3931	Eastern Ave	Woodward Ave	NE 23rd St	Minor Arterial	Concrete	97	88	89	Mod	Excellent	0	0		92
3930	Eastern Ave	NE 23rd St	NE 23rd St	Minor Arterial	Concrete	89	70	87	Mod	V Good	0	0		83
3888	Eastern Ave	NE 23rd St	NE 24th St	Minor Arterial	Concrete	95	85	83	Mod	Excellent	0	0		89
2865	Eastern Ave	NE 24th St	NE 27th St	Minor Arterial	Concrete	98	89	90	Mod	Excellent	0	0		93
1705	Eastern Ave	NE 27th St	NE 29th St	Minor Arterial	Concrete	93	79	85	Mod	Excellent	0	0		87
1754	Eastern Ave	NE 29th St	NE 33rd St	Minor Arterial	Concrete	95	92	97	Mod	Excellent	0	0		94
4205	Eastern Ave	NE 33rd St	NE 34th St	Minor Arterial	Concrete	99	98	96	Mod	Excellent	0	0		97
4203	Eastern Ave	NE 34th St	NORTH END	Minor Arterial	Concrete	99	98	95	Mod	Excellent	0	0		97
2336	Eastern Ave	W Indian Hills Rd	DS@1300N W Indian Hills Rd	Minor Arterial	Asphalt	91	98	85	Strng	Excellent	8	0		91
2335	Eastern Ave	DS@1300N W Indian Hills Rd	SW 45th St	Minor Arterial	Asphalt	99	100	92	Strng	Excellent	0	1		96
2045	Eastern Ave	SW 45th St	SW 42nd St	Minor Arterial	Asphalt	99	100	90	Strng	Excellent	0	1		96
1850	Eastern Ave	SW 42nd St	Manhattan Dr	Minor Arterial	Asphalt	99	100	88	Strng	Excellent	0	1		95
2751	Eastern Ave	Manhattan Dr	SW 39th St	Minor Arterial	Asphalt	99	100	92	Strng	Excellent	0	1		96
1727	Eastern Ave	SW 39th St	SW 39th St	Minor Arterial	Asphalt	100	97	86	Strng	Excellent	0	0		95
3636	Eastern Ave	SW 39th St	SW 34th St	Minor Arterial	Asphalt	95	85	89	Strng	Excellent	5	0		90
3691	Eastern Ave	SW 34th St	SW 30th St	Minor Arterial	Asphalt	50	70	84	Strng	Good	28	22		62
2413	Eastern Ave	SW 30th St	Woods Way	Minor Arterial	Asphalt	24	77	73	Mod	Marginal	48	27		48
3686	Eastern Ave	Woods Way	S Broadway Ave	Minor Arterial	Asphalt	48	73	91	Strng	Good	31	21		64
3682	Eastern Ave	S Broadway Ave	SE 24th St	Minor Arterial	Asphalt	37	45	93	Strng	Fair	35	26		52
3683	Eastern Ave	SE 24th St	SE 19th St	Minor Arterial	Asphalt	21	46	86	Strng	Marginal	47	24		42
3694	Eastern Ave	SE 19th St	Wood Hollow Ln	Minor Arterial	Concrete	92	78	87	Mod	Excellent	0	0		87
3787	Eastern Ave	Wood Hollow Ln	Jury Ln	Minor Arterial	Concrete	100	90	87	Mod	Excellent	0	0		94
3788	Eastern Ave	Jury Ln	Crosstimbers Dr	Minor Arterial	Concrete	98	89	95	Mod	Excellent	0	0		94
2915	Eastern Ave	Crosstimbers Dr	SE 15th St	Minor Arterial	Concrete	100	90	94	Mod	Excellent	0	0		95
2914	Eastern Ave	SE 15th St	SE 13th St	Minor Arterial	Concrete	96	87	87	Mod	Excellent	0	0		91
1104	Eastern Ave	SE 13th St	SE 12th St	Minor Arterial	Concrete	89	70	83	Mod	V Good	0	0		82
2253	Eastern Ave	SE 12th St	SE 12th St	Minor Arterial	Concrete	75	54	78	Mod	V Good	0	0		70
2252	Eastern Ave	SE 12th St	SE 10th St	Minor Arterial	Concrete	75	55	68	Mod	Good	0	0		68
2548	Eastern Ave	SE 10th St	SE 9th St	Minor Arterial	Concrete	77	57	59	Mod	Good	0	0		67
3499	Eastern Ave	SE 9th St	SE 8th St	Minor Arterial	Concrete	74	53	72	Mod	Good	0	0		68
3487	Eastern Ave	SE 8th St	SE 6th St	Minor Arterial	Concrete	77	57	63	Mod	Good	0	0		68
3373	Eastern Ave	SE 6th St	SE 4th St	Minor Arterial	Concrete	100	90	74	Mod	Excellent	0	0		90

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3578	Eastern Ave	SE 4th St	N Eastern Ave	Minor Arterial	Concrete	65	68	95	Mod	V Good	0	0		73
1403	Eastmoor Ct	SE 7th Ct	SE 6th St	Local	Asphalt	72	50	90	Strng	V Good	5	23		70
2276	Eastmoor Ct	SE 6th St	SE 5th Ct	Local	Asphalt	73	58	91	Strng	V Good	6	21		74
3022	Eastridge Cir	East Hills Dr	NORTH END	Local	Concrete	57	50	49	Mod	Fair	0	0		53
2994	Eastwood Cir	East Hills Dr	NORTH END	Local	Concrete	100	90	51	Mod	Excellent	0	0		85
3354	Eberle Dr	Kelley Dr	Freeman Dr	Local	Asphalt	43	67	90	Strng	Good	29	29		60
3577	Eberle Dr	Freeman Dr	N Broadway Ave	Local	Asphalt	23	50	74	Mod	Marginal	36	37		41
4162	Edgewater Dr	Cedar Creek Dr	SE 19th St	Local	Asphalt	75	54	89	Strng	V Good	1	24		73
1256	Edgewood Dr	Cherrywood Dr	Sherwood Ct	Local	Concrete	87	68	43	Mod	V Good	0	0		71
1090	Edgewood Dr	Sherwood Ct	Rosewood Ct	Local	Concrete	75	54	44	Mod	Good	0	0		61
1896	Edgewood Dr	Highland Dr	Rosewood Ct	Local	Concrete	94	82	73	Mod	Excellent	0	0		85
2183	Edgewood Dr	Highland Dr	Elmwood Ct	Local	Concrete	68	50	62	Mod	Good	0	0		62
2628	Edgewood Dr	Elmwood Ct	Cedar Ln	Local	Concrete	68	45	64	Mod	Good	0	0		60
3626	Elisabeth Anne Ter	Willow Pine Dr	Christopher Todd Dr	Local	Concrete	96	86	49	Mod	V Good	0	0		82
3785	Elisabeth Anne Ter	Andrea Reve Pl	Christopher Todd Dr	Local	Concrete	76	56	56	Mod	Good	0	0		66
3786	Elisabeth Anne Ter	Andrea Reve Pl	Jeffrey Laird Pl	Local	Concrete	87	69	46	Mod	V Good	0	0		72
3780	Elisabeth Anne Ter	Jeffrey Laird Pl	SE 30th St	Local	Concrete	69	46	73	Mod	Good	0	0		64
3775	Elisabeth Anne Ter	Nancy Jane Ct	Nancy Jane Ct	Local	Concrete	61	48	80	Mod	Good	0	0		62
3773	Elisabeth Anne Ter	Nancy Jane Ct	SE 29th St	Local	Concrete	100	90	69	Mod	Excellent	0	0		89
3777	Elisabeth Anne Ter	SE 29th St	SE 28th St	Local	Concrete	75	55	53	Mod	Good	0	0		64
3746	Elisabeth Anne Ter	SE 28th St	Cindy Brook Ln	Local	Concrete	80	61	51	Mod	Good	0	0		68
3742	Elisabeth Anne Ter	Cindy Brook Ln	SE 27th St	Local	Concrete	74	53	67	Mod	Good	0	0		66
3743	Elisabeth Anne Ter	SE 27th St	SE 27th St	Local	Concrete	89	70	48	Mod	V Good	0	0		74
3744	Elisabeth Anne Ter	SE 27th St	NORTH END	Local	Concrete	68	76	62	Mod	Good	0	0		68
3632	Ellis Ave	SW 38th Ter	SW 35th St	Local	Asphalt	71	59	90	Strng	V Good	10	18		72
2140	Elm Creek Dr	Oak Creek Dr	DS@467N Oak Creek Dr	Local	Asphalt	87	69	90	Strng	V Good	0	13		83
1926	Elm Creek Dr	DS@467N Oak Creek Dr	Blackjack Ln	Local	Asphalt	79	61	83	Strng	V Good	5	15		75
2606	Elm Creek Dr	Blackjack Ln	NE 10th St	Local	Asphalt	69	45	90	Strng	Good	2	29		68
1398	Elm Creek Dr	NE 10th St	NE 11th St	Local	Asphalt	64	51	90	Strng	Good	15	22		66
2783	Elmhurst Dr	Crestmoor Dr	Berwyck Dr	Local	Concrete	78	58	48	Mod	Good	0	0		65
3210	Elmo Way	Carol Ann Pl	SW 30th Cir	Local	Asphalt	60	71	83	Strng	Good	12	28		68
3519	Elmo Way	SW 30th Cir	Woods Way	Local	Asphalt	76	55	86	Strng	V Good	9	16		72
2404	Elmo Way	Woods Way	SW 28th St	Local	Asphalt	64	73	74	Mod	Good	7	28		68
2184	Elmwood Ct	Edgewood Dr	EAST END	Local	Concrete	81	62	92	Mod	V Good	0	0		79
2086	Ember Glow Dr	Smoking Tree Rd	Smoking Tree Rd	Local	Concrete	40	32	40	Mod	Poor	0	0		37
3564	Ember Glow Dr	Smoking Tree Rd	Foxfire	Local	Concrete	84	65	64	Mod	V Good	0	0		74
1657	Ember Glow Dr	Foxfire	DS@256E Foxfire	Local	Concrete	55	52	60	Mod	Fair	0	0		55
3017	Ember Glow Dr	DS@256E Foxfire	Flicker Ridge Rd	Local	Concrete	90	71	34	Mod	V Good	0	0		71
1765	Emerwood Ct	SOUTH END	Crosstimbers Dr	Local	Concrete	48	43	44	Mod	Marginal	0	0		46

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2683	Emerwood Rd	Crosstimbers Dr	St Charles St	Local	Concrete	85	66	71	Mod	V Good	0	0		76
2567	Empire Ave	Macys Pl	Sachs Ave	Local	Asphalt	77	57	79	Strng	V Good	3	20		72
1496	Empire Ave	Sachs Ave	Syracuse St	Local	Asphalt	68	43	90	Strng	Good	9	23		66
3413	English Dr	E Main St	NE 3rd St	Local	Concrete	82	63	56	Mod	V Good	0	0		70
1738	English Dr	SE 11th St	DS@265N SE 11th St	Local	Concrete	68	64	51	Mod	Good	0	0		62
2686	English Dr	DS@265N SE 11th St	SE 9th St	Local	Concrete	95	85	61	Mod	V Good	0	0		84
3391	English Dr	SE 4th St	SE 1st St	Local	Concrete	74	53	55	Mod	Good	0	0		63
3406	English Dr	SE 1st St	S Morgan Dr	Local	Concrete	86	67	79	Mod	V Good	0	0		79
1248	Eric Cir	Ginger Ave	EAST END	Local	Asphalt	74	71	57	Mod	Good	5	21		68
4277	Erie Dr	NE 33rd Ter	NORTH END	Local	Asphalt	75	59	67	Mod	Good	0	25		68
3881	Ethan Ln	SOUTH END	NE 25th St	Local	Asphalt	76	56	76	Strng	V Good	19	5		70
3879	Ethan Ln	NE 25th St	NE 26th St	Local	Asphalt	75	57	47	Mod	Good	11	14		63
3877	Ethan Ln	NE 26th St	NE 27th Ter	Local	Asphalt	82	63	71	Mod	V Good	0	19		74
1629	Evans Ct	SOUTH END	SE 18th St	Local	Asphalt	68	52	85	Strng	Good	11	20		68
2406	Evie Pl	NE 1st St	Asher Ct	Local	Asphalt	75	72	69	Mod	V Good	6	20		72
2409	Evie Pl	Asher Ct	NE 2nd St	Local	Asphalt	62	59	75	Strng	Good	17	21		64
2403	Evie Pl	NE 2nd St	NORTH END	Local	Asphalt	67	44	63	Mod	Good	7	26		59
3761	Fairway Dr	SE 34th St	NORTH END	Local	Concrete	74	53	54	Mod	Good	0	0		63
3550	Fire Light Dr	WEST END	Flicker Ridge Rd	Local	Concrete	93	79	42	Mod	V Good	0	0		76
3033	Fire Light Dr	Flicker Ridge Rd	Wild Fire	Local	Concrete	90	71	61	Mod	V Good	0	0		77
2740	Fleming Cir	SOUTH END	SW 8th St	Local	Concrete	100	90	71	Mod	Excellent	0	0		90
2632	Fleshmans Dr	SW 30th St	SW 28th St	Local	Asphalt	43	57	88	Strng	Fair	27	24		57
3211	Flicker Ridge Rd	NE 12th St	NE 14th St	Local	Concrete	65	43	42	Mod	Fair	0	0		53
3212	Flicker Ridge Rd	NE 15th St	NE 14th St	Local	Concrete	60	58	36	Mod	Fair	0	0		53
3213	Flicker Ridge Rd	Ember Glow Dr	NE 15th St	Local	Concrete	64	49	25	Mod	Fair	0	0		50
3214	Flicker Ridge Rd	Ember Glow Dr	NE 16th St	Local	Concrete	76	57	40	Mod	Good	0	0		62
3215	Flicker Ridge Rd	NE 16th St	Fire Light Dr	Local	Concrete	90	71	42	Mod	V Good	0	0		73
2381	Flint Ct	Windmill Rd	NW END	Local	Asphalt	65	45	90	Strng	Good	11	24		66
3007	Fox Ave	DS@355S NE 18th St	Nail Pkwy	Local	Concrete	79	59	65	Mod	V Good	0	0		70
3005	Fox Ave	NE 18th St	DS@355S NE 18th St	Local	Concrete	80	61	43	Mod	Good	0	0		65
3034	Fox Ave	NE 18th St	NE 19th St	Local	Concrete	52	44	50	Mod	Marginal	0	0		48
3036	Fox Ave	NE 19th St	NE 19th St	Local	Concrete	70	47	70	Mod	Good	0	0		63
3038	Fox Ave	NE 19th St	NE 20th St	Local	Concrete	69	44	47	Mod	Fair	0	0		56
1775	Fox Ave	Garland St	Sherwood Dr	Local	Concrete	70	49	44	Mod	Fair	0	0		57
1800	Foxfire	NE 12th St	DS@386N NE 12th St	Local	Concrete	84	66	42	Mod	Good	0	0		68
1801	Foxfire	DS@386N NE 12th St	DS@756N NE 12th St	Local	Concrete	92	78	47	Mod	V Good	0	0		77
1802	Foxfire	DS@756N NE 12th St	Ember Glow Dr	Local	Concrete	85	66	51	Mod	V Good	0	0		71
3355	Freeman Dr	Eberle Dr	Thompson Dr	Local	Asphalt	52	69	90	Strng	Good	28	21		65
2987	Freeman St	Kelley Dr	Thompson Dr	Local	Asphalt	66	55	47	Mod	Fair	11	23		57

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3938	Fritts Blvd	SW 25th St	SW 19th St	Local	Asphalt	56	55	82	Strng	Good	23	22		61
1065	Gabriel Ct	SOUTH END	NE 32nd St	Local	Asphalt	64	47	65	Mod	Good	12	24		59
3733	Gale Ave	NW 8th St	Lawton Ave	Local	Concrete	73	52	56	Mod	Good	0	0		63
3732	Gale Ave	Lawton Ave	NW 5th St	Local	Concrete	62	35	44	Mod	Fair	0	0		50
3735	Gale Ave	NW 8th St	NW 12th St	Local	Concrete	62	40	43	Mod	Fair	0	0		51
3243	Gale Ave	NW 15th St	NW 16th St	Local	Concrete	54	40	47	Mod	Marginal	0	0		48
3244	Gale Ave	NW 16th St	NW 17th St	Local	Concrete	62	32	66	Mod	Fair	0	0		55
3245	Gale Ave	NW 17th St	Camelot Dr	Local	Concrete	65	45	44	Mod	Fair	0	0		54
3246	Gale Ave	Camelot Dr	NW 18th Pl	Local	Concrete	83	65	58	Mod	V Good	0	0		72
3247	Gale Ave	NW 18th Pl	NW 18th St	Local	Concrete	79	60	54	Mod	Good	0	0		68
1639	Garland St	Bellaire Dr	Fox Ave	Local	Concrete	72	50	46	Mod	Fair	0	0		59
3057	Garland St	Fox Ave	N Nail Pkwy	Local	Concrete	74	53	68	Mod	Good	0	0		66
2920	Ginger Ave	SOUTH END	Eric Cir	Local	Asphalt	77	57	73	Mod	V Good	5	18		70
1447	Ginger Ave	Eric Cir	SW 14th St	Local	Asphalt	66	65	55	Mod	Good	11	21		62
3228	Glenwood Dr	SE 19th St	Williams Dr	Local	Concrete	65	46	49	Mod	Fair	0	0		56
3227	Glenwood Dr	Williams Dr	Wood Hollow Ln	Local	Concrete	68	43	60	Mod	Fair	0	0		59
3225	Glenwood Dr	Wood Hollow Ln	Woodcrest	Local	Concrete	94	82	61	Mod	V Good	0	0		82
3548	Glenwood Dr	Woodcrest	Crosstimbers Dr	Local	Concrete	80	61	59	Mod	Good	0	0		69
3580	Glenwood Dr	St Charles Cir	Crosstimbers Dr	Local	Concrete	79	60	61	Mod	V Good	0	0		70
3226	Glenwood Dr	St Charles Cir	Ladd Cir	Local	Concrete	75	55	71	Mod	Good	0	0		69
3224	Glenwood Dr	Ladd Cir	Wood View St	Local	Concrete	84	65	91	Mod	V Good	0	0		81
3223	Glenwood Dr	Wood View St	NORTH END	Local	Concrete	80	61	46	Mod	Good	0	0		66
3229	Glenwood Dr	Stoneridge Dr	SE 6th St	Local	Concrete	83	65	52	Mod	V Good	0	0		70
1567	Goodrich Dr	SW 21st St	SW 20th St	Local	Concrete	72	51	47	Mod	Good	0	0		60
4279	Grady Ln	SOUTH END	NE 33rd Ter	Local	Asphalt	71	71	87	Strng	V Good	0	29		74
4278	Grady Ln	NE 33rd Ter	NE 35th St	Local	Asphalt	75	70	93	Strng	V Good	1	24		78
2133	Green Apple Dr	SW 41st St	DS@233N SW 41st St	Local	Asphalt	62	61	65	Mod	Good	6	32		62
2354	Green Apple Dr	DS@233N SW 41st St	SW 39th St	Local	Asphalt	54	36	90	Strng	Fair	18	28		58
3797	Green Apple Pl	SW 37th St	SW 36th St	Local	Asphalt	83	65	90	Strng	V Good	0	17		80
3798	Green Apple Pl	SW 36th St	SW 34th St	Local	Asphalt	80	60	90	Strng	V Good	9	12		77
2041	Hargis Ln	N Santa Fe Ave	Kings Ct	Local	Concrete	79	59	44	Mod	Good	0	0		64
2629	Hargis Ln	Southminster Ave	N Markwell Ave	Local	Concrete	77	57	55	Mod	Good	0	0		65
1723	Harmon Cir	Highlander Dr	EAST END	Local	Concrete	94	82	79	Mod	Excellent	0	0		86
3714	Harmony Dr	SE 38th St	SE 36th St	Local	Asphalt	75	66	70	Mod	V Good	0	25		71
1977	Harrington Dr	Crestmoor Dr	Elmhurst Dr	Local	Concrete	81	63	44	Mod	Good	0	0		67
1445	Hazelwood Ln	SE 7th St	Pinewood Dr	Local	Concrete	87	68	63	Mod	V Good	0	0		76
2592	Heather Ln	S Janeway Ave	SW 13th St	Local	Concrete	100	90	86	Mod	Excellent	0	0		93
1879	Heather Ln	SW 13th St	SW 12th St	Local	Concrete	98	89	91	Mod	Excellent	0	0		93
2087	Heather Ln	SW 12th St	SW 11th St	Local	Concrete	97	87	73	Mod	Excellent	0	0		88

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1138	Heather Ln	SW 11th St	SW 10th St	Local	Asphalt	58	59	90	Strng	Good	14	28		66
1048	Heather Ln	SW 10th St	SW 9th St	Local	Asphalt	62	80	73	Mod	Good	11	27		68
1860	Heather Ln	SW 9th St	SW 8th St	Local	Asphalt	73	93	94	Strng	V Good	7	19		83
1246	Heather Ln	Kings Manor Dr	SW 8th St	Local	Asphalt	61	62	93	Strng	Good	11	28		69
1830	Heather Ln	Kings Manor Dr	SW 6th St	Local	Asphalt	72	89	90	Strng	V Good	7	21		81
2505	Heather Ln	NW END	SW 6th St	Local	Asphalt	60	64	91	Strng	Good	15	24		68
2613	Heatherwood Ct	Heatherwood Dr	EAST END	Local	Asphalt	60	34	83	Strng	Fair	15	25		59
1107	Heatherwood Dr	Heatherwood Ct	SE 6th St	Local	Asphalt	63	57	90	Strng	Good	11	26		68
1788	Heatherwood Dr	SE 6th St	SE 5th St	Local	Asphalt	56	54	90	Strng	Good	20	24		63
2270	Heatherwood Dr	SE 5th St	Wyndemere Blvd	Local	Asphalt	59	24	44	Weak	Marginal	16	25		45
1993	Hedgewood Dr	SE END	Ashwood Ln	Local	Asphalt	65	59	67	Mod	Good	13	22		63
1789	Hedgewood Dr	Ashwood Ln	SE 5th St	Local	Asphalt	71	64	90	Strng	V Good	11	18		74
3010	Heritage Cir	Winding Creek Rd	NE END	Local	Concrete	86	67	60	Mod	V Good	0	0		74
1078	Hickory Ln	S Hickory Ln	NE 1st St	Local	Concrete	76	56	56	Mod	Good	0	0		65
1825	Hickory Ln	NE 1st St	NE 2nd St	Local	Concrete	91	73	46	Mod	V Good	0	0		75
1332	Hickory Ln	NE 2nd St	NE 3rd St	Local	Concrete	76	56	48	Mod	Good	0	0		63
1155	Hickory Ln	NE 3rd St	NE 4th St	Local	Concrete	75	54	58	Mod	Good	0	0		65
1493	Hickory Ln	NE 4th St	NE 5th St	Local	Concrete	79	59	58	Mod	Good	0	0		68
1902	Hickory Ln	SOUTH END	N Hickory Ln	Local	Concrete	65	62	42	Mod	Fair	0	0		57
2149	High Meadow Ln	NE 15th St	NE 18th St	Local	Asphalt	59	58	74	Mod	Good	25	15		62
1895	Highland Dr	N Broadway Ave	Edgewood Dr	Local	Concrete	65	38	51	Mod	Fair	0	0		54
2544	Highland Dr	Edgewood Dr	Oakwood Dr	Local	Concrete	93	79	86	Mod	Excellent	0	0		87
1216	Highland Dr	Oakwood Dr	Cedar Ln	Local	Concrete	71	50	42	Mod	Fair	0	0		58
1911	Highland Dr	Cedar Ln	DS@155N Cedar Ln	Local	Concrete	24	48	23	Mod	Poor	0	0		29
1070	Highland Dr	DS@155N Cedar Ln	NE 27th St	Local	Concrete	42	39	43	Mod	Marginal	0	0		41
2859	Highlander Dr	N Eastern Ave	DS@533W N Eastern Ave	Local	Concrete	79	59	74	Mod	V Good	0	0		72
3537	Highlander Dr	DS@533W N Eastern Ave	Century Dr	Local	Concrete	74	53	58	Mod	Good	0	0		64
3569	Highlander Dr	Century Dr	Harmon Cir	Local	Concrete	67	45	77	Mod	Good	0	0		63
1220	Highlander Dr	Harmon Cir	Crestmoor Dr	Local	Concrete	100	90	88	Mod	Excellent	0	0		94
1817	Hillcrest Dr	NW 27th St	Lockhoma Ln	Local	Concrete	40	31	46	Mod	Poor	0	0		39
1915	Hillcrest Dr	Lockhoma Ln	Cass Ave	Local	Concrete	51	47	44	Mod	Marginal	0	0		47
1838	Hillcrest Dr	Cass Ave	NORTH END	Local	Asphalt	29	50	89	Strng	Marginal	45	25		48
1855	Hollow Oak	Crosstimbers Dr	NW END	Local	Concrete	79	59	56	Mod	Good	0	0		67
3305	Home Run Dr	NE 12th St	Buck Thomas Dr	Local	Asphalt	39	61	86	Strng	Fair	29	32		56
3712	Hope Dr	SE 38th St	SE 37th St	Local	Asphalt	73	66	90	Strng	V Good	6	21		75
4015	Howard Ave	W Main St	NW 1st St	Local	Concrete	100	90	76	Mod	Excellent	0	0		91
4017	Howard Ave	NW 1st St	NW 2nd St	Local	Concrete	99	90	78	Mod	Excellent	0	0		91
1884	Howard Ave	SW 16th St	SW 15th St	Local	Asphalt	52	75	85	Strng	Good	18	30		65
1711	Howard Ave	SW 15th St	SW 14th St	Local	Asphalt	51	85	83	Strng	Good	20	29		67

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1074	Howard Ave	SW 14th St	SW 13th St	Local	Asphalt	46	84	74	Mod	Good	26	28		62
1883	Howard Ave	SW 13th St	SW 12th St	Local	Asphalt	52	87	90	Strng	V Good	19	29		70
2752	Howard Ave	SW 12th St	SW 11th St	Local	Asphalt	54	78	90	Strng	Good	20	26		68
1772	Howard Ave	SW 11th St	SW 10th St	Local	Asphalt	55	76	90	Strng	Good	17	28		68
3064	Howard Ave	SW 10th St	SW 9th St	Local	Asphalt	71	72	93	Strng	V Good	5	24		77
3063	Howard Ave	SW 9th St	SW 8th St	Local	Asphalt	45	81	90	Strng	Good	25	30		65
2911	Howard Ave	SW 8th St	SW 6th St	Local	Asphalt	72	73	86	Strng	V Good	10	17		75
1267	Howard Ave	SW 6th St	SW 5th St	Local	Asphalt	49	71	90	Strng	Good	29	22		64
4042	Howard Ave	SW 4th St	SW 4th St	Local	Concrete	68	42	47	Mod	Fair	0	0		56
4045	Howard Ave	SW 4th St	SW 3rd St	Local	Concrete	100	90	84	Mod	Excellent	0	0		93
4039	Howard Ave	SW 3rd St	SW 2nd St	Local	Concrete	96	86	66	Mod	Excellent	0	0		85
4002	Howard Ave	SW 2nd St	SW 1st St	Local	Concrete	96	86	53	Mod	V Good	0	0		82
4001	Howard Ave	SW 1st St	W Main St	Local	Concrete	99	90	51	Mod	V Good	0	0		84
2076	Hunters Glen Ct	Blue Ridge Rd	SE END	Local	Concrete	65	43	80	Mod	Good	0	0		63
4219	Huron Cir	SOUTH END	NE 33rd Ter	Local	Asphalt	80	61	59	Mod	V Good	5	15		69
1812	I-35 Service Rd	S I-35 Service Rd	S I- 35 Service Road	Local	Asphalt	61	73	86	Strng	V Good	21	18		69
3096	I-35 Service Rd	S I- 35 Service Road	DS@1047N S I- 35 Service Road	Local	Asphalt	51	58	89	Strng	Good	23	26		62
3608	I-35 Service Rd	DS@1047N S I- 35 Service Road	DS@1059N S I- 35 Service Road	Local	Asphalt	52	51	87	Strng	Good	0	48		60
3095	I-35 Service Rd	DS@1059N S I- 35 Service Road	SW 34th St	Local	Asphalt	92	87	89	Strng	Excellent	0	8		90
2345	I-35 Service Rd	SW 34th St	SW 25th St	Local	Asphalt	94	96	84	Strng	Excellent	0	7		91
3566	I-35 Service Rd	SW 25th St	Riverwalk Dr	Local	Asphalt	99	90	88	Strng	Excellent	0	1		93
2812	I-35 Service Rd	Riverwalk Dr	I-35 Ramp	Local	Concrete	100	90	92	Mod	Excellent	0	0		95
2020	I-35 Service Rd	I-35 Ramp	SW 19th St	Local	Concrete	95	85	90	Mod	Excellent	0	0		91
1257	I-35 Service Rd	SW 19th St	I-35 Ramp	Local	Concrete	99	90	73	Mod	Excellent	0	0		90
1258	I-35 Service Rd	I-35 Ramp	DS@919N I-35 Ramp	Local	Concrete	100	90	71	Mod	Excellent	0	0		90
2397	I-35 Service Rd	DS@919N I-35 Ramp	SW 14th St	Local	Asphalt	66	86	89	Strng	V Good	4	29		76
3528	I-35 Service Rd	SW 14th St	SW 11th St	Local	Asphalt	74	81	90	Strng	V Good	5	21		79
3101	I-35 Service Rd	SW 11th St	Bill Warren Dr	Local	Asphalt	72	91	89	Strng	V Good	6	22		81
3100	I-35 Service Rd	Bill Warren Dr	SW 6th St	Local	Asphalt	65	79	80	Strng	V Good	9	26		72
2841	I-35 Service Rd	SW 6th St	I-35 Ramp	Local	Asphalt	45	74	90	Strng	Good	29	26		63
2878	I-35 Service Rd	S I-35 Service Rd Turn Lane	I-35 Ramp	Local	Concrete	94	82	89	Mod	Excellent	0	0		89
2876	I-35 Service Rd	S I-35 Service Rd Turn Lane	SW 4th St	Local	Concrete	66	47	68	Mod	Good	0	0		61
2849	I-35 Service Rd	SW 4th St	SW 4th St	Local	Concrete	68	51	86	Mod	Good	0	0		67
1679	I-35 Service Rd	SW 4th St	I-35 Ramp	Local	Concrete	69	51	89	Mod	Good	0	0		69
1302	I-35 Service Rd	I-35 Ramp	SW 2nd St	Local	Concrete	75	68	77	Mod	V Good	0	0		74
2560	I-35 Service Rd	SW 2nd St	SW 1st St	Local	Concrete	77	58	94	Mod	V Good	0	0		76
1832	I-35 Service Rd	SW 1st St	W Main St	Local	Concrete	68	50	72	Mod	Good	0	0		64
2272	I-35 Service Rd	SW 1st St	W Main St	Local	Concrete	79	62	82	Mod	V Good	0	0		75
2273	I-35 Service Rd	S Chestnut Ave	SW 1st St	Local	Concrete	80	67	82	Mod	V Good	0	0		77

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2274	I-35 Service Rd	I-35 Ramp	S Chestnut Ave	Local	Concrete	83	66	91	Mod	V Good	0	0		80
2010	I-35 Service Rd	SW 4th St	I-35 Ramp	Local	Concrete	73	55	69	Mod	Good	0	0		67
2984	I-35 Service Rd	SW 4th St	SW 4th St	Local	Concrete	79	66	76	Mod	V Good	0	0		74
2985	I-35 Service Rd	I-35 Ramp	SW 4th St	Local	Concrete	84	65	73	Mod	V Good	0	0		76
2063	I-35 Service Rd	I-35 N	I-35 Ramp	Local	Concrete	90	70	74	Mod	V Good	0	0		81
3510	I-35 Service Rd	I-35 Ramp	SW 19th St	Local	Concrete	95	85	96	Mod	Excellent	0	0		92
3508	I-35 Service Rd	SW 27th St	I-35 Ramp	Local	Asphalt	59	76	89	Strng	V Good	15	26		70
4167	I-35 Service Rd	Private Dr	SW 27th St	Local	Asphalt	47	74	86	Strng	Good	24	29		63
4171	I-35 Service Rd	Private Dr	Private Dr	Local	Asphalt	30	74	80	Strng	Fair	38	32		53
3507	I-35 Service Rd	SW 34th St	Private Dr	Local	Asphalt	36	79	78	Strng	Fair	30	34		57
3506	I-35 Service Rd	S I-35 Service Rd	SW 34th St	Local	Asphalt	53	80	88	Strng	Good	31	16		68
2877	I-35 Service Rd Turn Lane	S I-35 Service Rd	SW 4th St	Local	Concrete	88	69	92	Mod	V Good	0	0		84
3104	Indian Hills Rd	E Indian Hills Rd	Belmar Blvd	Minor Arterial	Asphalt	46	74	66	Mod	Fair	32	22		57
3260	Indian Hills Rd	DS@21E Belmar Blvd	S Sooner Rd	Minor Arterial	Asphalt	26	58	65	Mod	Marginal	46	24		42
3851	Indian Hills Rd	S Eastern Ave	Private Dr	Minor Arterial	Asphalt	80	83	76	Strng	V Good	10	10		79
3850	Indian Hills Rd	Private Dr	DS@262E Private Dr	Minor Arterial	Asphalt	88	82	64	Mod	V Good	5	7		80
2437	Indian Hills Rd	DS@262E Private Dr	DS@907E Private Dr	Minor Arterial	Asphalt	89	83	72	Mod	V Good	5	6		83
2228	Indian Hills Rd	DS@907E Private Dr	Private Dr	Minor Arterial	Asphalt	95	90	71	Mod	Excellent	0	5		87
1229	Indian Hills Rd	Private Dr	DS@450E Private Dr	Minor Arterial	Asphalt	86	91	90	Strng	Excellent	5	9		87
2763	Indian Hills Rd	DS@450E Private Dr	S Bryant Ave	Minor Arterial	Asphalt	84	78	86	Strng	V Good	6	10		82
3689	Industrial Blvd	DS@11E WEST END	S Broadway Ave	Local	Asphalt	36	59	85	Strng	Fair	36	28		53
3828	Irving Dr	SW 4th St	SW 3rd St	Local	Asphalt	66	39	93	Strng	Good	8	26		65
2046	Irving Dr	SW 3rd St	SW 2nd St	Local	Asphalt	62	64	90	Strng	Good	0	38		69
3076	Irving Dr	SW 2nd St	SW 1st Pl	Local	Asphalt	68	68	95	Strng	V Good	7	25		74
3075	Irving Dr	SW 1st Pl	SW 1st St	Local	Asphalt	67	63	80	Strng	Good	14	19		68
2176	Irving Dr	SW 1st St	NW 1st St	Local	Asphalt	60	38	89	Strng	Good	19	21		61
1620	Jacob Dr	SE 11th St	SE 10th St	Local	Asphalt	50	49	90	Strng	Fair	30	20		59
1157	Jacob Dr	SE 5th St	SE 4th St	Local	Asphalt	53	31	78	Strng	Fair	20	27		53
2215	Janeway Ave	S Janeway Ave	NW 1st St	Local	Asphalt	26	68	90	Strng	Fair	30	41		52
1459	Janeway Ave	NW 1st St	NW 2nd St	Local	Asphalt	33	57	75	Mod	Marginal	24	44		48
2492	Janeway Ave	NW 2nd St	NW 5th St	Local	Concrete	83	64	58	Mod	V Good	0	0		71
1967	Janeway Ave	N Baer Dr	NW 5th St	Local	Concrete	84	66	74	Mod	V Good	0	0		77
2062	Janeway Ave	N Dillon Ave	N Baer Dr	Local	Concrete	72	51	60	Mod	Good	0	0		63
2522	Janeway Ave	NW 7th St	N Dillon Ave	Local	Concrete	64	42	90	Mod	Good	0	0		65
3092	Janeway Ave	NW 7th St	NW 8th St	Local	Concrete	77	57	90	Mod	V Good	0	0		75
3091	Janeway Ave	NW 8th St	NW 9th St	Local	Concrete	81	62	59	Mod	V Good	0	0		70
1244	Janeway Ave	NW 9th St	NW 12th St	Local	Concrete	70	47	57	Mod	Good	0	0		61
2490	Janeway Ave	NW 12th St	N Norman Ave	Local	Concrete	92	77	91	Mod	Excellent	0	0		87
1588	Janeway Ave	N Norman Ave	NW 15th St	Local	Asphalt	81	76	90	Strng	V Good	5	15		82

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1174	Janeway Ave	NW 15th St	NW 16th St	Local	Asphalt	77	73	90	Strng	V Good	2	21		79
2754	Janeway Ave	NW 16th St	DS@127N NW 16th St	Local	Asphalt	83	77	71	Mod	V Good	0	17		78
2519	Janeway Ave	DS@127N NW 16th St	NW 16th St	Local	Asphalt	82	76	76	Strng	V Good	5	13		79
1173	Janeway Ave	NW 16th St	NW 17th St	Local	Asphalt	81	86	90	Strng	V Good	0	19		84
1587	Janeway Ave	NW 17th St	Camelot Dr	Local	Asphalt	77	79	82	Strng	V Good	0	23		79
2643	Janeway Ave	Camelot Dr	Camelot Dr	Local	Asphalt	71	71	90	Strng	V Good	6	18		76
2264	Janeway Ave	Camelot Dr	NW 18th St	Local	Asphalt	46	71	90	Strng	Good	34	20		63
2035	Janeway Ave	NW 18th St	St George Cir	Local	Asphalt	57	72	91	Strng	Good	23	20		69
1950	Janeway Ave	St George Cir	NW 19th St	Local	Asphalt	51	72	63	Mod	Fair	25	22		58
2531	Janeway Ave	NW 19th St	NW 20th St	Local	Asphalt	66	74	57	Mod	Good	14	20		65
1946	Janeway Ave	NW 20th St	NW 21st St	Local	Asphalt	70	72	90	Strng	V Good	7	23		75
1820	Janeway Ave	NW 21st St	NW 21st St	Local	Asphalt	70	72	90	Strng	V Good	12	18		75
1922	Janeway Ave	NW 21st St	NW 22nd St	Local	Asphalt	72	73	90	Strng	V Good	5	22		76
2832	Janeway Ave	NW 22nd St	NW 23rd St	Local	Asphalt	75	70	92	Strng	V Good	0	25		78
1190	Janeway Ave	NW 23rd St	Vermeer Dr	Local	Asphalt	75	70	90	Strng	V Good	8	17		77
1189	Janeway Ave	Vermeer Dr	NW 24th St	Local	Asphalt	73	78	90	Strng	V Good	7	20		78
2057	Janeway Ave	NW 24th St	NW 27th St	Local	Asphalt	45	69	57	Mod	Fair	24	27		53
2529	Janeway Ave	NW 27th St	N Shields Blvd	Local	Asphalt	26	55	66	Mod	Marginal	44	30		42
2518	Janeway Ave	SW 15th St	SW 17th St	Local	Concrete	100	90	94	Mod	Excellent	0	0		95
1871	Janeway Ave	SW 14th St	SW 15th St	Local	Concrete	100	90	78	Mod	Excellent	0	0		92
2673	Janeway Ave	SW 14th St	Heather Ln	Local	Concrete	100	90	83	Mod	Excellent	0	0		93
2497	Janeway Ave	Heather Ln	Janeway Cir	Local	Concrete	97	88	73	Mod	Excellent	0	0		88
2665	Janeway Ave	Janeway Cir	SW 10th St	Local	Concrete	88	69	54	Mod	V Good	0	0		74
1824	Janeway Ave	SW 4th St	SW 4th Pl	Local	Asphalt	39	57	59	Mod	Marginal	31	31		47
1815	Janeway Ave	SW 4th Pl	SW 3rd St	Local	Asphalt	37	73	91	Strng	Fair	32	32		59
1786	Janeway Ave	SW 3rd St	SW 2nd St	Local	Asphalt	29	56	85	Strng	Marginal	37	34		49
1703	Janeway Ave	SW 2nd St	SW 1st St	Local	Asphalt	27	63	77	Strng	Marginal	33	40		48
2750	Janeway Ave	SW 1st St	SW 1st St	Local	Concrete	100	90	92	Mod	Excellent	0	0		95
3557	Janeway Ave	SW 1st St	W Main St	Local	Asphalt	21	62	90	Strng	Marginal	37	36		48
2573	Janeway Cir	S Janeway Ave	NE END	Local	Concrete	14	29	66	Mod	Poor	0	0		30
1605	January Pl	SE 18th St	SE 16th St	Local	Asphalt	65	50	82	Strng	Good	15	18		65
1603	January Pl	SE 16th St	SE 14th St	Local	Asphalt	68	60	75	Mod	Good	12	20		67
1551	January Pl	SE 14th St	SE 13th St	Local	Asphalt	53	48	64	Mod	Fair	17	30		54
3616	Jason Ryan Cir	Willow Pine Dr	NW END	Local	Concrete	55	40	83	Mod	Fair	0	0		58
1966	Jefferson Dr	NE 25th Ct	NE 26th Ct	Local	Asphalt	47	51	90	Strng	Fair	28	25		58
1530	Jefferson Dr	NE 26th Ct	NE 27th St	Local	Asphalt	48	30	80	Strng	Fair	25	27		51
3772	Jeffrey Laird Pl	Elisabeth Anne Ter	NE END	Local	Concrete	84	66	45	Mod	Good	0	0		69
2700	Jordan Dr	SE 18th St	SE 16th St	Local	Asphalt	70	54	62	Mod	Good	14	16		63
1096	Jordan Dr	SE 16th St	SE 14th St	Local	Asphalt	75	54	81	Strng	V Good	9	17		71

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1552	Jordan Dr	SE 14th St	SE 13th St	Local	Asphalt	36	35	46	Mod	Poor	34	30		38
3475	Joshua Ln	SOUTH END	Caleb Ct	Local	Asphalt	79	76	30	Weak	Good	14	7		65
3476	Joshua Ln	Caleb Ct	SE 34th St	Local	Asphalt	66	65	30	Weak	Fair	26	8		56
3620	Judy Ter	Auzela Cir	Willow Pine Dr	Local	Asphalt	57	46	58	Mod	Fair	13	30		54
3603	Julie Dr	NE 18th St	NE 19th St	Local	Concrete	56	39	48	Mod	Marginal	0	0		49
2715	Julie Dr	NE 19th St	NE 21st St	Local	Concrete	54	43	43	Mod	Marginal	0	0		48
2388	Julies Trl	SE 11th St	SE 10th Ct	Local	Asphalt	95	85	90	Strng	Excellent	0	5		91
2852	Julies Trl	SE 10th Ct	SE 10th Pl	Local	Asphalt	79	72	85	Strng	V Good	7	13		78
2854	Julies Trl	SE 10th Pl	SE 10th St	Local	Asphalt	87	78	94	Strng	Excellent	3	10		86
2387	Julies Trl	SE 10th St	Desiree Pl	Local	Asphalt	80	61	90	Strng	V Good	15	5		77
2386	Julies Trl	Desiree Pl	SE 9th St	Local	Asphalt	85	66	90	Strng	V Good	11	5		81
2385	Julies Trl	SE 9th St	Wimberley Creek Dr	Local	Asphalt	72	57	74	Mod	Good	22	6		68
2376	Julies Trl	Wimberley Creek Dr	SE 8th St	Local	Asphalt	83	65	90	Strng	V Good	10	2		80
3661	Karsten Creek Dr	SE 23rd St	NORTH END	Local	Asphalt	56	65	90	Strng	Good	17	28		66
2545	Katie Ridge Dr	SW 45th St	SW 42nd St	Local	Asphalt	72	65	90	Strng	V Good	8	20		74
3353	Kelley Dr	Eberle Dr	Freeman St	Local	Asphalt	36	64	68	Mod	Fair	37	26		50
3511	Kelley Dr	Freeman St	N Broadway Ave	Local	Asphalt	43	66	90	Strng	Good	27	28		60
2136	Kelsi Dr	Brice Dr	DS@173E Brice Dr	Local	Asphalt	60	46	41	Weak	Fair	18	22		50
2016	Kelsi Dr	DS@173E Brice Dr	SE 11th St	Local	Asphalt	68	43	56	Mod	Fair	8	17		58
1933	Kelsi Dr	SE 11th St	SE 10th St	Local	Asphalt	50	48	90	Strng	Fair	19	17		59
2018	Kelsi Dr	SE 10th St	SE 8th St	Local	Asphalt	65	51	83	Strng	Good	11	23		66
1621	Kelsi Dr	SE 8th St	SE 7th St	Local	Asphalt	60	55	77	Strng	Good	17	23		62
2770	Kelsi Dr	SE 7th St	SE 6th St	Local	Asphalt	63	52	90	Strng	Good	11	25		67
1274	Kelsi Dr	SE 6th St	SE 6th Cir	Local	Asphalt	48	54	90	Strng	Fair	23	28		59
2591	Kelsi Dr	SE 6th Cir	SE 5th St	Local	Asphalt	62	55	60	Mod	Good	13	24		59
3535	Kensington Dr	SW 43rd St	SW 42nd St	Local	Asphalt	82	64	90	Strng	V Good	7	10		79
2772	Kensington Dr	SW 42nd St	SW 35th Pl	Local	Asphalt	73	58	70	Mod	Good	10	17		68
3644	Kensington Dr	SW 35th Pl	SW 34th St	Local	Asphalt	72	51	47	Mod	Good	6	21		60
2682	Kimberling Ave	NE 18th St	NE 18th St	Local	Concrete	70	47	46	Mod	Fair	0	0		58
1166	Kings Court Cir	NW 12th St	NORTH END	Local	Concrete	72	50	43	Mod	Fair	0	0		59
1315	Kings Ct	NW 6th Pl	NW 7th St	Local	Concrete	58	50	38	Mod	Fair	0	0		50
1870	Kings Ct	Hargis Ln	NW 8th St	Local	Concrete	69	45	43	Mod	Fair	0	0		56
1060	Kings Ct	NW 8th St	NW 9th St	Local	Concrete	85	66	43	Mod	Good	0	0		69
1132	Kings Ct	NW 10th St	DS@361N NW 10th St	Local	Concrete	74	56	61	Mod	Good	0	0		66
1133	Kings Ct	DS@361N NW 10th St	NW 12th St	Local	Concrete	85	66	48	Mod	V Good	0	0		70
1593	Kings Manor Dr	SW END	Heather Ln	Local	Asphalt	65	47	94	Strng	Good	7	28		67
1232	Kings Manor Dr	Heather Ln	SW 7th St	Local	Asphalt	69	79	65	Mod	V Good	5	26		70
1968	Kings Manor Dr	SW 7th St	Heather Ln	Local	Asphalt	80	82	83	Strng	V Good	0	20		81
1859	Kings Manor Dr	Heather Ln	S Telephone Rd	Local	Asphalt	70	84	90	Strng	V Good	7	23		78

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3178	Kings Rd	N Santa Fe Ave	DS@829E N Santa Fe Ave	Local	Concrete	82	63	57	Mod	V Good	0	0		70
1912	Kings Rd	DS@829E N Santa Fe Ave	NW 21st St	Local	Concrete	74	53	57	Mod	Good	0	0		64
2236	Kings Rd	NW 21st St	NW 22nd St	Local	Concrete	83	65	47	Mod	Good	0	0		69
2006	Kings Rd	NW 22nd St	NW 23rd St	Local	Concrete	81	62	62	Mod	V Good	0	0		71
2059	Kings Rd	NW 23rd St	NW 24th St	Local	Concrete	55	47	81	Mod	Fair	0	0		59
2058	Kings Rd	NW 24th St	NW 25th St	Local	Concrete	62	52	82	Mod	Good	0	0		64
1027	Kings Rd	NW 25th St	NW 27th St	Local	Concrete	75	54	62	Mod	Good	0	0		66
2669	Kings Rd	NW 27th St	NW 28th St	Local	Concrete	66	40	42	Mod	Fair	0	0		53
1764	Kirby Dr	SE 19th St	Williams Dr	Local	Concrete	90	71	47	Mod	V Good	0	0		75
2760	Knollwood Ter	SOUTH END	SE 16th St	Local	Concrete	100	90	40	Mod	V Good	0	0		82
1175	Knollwood Ter	SE 15th St	SE 14th St	Local	Concrete	89	70	45	Mod	V Good	0	0		73
1289	Knollwood Ter	SE 13th St	SE 12th St	Local	Concrete	83	64	42	Mod	Good	0	0		67
2104	Kyle Ct	SOUTH END	NW 32nd St	Local	Concrete	55	52	42	Mod	Fair	0	0		50
3889	Kyle Robert Ln	NE 23rd St	Thomas Dr	Local	Concrete	90	71	70	Mod	V Good	0	0		80
3236	Ladd Cir	SW END	Glenwood Dr	Local	Concrete	90	70	43	Mod	V Good	0	0		73
4107	Ladera Cir	NE 13th St	NORTH END	Local	Asphalt	79	67	60	Mod	V Good	8	13		71
4147	Lago Dr	Lagos Dr	Carmona Lakes Dr	Local	Asphalt	70	50	80	Strng	Good	10	20		67
3855	Lago Dr	Carmona Lakes Dr	Acoma Dr	Local	Asphalt	86	68	90	Strng	V Good	5	9		82
3862	Lago Dr	Acoma Dr	Sendera Lakes Dr	Local	Asphalt	83	64	75	Mod	V Good	6	10		76
4264	Lagos Dr	Sorano Dr	Lago Dr	Local	Asphalt	90	70	57	Mod	V Good	10	0		76
3641	Lake Woods Blvd	SW 34th St	Carol Ann Pl	Local	Asphalt	71	49	90	Strng	V Good	6	22		70
1541	Lakecrest Dr	Briarcliff Dr	Lonnie Ln	Local	Concrete	83	65	52	Mod	V Good	0	0		70
2820	Lakecrest Dr	SW 24th St	Briarcliff Dr	Local	Concrete	79	60	56	Mod	Good	0	0		68
2421	Lakecrest Dr	SW 24th St	SW 23rd St	Local	Concrete	87	68	50	Mod	V Good	0	0		72
2638	Lakecrest Dr	SW 21st St	SW 20th St	Local	Concrete	89	70	46	Mod	V Good	0	0		73
1616	Lakecrest Dr	Cedarbrook Ln	NW 6th Pl	Local	Concrete	71	51	49	Mod	Good	0	0		60
1615	Lakecrest Dr	Wandering Way	NW 7th Pl	Local	Concrete	62	40	47	Mod	Fair	0	0		52
1432	Lakecrest Dr	NW 7th Pl	NW 8th St	Local	Concrete	80	61	46	Mod	Good	0	0		66
2729	Lakecrest Dr	NW 8th St	NW 9th St	Local	Concrete	61	41	45	Mod	Fair	0	0		51
4215	Lakeside Dr	Ontario Cir	NE 34th Ter	Local	Asphalt	96	87	88	Strng	Excellent	0	4		91
4220	Lakeside Dr	NE 34th Ter	DS@166N NE 34th Ter	Local	Asphalt	95	85	90	Strng	Excellent	0	5		91
4210	Lakeside Dr	DS@166N NE 34th Ter	NE 35th St	Local	Asphalt	82	72	93	Strng	V Good	0	18		82
3800	Lakeview Dr	WEST END	Eagle Dr	Local	Asphalt	65	49	90	Strng	Good	12	23		67
1641	Land Run Rd	SOUTH END	SE 27th St	Local	Asphalt	69	56	66	Mod	Good	12	19		64
3536	Land Run Rd	SE 27th St	SE 26th St	Local	Asphalt	64	55	90	Strng	Good	14	22		68
1594	Lanie Ln	SE 11th St	SE 10th St	Local	Asphalt	76	56	90	Strng	V Good	6	18		74
2566	Lanie Ln	SE 10th St	SE 9th Cir	Local	Asphalt	69	49	82	Strng	Good	8	19		66
2117	Lanie Ln	SE 9th Cir	SE 8th St	Local	Asphalt	68	49	53	Mod	Fair	13	19		59
3168	Larkspur Rd	N Santa Fe Ave	DS@605E N Santa Fe Ave	Local	Concrete	70	47	77	Mod	Good	0	0		65

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1387	Larkspur Rd	DS@605E N Santa Fe Ave	NW 26th St	Local	Concrete	65	53	59	Mod	Good	0	0		60
1556	Larkspur Rd	NW 26th St	NW 27th St	Local	Concrete	71	48	76	Mod	Good	0	0		66
3596	Larkspur Rd	NW 27th St	NW 28th St	Local	Concrete	64	41	43	Mod	Fair	0	0		53
2356	Larkspur Rd	NW 28th St	NW 29th St	Local	Concrete	100	90	45	Mod	V Good	0	0		83
2357	Larkspur Rd	NW 29th St	NW 32nd St	Local	Asphalt	99	90	90	Strng	Excellent	0	1		94
3731	Lawton Ave	N Gale Ave	NW 8th St	Local	Concrete	81	62	52	Mod	Good	0	0		68
3737	Lawton Ave	NW 8th St	NW 12th St	Local	Concrete	66	39	43	Mod	Fair	0	0		53
1690	Lawton Ave	NW 12th St	NW 15th St	Local	Concrete	50	48	40	Mod	Marginal	0	0		46
1045	Leaf Dr	Price Dr	Zachary Dr	Local	Concrete	73	52	90	Mod	V Good	0	0		72
1050	Leaf Dr	Zachary Dr	David Rd	Local	Concrete	69	60	44	Mod	Good	0	0		60
2261	Leafcrest Dr	N Bryant Ave	Leafhurst Rd	Local	Concrete	74	53	79	Mod	V Good	0	0		70
1030	Leafhurst Rd	NE 8th St	NE 9th St	Local	Concrete	59	50	41	Mod	Fair	0	0		52
2427	Leafhurst Rd	NE 9th St	Leafcrest Dr	Local	Concrete	60	56	52	Mod	Fair	0	0		57
1051	Leafhurst Rd	Leafcrest Dr	NE 10th St	Local	Concrete	97	87	56	Mod	V Good	0	0		84
1086	Leafhurst Rd	NE 10th St	NE 11th St	Local	Concrete	76	56	44	Mod	Good	0	0		63
3360	Leverich Ct	SW END	N Broadway Ave	Local	Asphalt	22	29	90	Strng	Marginal	31	46		40
3635	Liberty Dr	SW 38th Ter	SW 35th St	Local	Asphalt	62	51	90	Strng	Good	13	25		66
3638	Liberty Dr	SW 35th St	SW 34th St	Local	Asphalt	86	67	81	Strng	V Good	5	9		80
3003	Lincoln Ave	NE 9th St	NE 10th St	Local	Concrete	74	53	84	Mod	V Good	0	0		71
2160	Lincoln Ave	NE 11th St	NE 12th St	Local	Concrete	96	86	44	Mod	V Good	0	0		80
2159	Lincoln Ave	NE 12th St	East Hills Dr	Local	Concrete	73	51	53	Mod	Good	0	0		62
3984	Lincoln Ave	East Hills Dr	NE 17th St	Local	Concrete	86	67	62	Mod	V Good	0	0		75
3982	Lincoln Ave	NE 17th St	NE 18th Ct	Local	Concrete	39	49	63	Mod	Marginal	0	0		47
3981	Lincoln Ave	NE 18th Ct	NE 19th St	Local	Concrete	41	45	71	Mod	Marginal	0	0		49
3978	Lincoln Ave	NE 19th St	NE 20th St	Local	Concrete	49	47	61	Mod	Fair	0	0		51
2420	Lincoln Ave	NE 20th St	NE 21st Ct	Local	Concrete	49	36	57	Mod	Marginal	0	0		46
1290	Lincoln Ave	NE 21st Ct	DS@117N NE 21st Ct	Local	Concrete	58	29	42	Mod	Marginal	0	0		46
2609	Lincoln Ave	DS@117N NE 21st Ct	NE 22nd St	Local	Concrete	54	39	61	Mod	Fair	0	0		51
3287	Lincoln Ave	Cedar Brook Aly	NE 23rd St	Local	Concrete	65	50	59	Mod	Good	0	0		60
3284	Lincoln Ave	NE 23rd St	NE 24th St	Local	Concrete	58	43	43	Mod	Fair	0	0		50
3281	Lincoln Ave	NE 24th St	Northridge Rd	Local	Concrete	58	42	44	Mod	Fair	0	0		50
3273	Lincoln Ave	NE 25th St	NE 26th St	Local	Concrete	94	81	50	Mod	V Good	0	0		79
3945	Lincoln Ave	NE 26th St	NE 27th St	Local	Concrete	78	59	59	Mod	Good	0	0		68
1543	Linda Ln	SE 19th St	Williams Dr	Local	Concrete	72	55	44	Mod	Good	0	0		60
3905	Lindsey Ln	SE 11th St	SE 10th St	Local	Asphalt	83	65	82	Strng	V Good	5	11		78
3904	Lindsey Ln	SE 10th St	SE 9th St	Local	Asphalt	78	67	86	Strng	V Good	5	17		77
3896	Lindsey Ln	SE 8th St	SE 5th St	Local	Asphalt	75	63	90	Strng	V Good	10	15		76
1617	Little River Cir	WEST END	Heather Ln	Local	Concrete	98	89	87	Mod	Excellent	0	0		93
2630	Lockhoma Ln	Hillcrest Dr	EAST END	Local	Asphalt	18	23	70	Mod	Poor	47	34		31

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3629	Lois Arline Cir	Willow Pine Dr	NW END	Local	Concrete	100	90	91	Mod	Excellent	0	0		95
4251	Lola Ct	SOUTH END	NE 33rd Ter	Local	Asphalt	77	57	90	Strng	V Good	2	21		75
4249	Lola Dr	NE 33rd Ter	NE 35th St	Local	Asphalt	84	65	87	Strng	V Good	0	16		79
2125	Lonnie Ln	SW 26th St	SW 25th St	Local	Concrete	95	85	58	Mod	V Good	0	0		83
1540	Lonnie Ln	SW 25th St	Westmore Dr	Local	Concrete	81	62	58	Mod	V Good	0	0		70
1460	Lonnie Ln	Westmore Dr	SW 23rd St	Local	Concrete	94	82	78	Mod	Excellent	0	0		86
1413	Lonnie Ln	SW 23rd St	SW 22nd St	Local	Concrete	89	70	51	Mod	V Good	0	0		74
1412	Lonnie Ln	SW 22nd St	SW 21st St	Local	Concrete	84	65	52	Mod	V Good	0	0		71
2126	Lonnie Ln	SW 21st St	SW 20th St	Local	Concrete	80	61	67	Mod	V Good	0	0		72
1653	Lonnie Ln	SW 20th St	SW 19th St	Local	Concrete	72	49	91	Mod	V Good	0	0		70
1427	Lonnie Ln	SOUTH END	NW 6th Pl	Local	Concrete	98	89	42	Mod	V Good	0	0		82
1066	Loren Dr	NE 28th St	NE 30th St	Local	Asphalt	80	68	86	Strng	V Good	5	14		78
2569	Loren Dr	NE 30th St	NE 32nd St	Local	Asphalt	57	59	88	Strng	Good	12	31		65
1453	Lost Creek Dr	NE 12th St	NE 14th St	Local	Asphalt	64	61	88	Strng	Good	15	20		69
2204	Lost Creek Dr	NE 14th St	NE 15th St	Local	Asphalt	65	63	90	Strng	V Good	20	15		70
1546	Lloyd Ln	NE 4th St	NE 7th St	Local	Asphalt	64	51	82	Strng	Good	16	20		64
3822	Macalpine Ave	SOUTH END	SW 14th St	Local	Concrete	100	90	41	Mod	V Good	0	0		82
3823	Macalpine Ave	SW 14th St	SW 13th St	Local	Concrete	83	67	72	Mod	V Good	0	0		76
3821	Macalpine Ave	SW 13th St	SW 12th St	Local	Concrete	73	52	51	Mod	Good	0	0		62
3819	Macalpine Ave	SW 12th St	SW 11th St	Local	Concrete	49	42	46	Mod	Marginal	0	0		46
1117	Mackenzie Dr	SW END	SW 45th St	Local	Asphalt	73	69	87	Strng	V Good	8	19		75
1118	Mackenzie Dr	SW 45th St	SW 42nd St	Local	Asphalt	70	75	73	Mod	V Good	8	22		72
1661	Mackenzie Dr	SW 42nd St	SW 41st St	Local	Asphalt	72	63	73	Mod	V Good	12	15		69
1921	Mackenzie Dr	SW 41st St	SW 40th St	Local	Asphalt	66	69	89	Strng	V Good	14	20		72
1313	Mackenzie Dr	SW 40th St	SW 39th St	Local	Asphalt	62	57	66	Mod	Good	11	28		61
2697	Mackenzie Dr	SW 39th St	SW 38th St	Local	Asphalt	52	54	90	Strng	Good	26	23		61
1311	Mackenzie Dr	SW 38th St	SW 37th St	Local	Asphalt	64	61	85	Strng	Good	12	24		68
2806	Mackenzie Dr	SW 37th St	SW 36th St	Local	Asphalt	66	60	82	Strng	Good	14	20		68
2271	Mackenzie Dr	SW 36th St	SW 35th St	Local	Asphalt	78	66	75	Mod	V Good	6	16		74
3643	Mackenzie Dr	SW 35th St	SW 34th St	Local	Asphalt	75	54	80	Strng	V Good	11	14		71
2012	Macys Pl	Meadowland Dr	Empire Ave	Local	Asphalt	66	61	65	Mod	Good	19	16		64
2013	Macys Pl	Empire Ave	NORTH END	Local	Asphalt	75	54	90	Strng	V Good	1	24		73
2031	Madeline Ln	NE 4th St	NE 7th St	Local	Asphalt	67	56	70	Mod	Good	14	19		65
2245	Madison Ave	Manhattan Dr	SW 40th St	Local	Asphalt	75	59	80	Strng	V Good	9	16		72
1153	Madison Ave	SW 40th St	SW 39th St	Local	Asphalt	67	41	91	Strng	Good	14	20		66
1857	Madison Ct	Blueridge Ln	Clover Rd	Local	Asphalt	66	51	77	Strng	Good	11	22		64
4048	Madison Place Dr	Tower Dr	DS@745E Tower Dr	Local	Asphalt	64	51	87	Strng	Good	17	18		66
1200	Madison Place Dr	DS@745E Tower Dr	Stoneridge Dr	Local	Asphalt	58	57	90	Strng	Good	12	30		65
1477	Magnolia Ct	WEST END	S Telephone Rd	Local	Asphalt	79	68	81	Strng	V Good	7	13		76

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
4259	Mahogany Hills Dr	Rustic Trl	Rustic Trl	Local	Asphalt	97	88	60	Mod	Excellent	0	3		93
4262	Mahogany Hills Dr	Rustic Trl	S Broadway Ave	Local	Asphalt	96	87	60	Mod	Excellent	0	4		93
4009	Main St	W Main St	S Santa Fe St	Local	Asphalt	54	51	92	Strng	Good	23	23		62
4030	Main St	S Santa Fe St	S Turner Ave	Local	Concrete	27	28	61	Mod	Poor	0	0		35
1779	Main St	S Turner Ave	DS@308E S Turner Ave	Local	Concrete	63	36	79	Mod	Good	0	0		59
1780	Main St	DS@308E S Turner Ave	Mckittrick Dr	Local	Concrete	73	51	62	Mod	Good	0	0		64
2679	Main St	Mckittrick Dr	Barbour Ave	Local	Concrete	32	36	67	Mod	Marginal	0	0		41
3369	Main St	Barbour Ave	Woods Ave	Local	Concrete	43	37	52	Mod	Marginal	0	0		43
3367	Main St	Woods Ave	S Eastern Ave	Local	Concrete	99	90	92	Mod	Excellent	0	0		94
3368	Main St	S Eastern Ave	S Silver Leaf Dr	Local	Concrete	42	49	70	Mod	Fair	0	0		50
3404	Main St	S Silver Leaf Dr	S Patterson Dr	Local	Concrete	72	50	56	Mod	Good	0	0		62
3405	Main St	S Patterson Dr	S Bouziden Dr	Local	Concrete	65	47	80	Mod	Good	0	0		63
3410	Main St	S Bouziden Dr	S Morgan Dr	Local	Concrete	70	47	84	Mod	Good	0	0		67
3411	Main St	S Morgan Dr	N English Dr	Local	Concrete	86	67	46	Mod	V Good	0	0		70
3412	Main St	N English Dr	N Morgan Dr	Local	Concrete	77	58	82	Mod	V Good	0	0		73
2993	Main St	N Morgan Dr	N Ramblin Oaks Dr	Local	Concrete	39	37	76	Mod	Marginal	0	0		47
2992	Main St	N Ramblin Oaks Dr	S Ramblin Oaks Dr	Local	Concrete	53	35	64	Mod	Fair	0	0		51
1898	Main St	S Ramblin Oaks Dr	S Hickory Ln	Local	Concrete	78	58	58	Mod	Good	0	0		67
2511	Main St	S Hickory Ln	Wellington Ln	Local	Concrete	73	52	49	Mod	Good	0	0		61
2489	Main St	Wellington Ln	Nelson Park Pl	Local	Concrete	78	59	71	Mod	V Good	0	0		71
1223	Main St	Nelson Park Pl	Admiralty Rd	Local	Concrete	88	69	53	Mod	V Good	0	0		74
2500	Main St	Admiralty Rd	S Bryant Ave	Local	Concrete	74	55	68	Mod	Good	0	0		67
1725	Main St	WEST END	Schooner Way	Local	Asphalt	79	60	68	Mod	V Good	0	21		71
1335	Main St	Schooner Way	Wyndemere Ct	Local	Asphalt	80	67	72	Mod	V Good	0	20		74
2170	Main St	Wyndemere Ct	DS@202E Wyndemere Ct	Local	Asphalt	65	80	90	Strng	V Good	7	28		75
2622	Main St	DS@202E Wyndemere Ct	S Wyndemere Lakes Dr	Local	Asphalt	68	57	90	Strng	V Good	12	21		70
3970	Main St	S Santa Fe Ave	S Markwell Ave	Local	Concrete	68	43	45	Mod	Fair	0	0		56
3973	Main St	S Markwell Ave	S Norman Ave	Local	Asphalt	30	39	90	Strng	Marginal	44	23		46
2523	Main St	S Dillon Ave	S Baer Dr	Local	Asphalt	70	70	91	Strng	V Good	12	18		75
1386	Main St	S Baer Dr	S Janeway Ave	Local	Asphalt	48	47	73	Mod	Fair	20	31		53
1749	Main St	NW 1st St	S Telephone Rd	Local	Asphalt	23	54	90	Strng	Marginal	41	34		46
2429	Main St	S Telephone Rd	S Classen Ave	Local	Concrete	92	76	49	Mod	V Good	0	0		77
2510	Main St	S Classen Ave	S I-35 Service Rd	Local	Concrete	70	47	90	Mod	Good	0	0		69
3587	Main St	S I-35 Service Rd	I-35 S	Local	Concrete	76	56	92	Mod	V Good	0	0		75
1071	Main St	I-35 S	I-35 N	Local	Concrete	73	70	96	Mod	V Good	0	0		78
3588	Main St	I-35 N	S I-35 Service Rd	Local	Concrete	89	70	69	Mod	V Good	0	0		79
2885	Main St	S I-35 Service Rd	S Chestnut Ave	Local	Asphalt	65	67	91	Strng	V Good	15	19		72
3999	Main St	S Chestnut Ave	S Howard Ave	Local	Asphalt	72	78	94	Strng	V Good	11	17		78
4010	Main St	S Howard Ave	S Broadway Ave	Local	Asphalt	48	68	93	Strng	Good	24	27		64

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2250	Manhattan Dr	S Eastern Ave	Sachs Ave	Local	Asphalt	79	60	55	Mod	Good	7	14		67
3131	Manhattan Dr	Sachs Ave	Brooklyn Ave	Local	Asphalt	81	67	74	Mod	V Good	3	16		76
3132	Manhattan Dr	Brooklyn Ave	Queens Dr	Local	Asphalt	83	64	83	Strng	V Good	1	16		78
2246	Manhattan Dr	Queens Dr	Madison Ave	Local	Asphalt	73	64	87	Strng	V Good	12	16		74
1542	Manhattan Dr	Madison Ave	SW 42nd St	Local	Asphalt	74	69	74	Mod	V Good	8	18		72
1043	Maple Ln	SW 31st St	SW 31st St	Local	Asphalt	72	49	80	Strng	Good	11	18		68
1799	Maple Ln	SW 31st St	Oak Dr	Local	Asphalt	65	38	53	Mod	Fair	10	25		54
2053	Marathon Dr	NE 4th St	NE 6th St	Local	Concrete	77	57	57	Mod	Good	0	0		66
2364	Marilyn Dr	NE 31st St	NE 32nd St	Local	Asphalt	44	60	41	Weak	Marginal	27	29		46
2809	Marilyn Dr	NE 32nd St	NE 34th St	Local	Asphalt	50	70	85	Strng	Good	20	30		63
3972	Markwell Ave	W Main St	NW 1st St	Local	Concrete	97	88	62	Mod	Excellent	0	0		85
2898	Markwell Ave	NW 1st St	NW 2nd St	Local	Concrete	97	88	59	Mod	Excellent	0	0		85
2900	Markwell Ave	NW 2nd St	NW 5th St	Local	Concrete	96	87	56	Mod	V Good	0	0		84
2895	Markwell Ave	NW 5th St	NW 6th St	Local	Concrete	91	73	44	Mod	V Good	0	0		74
2590	Markwell Ave	NW 6th St	NW 6th St	Local	Concrete	93	78	49	Mod	V Good	0	0		78
2419	Markwell Ave	NW 6th St	NW 6th Pl	Local	Concrete	64	35	52	Mod	Fair	0	0		53
2418	Markwell Ave	NW 6th Pl	NW 7th St	Local	Concrete	39	41	44	Mod	Marginal	0	0		40
2210	Markwell Ave	NW 7th St	NW 7th Pl	Local	Concrete	52	45	59	Mod	Fair	0	0		51
1188	Markwell Ave	NW 7th Pl	Hargis Ln	Local	Concrete	61	46	84	Mod	Good	0	0		63
2960	Markwell Ave	Hargis Ln	NW 8th St	Local	Concrete	59	49	73	Mod	Fair	0	0		59
2862	Markwell Ave	NW 8th St	NW 8th St	Local	Concrete	87	69	54	Mod	V Good	0	0		74
3986	Markwell Ave	SW 4th St	SW 4th Pl	Local	Concrete	100	90	53	Mod	Excellent	0	0		85
3987	Markwell Ave	SW 4th Pl	SW 3rd St	Local	Concrete	100	90	50	Mod	Excellent	0	0		85
3969	Markwell Ave	SW 3rd St	SW 2nd St	Local	Concrete	97	88	45	Mod	V Good	0	0		81
3968	Markwell Ave	SW 2nd St	SW 1st St	Local	Concrete	98	89	70	Mod	Excellent	0	0		89
3971	Markwell Ave	SW 1st St	W Main St	Local	Concrete	100	90	71	Mod	Excellent	0	0		90
4181	Max Morgan Blvd	SW 19th St	Private Dr	Local	Asphalt	81	62	92	Strng	V Good	0	19		79
3940	Max Morgan Blvd	Private Dr	SW 17th St	Local	Asphalt	84	66	76	Strng	V Good	5	11		77
2796	Mead Cir	Mead Ln	SE END	Local	Asphalt	61	37	91	Strng	Good	15	24		62
3525	Mead Ln	NW 13th Pl	NW 14th Pl	Local	Asphalt	71	50	60	Mod	Good	13	16		62
2537	Mead Ln	NW 14th Pl	DS@176N NW 14th Pl	Local	Asphalt	71	58	69	Mod	Good	10	20		66
2317	Mead Ln	DS@176N NW 14th Pl	NW 15th St	Local	Asphalt	61	67	66	Mod	Good	14	25		63
2316	Mead Ln	NW 15th St	Mead Cir	Local	Asphalt	70	61	90	Strng	V Good	13	17		72
2755	Mead Ln	Mead Cir	Odom Way	Local	Asphalt	62	59	58	Mod	Good	11	27		59
1601	Mead Ln	Odom Way	NW 19th St	Local	Asphalt	44	66	66	Mod	Fair	26	30		54
1124	Meadow Run Dr	SE 19th St	SE 18th St	Local	Asphalt	68	64	90	Strng	V Good	12	21		72
3572	Meadow Run Dr	SE 18th St	SE 17th St	Local	Asphalt	61	61	75	Mod	Good	17	17		64
1123	Meadow Run Dr	SE 17th St	SE 16th St	Local	Asphalt	63	53	82	Strng	Good	14	24		65
2004	Meadow Run Dr	SE 16th St	SE 15th St	Local	Asphalt	68	59	44	Weak	Fair	14	18		59

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1068	Meadow Run Dr	SE 15th St	SE 14th St	Local	Asphalt	50	60	86	Strng	Good	29	21		61
2647	Meadow Run Dr	SE 14th St	SE 13th St	Local	Asphalt	37	56	90	Strng	Fair	40	23		54
2233	Meadowbrook Dr	Bellaire Dr	Oakside Dr	Local	Concrete	64	40	41	Mod	Fair	0	0		51
2790	Meadowbrook Dr	Oakside Dr	Nail Pkwy	Local	Asphalt	49	36	44	Weak	Marginal	23	28		44
1495	Meadowland Dr	Macys Pl	Sachs Ave	Local	Asphalt	66	55	77	Strng	Good	22	12		65
2765	Meadowland Dr	Sachs Ave	Syracuse St	Local	Asphalt	73	51	64	Mod	Good	9	18		64
2134	Meadowland Dr	Syracuse St	Red Apple Ter	Local	Asphalt	73	61	70	Mod	Good	6	21		69
2128	Meench Dr	SW 21st St	SW 20th St	Local	Concrete	62	47	44	Mod	Fair	0	0		53
3196	Meench Dr	SW 20th St	SW 19th St	Local	Concrete	66	39	60	Mod	Fair	0	0		57
2435	Melrose Dr	Baldwin Ave	SW 42nd St	Local	Asphalt	74	61	85	Strng	V Good	12	13		73
2577	Messenger Ln	SOUTH END	DS@927N SOUTH END	Local	Asphalt	57	69	71	Mod	Good	15	29		62
1831	Messenger Ln	DS@927N SOUTH END	DS@1518N SOUTH END	Local	Asphalt	41	67	60	Mod	Fair	39	15		51
2275	Messenger Ln	DS@1518N SOUTH END	NE 12th St	Local	Asphalt	79	63	90	Strng	V Good	5	16		77
3032	Metlock Ln	NE 18th St	NE 19th Ter	Local	Asphalt	69	58	89	Strng	V Good	17	14		71
1702	Metlock Ln	NE 19th Ter	NE 19th St	Local	Asphalt	84	65	74	Mod	V Good	2	15		76
3630	Michelle Ct	SOUTH END	Willow Pine Dr	Local	Asphalt	74	68	90	Strng	V Good	8	18		76
4206	Michigan Ave	NE 33rd St	NE 33rd Ter	Local	Asphalt	89	70	66	Mod	V Good	11	0		78
4266	Mohave Dr	SW 39th St	Lagos Dr	Local	Asphalt	100	90	89	Strng	Excellent	0	0		94
2709	Moore Ave	NW 8th St	NW 12th St	Local	Concrete	81	62	91	Mod	V Good	0	0		78
3552	Moore Ave	NW 12th St	NW 17th St	Local	Concrete	99	90	83	Mod	Excellent	0	0		92
2190	Moore Ave	NW 17th St	NW 18th St	Local	Concrete	98	89	99	Mod	Excellent	0	0		95
2191	Moore Ave	NW 21st St	NW 18th St	Local	Concrete	96	86	99	Mod	Excellent	0	0		93
1591	Moore Ave	Vermeer Dr	NW 21st St	Local	Concrete	97	88	97	Mod	Excellent	0	0		94
2880	Moore Ave	Shields Blvd	Vermeer Dr	Local	Concrete	97	88	97	Mod	Excellent	0	0		94
3061	Moore Ave	Shields Blvd	N Service Rd	Local	Asphalt	57	60	86	Strng	Good	20	22		65
2918	Morgan Dr	E Main St	NE 3rd St	Local	Concrete	83	64	52	Mod	V Good	0	0		70
2917	Morgan Dr	NE 3rd St	NE 4th St	Local	Concrete	81	62	43	Mod	Good	0	0		66
1492	Morgan Dr	NE 4th St	N Patterson Dr	Local	Concrete	80	61	43	Mod	Good	0	0		66
2764	Morgan Dr	N Patterson Dr	NE 5th St	Local	Concrete	91	74	58	Mod	V Good	0	0		78
2008	Morgan Dr	NE 5th St	NE 6th St	Local	Concrete	80	61	46	Mod	Good	0	0		66
2346	Morgan Dr	NE 6th St	Old Mill Rd	Local	Concrete	87	68	67	Mod	V Good	0	0		77
1147	Morgan Dr	SE 16th St	SE 15th St	Local	Concrete	79	60	42	Mod	Good	0	0		64
2180	Morgan Dr	SE 15th St	SE 14th St	Local	Concrete	74	53	43	Mod	Good	0	0		61
1145	Morgan Dr	SE 12th St	SE 11th St	Local	Concrete	62	41	58	Mod	Fair	0	0		55
2923	Morgan Dr	SE 11th St	SE 8th St	Local	Concrete	64	55	64	Mod	Good	0	0		61
3408	Morgan Dr	SE 4th St	S English Dr	Local	Concrete	72	49	55	Mod	Good	0	0		61
3409	Morgan Dr	E Main St	S English Dr	Local	Concrete	67	53	47	Mod	Fair	0	0		58
3042	Nail Pkwy	NE 19th St	NE 20th St	Local	Concrete	79	60	60	Mod	Good	0	0		69
3041	Nail Pkwy	NE 20th St	UNKNOWN	Local	Concrete	73	51	44	Mod	Good	0	0		59

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3058	Nail Pkwy	UNKNOWN	Garland St	Local	Concrete	75	61	74	Mod	V Good	0	0		71
3056	Nail Pkwy	Garland St	NE 21st St	Local	Concrete	78	58	41	Mod	Good	0	0		63
2823	Nail Pkwy	NE 21st St	Sherwood Dr	Local	Concrete	74	53	52	Mod	Good	0	0		63
2377	Nail Pkwy	Cowan Pl	Sherwood Dr	Local	Concrete	76	55	48	Mod	Good	0	0		63
2786	Nail Pkwy	Cedar Ln	Cowan Pl	Local	Concrete	82	64	45	Mod	Good	0	0		68
3342	Nail Pkwy	NE 6th St	NE 7th St	Local	Asphalt	76	65	57	Mod	Good	5	19		67
3513	Nail Pkwy	NE 7th St	NE 8th St	Local	Asphalt	58	69	87	Strng	Good	15	27		67
3335	Nail Pkwy	NE 8th St	NE 9th St	Local	Asphalt	67	62	83	Strng	Good	7	26		69
3337	Nail Pkwy	NE 9th St	NE 10th St	Local	Asphalt	64	79	89	Strng	V Good	13	23		74
2400	Nail Pkwy	NE 10th St	NE 11th St	Local	Asphalt	78	83	93	Strng	V Good	6	16		82
3221	Nail Pkwy	NE 11th St	NE 12th St	Local	Asphalt	78	64	90	Strng	V Good	7	15		77
2398	Nail Pkwy	NE 12th St	Meadowbrook Dr	Local	Asphalt	56	58	84	Strng	Good	13	31		63
3008	Nail Pkwy	Meadowbrook Dr	Fox Ave	Local	Asphalt	22	33	68	Mod	Poor	46	32		35
3009	Nail Pkwy	Fox Ave	NE 18th St	Local	Concrete	29	46	59	Mod	Marginal	0	0		40
3776	Nancy Jane Ct	Elisabeth Anne Ter	EAST END	Local	Concrete	65	43	51	Mod	Fair	0	0		56
1771	Nathan Ln	NE 4th St	NE 7th St	Local	Asphalt	56	59	88	Strng	Good	22	22		64
2652	Necia Dr	Country Club Dr	SE 34th St	Local	Concrete	67	42	56	Mod	Fair	0	0		58
2756	Nelson Park Cir	NE 2nd St	NORTH END	Local	Concrete	73	55	44	Mod	Good	0	0		61
1667	Nelson Park Pl	E Main St	NORTH END	Local	Concrete	96	86	58	Mod	V Good	0	0		84
1700	New Haven Ct	SOUTH END	NE 19th St	Local	Asphalt	79	59	82	Strng	V Good	7	15		74
3447	Newport Ave	SW 10th St	Penn Ln	Local	Concrete	68	50	45	Mod	Fair	0	0		57
1234	Nighthawk Ln	SW 33rd St	SW 32nd St	Local	Asphalt	75	58	92	Strng	V Good	9	16		74
1041	Nighthawk Ln	SW 32nd St	SW 31st Ter	Local	Asphalt	62	50	95	Strng	Good	19	18		66
2695	Nighthawk Ln	SW 31st Ter	SW 31st St	Local	Asphalt	64	52	90	Strng	Good	4	31		67
3909	Noah Dr	SOUTH END	SE 11th St	Local	Asphalt	83	65	86	Strng	V Good	0	17		79
3900	Noah Dr	SE 9th St	SE 8th St	Local	Asphalt	70	47	75	Strng	Good	12	18		65
3911	Noah Rd	SE 5th St	SE 4th St	Local	Asphalt	68	42	90	Strng	Good	11	22		66
1356	Norman Ave	W Main St	NW 1st St	Local	Asphalt	31	53	66	Mod	Marginal	32	36		44
1057	Norman Ave	NW 1st St	NW 2nd St	Local	Asphalt	27	48	57	Mod	Poor	37	29		39
2661	Norman Ave	NW 2nd St	NW 5th St	Local	Asphalt	36	58	80	Strng	Fair	31	33		52
3070	Norman Ave	NW 5th St	NW 6th St	Local	Concrete	72	49	47	Mod	Fair	0	0		59
3069	Norman Ave	NW 6th St	N Arnold Ave	Local	Concrete	58	45	54	Mod	Fair	0	0		53
2958	Norman Ave	N Arnold Ave	NW 7th St	Local	Concrete	59	48	53	Mod	Fair	0	0		54
2929	Norman Ave	NW 7th St	NW 8th St	Local	Concrete	100	90	52	Mod	Excellent	0	0		85
3093	Norman Ave	NW 8th St	NW 9th St	Local	Concrete	75	55	74	Mod	V Good	0	0		69
2761	Norman Ave	NW 9th St	NW 12th St	Local	Concrete	69	44	55	Mod	Fair	0	0		59
1868	Norman Ave	NW 12th St	NW 14th St	Local	Asphalt	38	50	87	Strng	Fair	29	34		52
3222	Norman Ave	NW 14th St	N Janeway Ave	Local	Asphalt	29	51	77	Strng	Marginal	32	35		46
2044	Norman Ave	SW 4th St	SW 4th Pl	Local	Asphalt	35	34	88	Strng	Marginal	27	38		47

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2952	Norman Ave	SW 4th Pl	SW 3rd St	Local	Asphalt	25	62	58	Mod	Marginal	38	32		41
2954	Norman Ave	SW 3rd St	SW 2nd St	Local	Asphalt	21	53	58	Mod	Poor	43	31		38
2949	Norman Ave	SW 2nd St	SW 1st St	Local	Asphalt	29	57	43	Weak	Poor	35	35		38
2947	Norman Ave	SW 1st St	W Main St	Local	Asphalt	34	43	50	Mod	Marginal	29	36		40
4252	Northfork Dr	SOUTH END	SE 19th St	Local	Asphalt	92	78	88	Strng	Excellent	7	0		87
3277	Northridge Rd	Truitt St	Lincoln Ave	Local	Concrete	48	43	56	Mod	Marginal	0	0		48
3278	Northridge Rd	Lincoln Ave	NE 23rd St	Local	Concrete	52	39	64	Mod	Fair	0	0		51
1329	Notting Hill Dr	SW 43rd St	SW 42nd St	Local	Asphalt	79	60	90	Strng	V Good	12	9		76
1939	Notting Hill Dr	SW 42nd St	SW 35th Pl	Local	Asphalt	76	61	67	Mod	V Good	9	15		70
3250	Nottingham Way	NW 23rd St	NW 24th St	Local	Asphalt	24	55	90	Strng	Marginal	34	38		47
2572	Nottingham Way	NW 24th St	NW 27th St	Local	Asphalt	16	49	89	Strng	Marginal	39	36		42
3600	Nottingham Way	NW 27th St	NW 28th St	Local	Concrete	98	89	52	Mod	V Good	0	0		84
1047	Nottingham Way	NW 28th St	NORTH END	Local	Concrete	95	85	70	Mod	Excellent	0	0		86
2426	Oak Creek Dr	SOUTH END	NE 7th St	Local	Asphalt	70	53	96	Strng	V Good	15	15		72
2614	Oak Creek Dr	NE 7th St	NE 7th Cir	Local	Asphalt	79	67	87	Strng	V Good	7	14		78
1862	Oak Creek Dr	NE 7th Cir	Elm Creek Dr	Local	Asphalt	86	69	90	Strng	V Good	7	7		82
1863	Oak Creek Dr	Blackjack Ln	Elm Creek Dr	Local	Asphalt	74	61	66	Mod	Good	8	19		67
1472	Oak Creek Dr	Blackjack Ln	DS@742N Blackjack Ln	Local	Asphalt	80	61	76	Strng	V Good	3	17		74
3595	Oak Creek Dr	DS@742N Blackjack Ln	NE 11th St	Local	Asphalt	72	73	92	Strng	V Good	3	25		77
1491	Oak Creek Dr	NE 11th St	NE 11th Cir	Local	Asphalt	76	61	92	Strng	V Good	7	17		76
2321	Oak Creek Dr	NE 11th Cir	NE 12th St	Local	Asphalt	81	63	82	Strng	V Good	0	19		77
2145	Oak Dr	Birch Dr	Pin Oak Rd	Local	Asphalt	64	62	90	Strng	V Good	10	26		70
2142	Oak Dr	Pin Oak Rd	SW 31st St	Local	Asphalt	60	44	90	Strng	Good	15	25		63
1571	Oak Dr	SW 31st St	SW 30th St	Local	Asphalt	74	53	46	Mod	Good	5	21		61
1798	Oak Dr	SW 30th St	Maple Ln	Local	Asphalt	53	57	90	Strng	Good	25	23		62
1439	Oakcliff St	NW 7th Pl	NW 7th St	Local	Concrete	79	60	44	Mod	Good	0	0		65
3079	Oakside Dr	Brookside Dr	Brookside Dr	Local	Concrete	62	43	85	Mod	Good	0	0		62
1924	Oakside Dr	Brookside Dr	Meadowbrook Dr	Local	Concrete	79	59	59	Mod	Good	0	0		68
2096	Oakwood Dr	Highland Dr	Ridgewood Dr	Local	Concrete	100	90	87	Mod	Excellent	0	0		94
1598	Odom Way	WEST END	Mead Ln	Local	Asphalt	64	74	90	Strng	V Good	0	36		73
1597	Odom Way	Mead Ln	Dorothy Dr	Local	Asphalt	66	73	57	Mod	Good	12	22		65
2139	Odom Way	Dorothy Dr	N Santa Fe Ave	Local	Asphalt	62	37	50	Mod	Fair	13	25		52
4282	Old Hackberry Dr	SW 27th St	SW 25th St	Local	Concrete	100	90	79	Mod	Excellent	0	0		92
3046	Old Mill Rd	NE 12th St	East Hills Dr	Local	Concrete	71	49	57	Mod	Good	0	0		62
1655	Old Mill Rd	Walnut Ct	NE 12th St	Local	Concrete	78	59	78	Mod	V Good	0	0		73
3001	Old Mill Rd	NE 11th St	Walnut Ct	Local	Concrete	67	42	89	Mod	Good	0	0		66
2999	Old Mill Rd	NE 10th Ct	NE 11th St	Local	Concrete	69	45	72	Mod	Good	0	0		63
2167	Old Mill Rd	NE 10th Ct	NE 9th Ct	Local	Concrete	79	59	71	Mod	V Good	0	0		72
1691	Old Mill Rd	NE 9th Ct	Randall Dr	Local	Concrete	85	66	81	Mod	V Good	0	0		79

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1635	Old Mill Rd	Randall Dr	N Morgan Dr	Local	Concrete	98	89	87	Mod	Excellent	0	0		92
3275	Old Mill Rd	NE 25th St	NE 26th St	Local	Concrete	96	87	45	Mod	V Good	0	0		81
3919	Old Mill Rd	NE 26th St	NE 27th St	Local	Concrete	93	79	45	Mod	V Good	0	0		77
2402	Old S Bryant Ave	Wimberley Creek Dr	SE 7th Pl	Local	Asphalt	73	68	62	Mod	Good	11	16		68
2684	Olde Copper Creek Rd	SOUTH END	SW 41st St	Local	Concrete	100	90	69	Mod	Excellent	0	0		89
1580	Olympic Dr	N Broadway Ave	Bellaire Dr	Local	Concrete	69	44	50	Mod	Fair	0	0		57
4208	Ontario Cir	SOUTH END	Lakeside Dr	Local	Asphalt	82	63	74	Mod	V Good	1	17		75
1297	Park Glenn Dr	SW 38th St	SW 35th St	Local	Asphalt	70	64	88	Strng	V Good	22	8		72
3555	Park Pl	SOUTH END	NE 23rd St	Local	Concrete	81	63	49	Mod	Good	0	0		68
3021	Park Pl	East Hills Dr	NE END	Local	Concrete	54	39	68	Mod	Fair	0	0		53
1112	Park Pl	SOUTH END	NE 23rd St	Local	Concrete	84	65	58	Mod	V Good	0	0		72
1091	Parkside Ct	NE 19th Ter	NE 19th St	Local	Asphalt	82	64	41	Weak	Good	10	8		66
1478	Parkside Ct	NE 19th St	NE 20th St	Local	Asphalt	61	45	98	Strng	Good	13	26		66
1745	Parkside Dr	NE 18th St	NE 19th St	Local	Concrete	92	75	44	Mod	V Good	0	0		75
1434	Parkview Cir	NW 7th Pl	NORTH END	Local	Concrete	92	77	44	Mod	V Good	0	0		76
1230	Parkview Dr	SW 21st St	SW 20th St	Local	Concrete	78	58	49	Mod	Good	0	0		65
1401	Parkway Dr	DS@226W SE 2nd St	SE 1st St	Local	Concrete	97	89	85	Mod	Excellent	0	0		92
1402	Parkway Dr	SE 2nd St	DS@226W SE 2nd St	Local	Concrete	95	85	88	Mod	Excellent	0	0		90
1226	Parkway Dr	SE 2nd St	S Bryant Ave	Local	Asphalt	71	72	89	Strng	V Good	8	21		76
1619	Parkwood Ct	SOUTH END	NE 12th St	Local	Concrete	70	53	60	Mod	Good	0	0		63
3002	Patterson Dr	N Silver Leaf Dr	DS@322E N Silver Leaf Dr	Local	Concrete	74	53	59	Mod	Good	0	0		65
1484	Patterson Dr	DS@322E N Silver Leaf Dr	DS@567S N Silver Leaf Dr	Local	Concrete	75	55	41	Mod	Good	0	0		61
2941	Patterson Dr	DS@567S N Silver Leaf Dr	NE 6th St	Local	Concrete	100	90	68	Mod	Excellent	0	0		89
2942	Patterson Dr	NE 5th St	NE 6th St	Local	Concrete	100	90	67	Mod	Excellent	0	0		89
1624	Patterson Dr	NE 5th St	DS@277S NE 5th St	Local	Concrete	100	90	52	Mod	Excellent	0	0		85
2347	Patterson Dr	DS@277S NE 5th St	N Avery Dr	Local	Concrete	91	73	81	Mod	V Good	0	0		83
1485	Patterson Dr	N Avery Dr	DS@595E N Avery Dr	Local	Concrete	90	70	49	Mod	V Good	0	0		74
1486	Patterson Dr	DS@595E N Avery Dr	N Morgan Dr	Local	Concrete	92	78	49	Mod	V Good	0	0		77
2712	Patterson Dr	SE 14th St	SE 13th St	Local	Concrete	90	70	66	Mod	V Good	0	0		79
3601	Patterson Dr	SE 13th St	NORTH END	Local	Concrete	89	69	74	Mod	V Good	0	0		80
1017	Patterson Dr	SE 12th St	SE 10th St	Local	Concrete	84	65	41	Mod	Good	0	0		68
1545	Patterson Dr	SE 10th St	SE 9th St	Local	Concrete	98	89	42	Mod	V Good	0	0		82
2871	Patterson Dr	SE 9th St	SE 8th St	Local	Concrete	78	58	63	Mod	Good	0	0		69
3515	Patterson Dr	SE 8th St	SE 8th St	Local	Concrete	93	80	40	Mod	V Good	0	0		76
3382	Patterson Dr	SE 8th St	DS@887N SE 8th St	Local	Concrete	64	44	45	Mod	Fair	0	0		54
3381	Patterson Dr	DS@887N SE 8th St	SE 4th St	Local	Concrete	77	57	45	Mod	Good	0	0		63
3546	Patterson Dr	SE 4th St	E Main St	Local	Concrete	90	71	48	Mod	V Good	0	0		74
2352	Paul Dr	NE 32nd St	NORTH END	Local	Asphalt	52	51	75	Mod	Fair	23	24		56
3779	Pauline Renee Dr	SE 28th St	SE END	Local	Concrete	100	90	67	Mod	Excellent	0	0		89

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
4159	Pebble Creek St	Northfork Dr	Creek Side Cir	Local	Asphalt	78	68	85	Strng	V Good	5	16		77
4222	Pendleton Pl	NE 15th St	NE 16th St	Local	Asphalt	90	75	89	Strng	Excellent	7	3		86
4225	Pendleton Pl	NE 16th St	NORTH END	Local	Asphalt	94	83	90	Strng	Excellent	0	6		90
1375	Penn Ln	SOUTH END	SW 16th St	Local	Concrete	100	90	62	Mod	Excellent	0	0		88
2623	Penn Ln	SW 16th St	SW 15th St	Local	Concrete	70	46	44	Mod	Fair	0	0		57
2227	Penn Ln	SW 15th St	SW 14th St	Local	Concrete	73	51	47	Mod	Good	0	0		60
2226	Penn Ln	SW 14th St	SW 13th St	Local	Concrete	96	87	48	Mod	V Good	0	0		81
2225	Penn Ln	SW 13th St	SW 12th St	Local	Concrete	78	58	44	Mod	Good	0	0		64
3453	Penn Ln	SW 12th St	SW 11th St	Local	Concrete	78	59	44	Mod	Good	0	0		64
3451	Penn Ln	SW 11th St	SW 10th St	Local	Concrete	64	42	43	Mod	Fair	0	0		52
3450	Penn Ln	SW 10th St	SW 8th St	Local	Concrete	71	53	51	Mod	Good	0	0		61
3440	Penn Ln	SW 8th St	Newport Ave	Local	Concrete	91	73	72	Mod	V Good	0	0		82
3446	Penn Ln	Newport Ave	SW 5th St	Local	Concrete	74	53	47	Mod	Good	0	0		61
3763	Phillips Blvd	SE 38th St	SE 34th St	Local	Concrete	54	41	47	Mod	Marginal	0	0		48
2515	Piccadilly Cir	NW 23rd St	NORTH END	Local	Asphalt	81	63	86	Strng	V Good	0	19		77
3199	Pin Oak Rd	SW 34th St	SW 33rd St	Local	Asphalt	72	50	90	Strng	V Good	2	25		70
1227	Pin Oak Rd	SW 33rd St	Oak Dr	Local	Asphalt	74	53	81	Strng	V Good	8	17		70
2032	Pinewood Cir	NE 1st St	NORTH END	Local	Concrete	94	83	47	Mod	V Good	0	0		79
1958	Pinewood Ct	SW END	Pinewood Dr	Local	Concrete	92	76	49	Mod	V Good	0	0		77
1022	Pinewood Dr	Pinewood Ct	Cottonwood Dr	Local	Concrete	92	78	41	Mod	V Good	0	0		76
1221	Pinewood Dr	Hazelwood Ln	Pinewood Ct	Local	Concrete	71	60	59	Mod	Good	0	0		65
3320	Pinewood Dr	Whispering Oaks Blvd	Hazelwood Ln	Local	Concrete	90	71	56	Mod	V Good	0	0		76
3318	Pinewood Dr	Whispering Oaks Blvd	DS@363W Whispering Oaks Blvd	Local	Concrete	92	78	42	Mod	V Good	0	0		76
3317	Pinewood Dr	DS@363W Whispering Oaks Blvd	SE 5th St	Local	Concrete	72	59	74	Mod	Good	0	0		69
2597	Pioneer Ln	SOUTH END	NE 27th St	Local	Asphalt	16	50	81	Strng	Marginal	52	32		40
1435	Platt Cir	NW 7th Pl	NORTH END	Local	Concrete	83	64	47	Mod	Good	0	0		69
2520	Platt Ln	N Service Rd	Briarwood St	Local	Asphalt	50	53	83	Strng	Fair	22	28		59
3441	Plaza Dr	SW 8th St	SW 6th St	Local	Concrete	84	65	76	Mod	V Good	0	0		77
3444	Plaza Dr	SW 6th St	SW 5th St	Local	Concrete	80	61	54	Mod	Good	0	0		68
2836	Pole Rd	NE 12th St	UNKNOWN	Local	Asphalt	85	76	79	Strng	V Good	8	7		81
2835	Pole Rd	UNKNOWN	DS@850N UNKNOWN	Local	Concrete	93	80	63	Mod	V Good	0	0		82
1759	Pole Rd	DS@850N UNKNOWN	DS@1515N UNKNOWN	Local	Concrete	73	52	74	Mod	Good	0	0		68
1758	Pole Rd	DS@1515N UNKNOWN	NE 27th St	Local	Concrete	71	48	61	Mod	Good	0	0		62
1526	Poplar Dr	NW 27th St	Cass Ave	Local	Asphalt	33	48	48	Mod	Marginal	42	25		40
1304	Poplar Dr	Cass Ave	NORTH END	Local	Asphalt	30	54	84	Strng	Marginal	41	26		49
3668	Port Rush Dr	SE 26th St	SE 24th St	Local	Asphalt	69	44	76	Strng	Good	10	21		64
3673	Port Rush Dr	SE 24th St	NORTH END	Local	Asphalt	57	50	90	Strng	Good	16	26		63
1732	Post Oak Ln	Whispering Oaks Blvd	SE 5th St	Local	Concrete	59	49	56	Mod	Fair	0	0		56
3315	Post Oak Ln	SE 5th St	SE 5th St	Local	Concrete	76	56	54	Mod	Good	0	0		65

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3314	Post Oak Ln	SE 5th St	SE 4th St	Local	Concrete	92	78	82	Mod	Excellent	0	0		86
2801	Prairie Field Ln	NW 29th St	NW 30th Ct	Local	Asphalt	65	48	83	Strng	Good	0	35		65
2506	Price Dr	NE 11th St	Leaf Dr	Local	Concrete	74	55	41	Mod	Good	0	0		61
1965	Price Dr	Leaf Dr	NE 12th St	Local	Concrete	50	33	44	Mod	Marginal	0	0		44
4170	Private Dr	S I-35 Service Rd	Private Dr	Local	Asphalt	81	62	92	Strng	V Good	3	14		79
4189	Private Dr	Private Dr	SE END	Local	Asphalt	90	75	88	Strng	Excellent	2	6		85
4179	Private Dr	Private Dr	Max Morgan Blvd	Local	Asphalt	83	64	88	Strng	V Good	4	13		79
4180	Private Dr	SW 19th St	Private Dr	Local	Concrete	76	56	43	Mod	Good	0	0		62
4123	Private Dr	Private Dr	Private Dr	Local	Concrete	96	87	53	Mod	V Good	0	0		82
4185	Private Dr	Private Dr	Private Dr	Local	Concrete	100	90	41	Mod	V Good	0	0		82
3432	Private Dr	Private Dr	Private Dr	Local	Asphalt	11	45	60	Mod	V Poor	66	22		21
3433	Private Dr	Private Dr	Private Dr	Local	Asphalt	40	45	35	Weak	Marginal	37	23		39
3426	Private Dr	Private Dr	Private Dr	Local	Asphalt	11	48	60	Mod	V Poor	63	26		23
3429	Private Dr	Private Dr	Private Dr	Local	Asphalt	62	49	90	Strng	Good	11	26		65
3430	Private Dr	Private Dr	Private Dr	Local	Asphalt	42	12	90	Strng	Marginal	29	26		46
3428	Private Dr	Private Dr	Private Dr	Local	Asphalt	4	42	37	Weak	V Poor	71	24		21
3431	Private Dr	Private Dr	Private Dr	Local	Asphalt	11	54	60	Mod	Poor	67	22		24
3427	Private Dr	Private Dr	Private Dr	Local	Asphalt	48	61	90	Strng	Good	33	19		61
3422	Private Dr	Private Dr	SW 4th St	Local	Asphalt	10	30	69	Mod	Poor	64	20		29
3423	Private Dr	Private Dr	Private Dr	Local	Asphalt	54	52	72	Mod	Fair	21	26		57
3424	Private Dr	Private Dr	Private Dr	Local	Asphalt	46	49	90	Strng	Fair	25	30		57
3425	Private Dr	Private Dr	SW 4th St	Local	Asphalt	12	33	81	Strng	Poor	63	23		34
3434	Private Dr	SOUTH END	Private Dr	Local	Concrete	100	90	57	Mod	Excellent	0	0		86
4186	Private Dr	Private Dr	Private Dr	Local	Asphalt	65	46	90	Strng	Good	18	16		66
4187	Private Dr	Private Dr	Private Dr	Local	Concrete	97	89	44	Mod	V Good	0	0		81
4188	Private Dr	Private Dr	EAST END	Local	Concrete	88	69	42	Mod	V Good	0	0		71
4241	Private Road	SE 4th St	Private Road	Local	Asphalt	86	67	90	Strng	V Good	1	13		82
4240	Private Road	Private Road	Private Road	Local	Asphalt	85	66	85	Strng	V Good	1	15		79
4239	Private Road	WEST END	S Eastern Ave	Local	Asphalt	84	65	77	Strng	V Good	5	11		77
3709	Quail Ridge Dr	SE 38th St	SE 37th St	Local	Asphalt	70	58	90	Strng	V Good	2	27		72
3704	Quail Ridge Dr	SE 37th St	SE 36th St	Local	Asphalt	71	51	85	Strng	Good	8	21		69
3721	Quail Ridge Dr	SE 36th St	SE 35th St	Local	Asphalt	59	54	83	Strng	Good	10	26		63
3720	Quail Ridge Dr	SE 35th St	NORTH END	Local	Asphalt	63	46	90	Strng	Good	1	37		65
2113	Quail Run Cir	SE 35th St	NORTH END	Local	Asphalt	74	53	90	Strng	V Good	0	26		72
3707	Quail Run Dr	SE 35th St	SE 34th St	Local	Asphalt	67	48	93	Strng	Good	7	27		68
2244	Queens Dr	Manhattan Dr	SW 41st St	Local	Asphalt	78	59	65	Mod	Good	6	16		69
1518	Queens Dr	SW 41st St	SW 39th St	Local	Asphalt	79	63	76	Strng	V Good	4	17		74
2039	Queensbury Rd	NW 18th St	Regency Blvd	Local	Asphalt	47	70	55	Mod	Fair	27	26		54
2552	Queensbury Rd	NW 18th St	NW 19th St	Local	Asphalt	67	75	76	Strng	V Good	18	15		71

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2238	Queensbury Rd	NW 19th St	NW 20th St	Local	Asphalt	52	51	70	Mod	Fair	22	26		55
1927	Queensbury Rd	NW 20th St	Astoria Ave	Local	Asphalt	46	60	96	Strng	Good	25	29		61
3532	Queensbury Rd	Astoria Ave	NW 22nd St	Local	Asphalt	73	79	74	Mod	V Good	5	22		74
2237	Queensbury Rd	NW 22nd St	NW 23rd St	Local	Asphalt	70	46	88	Strng	Good	9	22		67
2972	Queensbury Rd	NW 23rd St	NW 24th St	Local	Asphalt	41	51	90	Strng	Fair	20	39		55
2974	Queensbury Rd	NW 24th St	NW 27th St	Local	Asphalt	37	63	90	Strng	Fair	21	40		56
2991	Ramblin Oaks Dr	E Main St	NE 1st St	Local	Concrete	100	90	88	Mod	Excellent	0	0		94
1137	Ramblin Oaks Dr	NE 1st St	NE 2nd St	Local	Concrete	94	82	84	Mod	Excellent	0	0		88
1222	Ramblin Oaks Dr	NE 2nd St	NE 3rd St	Local	Concrete	75	55	76	Mod	V Good	0	0		70
1215	Ramblin Oaks Dr	NE 3rd St	NE 4th St	Local	Concrete	93	79	49	Mod	V Good	0	0		78
1214	Ramblin Oaks Dr	NE 4th St	NE 5th St	Local	Concrete	82	63	46	Mod	Good	0	0		67
1260	Ramblin Oaks Dr	NE 5th St	NE 6th St	Local	Concrete	92	75	50	Mod	V Good	0	0		77
3551	Ramblin Oaks Dr	NE 6th St	DS@333N NE 6th St	Local	Concrete	93	81	64	Mod	V Good	0	0		83
2043	Ramblin Oaks Dr	DS@333N NE 6th St	NORTH END	Local	Concrete	96	87	57	Mod	V Good	0	0		84
3545	Ramblin Oaks Dr	SE 4th St	SE 3rd St	Local	Concrete	93	80	72	Mod	V Good	0	0		84
1021	Ramblin Oaks Dr	SE 3rd St	SE 2nd St	Local	Concrete	83	64	43	Mod	Good	0	0		67
1952	Ramblin Oaks Dr	SE 2nd St	SE 2nd St	Local	Concrete	56	47	53	Mod	Fair	0	0		52
2449	Ramblin Oaks Dr	Smoking Oaks Cir	SE 2nd St	Local	Concrete	87	69	70	Mod	V Good	0	0		78
2434	Ramblin Oaks Dr	SE 1st St	Smoking Oaks Cir	Local	Concrete	85	66	71	Mod	V Good	0	0		76
1660	Ramblin Oaks Dr	SE 1st St	E Main St	Local	Concrete	90	70	73	Mod	V Good	0	0		80
1181	Randall Dr	NE 5th St	NE 6th St	Local	Concrete	85	67	51	Mod	V Good	0	0		72
1452	Randall Dr	NE 8th St	Old Mill Rd	Local	Concrete	65	46	47	Mod	Fair	0	0		55
2202	Red Apple Cir	SOUTH END	SW 39th St	Local	Asphalt	57	53	47	Mod	Fair	14	29		53
1675	Red Apple Ter	Meadowland Dr	SW 41st St	Local	Asphalt	65	61	90	Strng	V Good	13	22		69
2201	Red Apple Ter	SW 41st St	SW 39th St	Local	Asphalt	63	45	58	Mod	Fair	19	18		56
1740	Red Maple Ln	SW 33rd St	NORTH END	Local	Asphalt	48	64	79	Strng	Fair	16	35		59
1094	Red Oak Cir	SOUTH END	NE 2nd St	Local	Concrete	97	89	57	Mod	Excellent	0	0		85
3254	Red Rock Dr	SE 33rd St	SE 32nd St	Local	Asphalt	67	50	90	Strng	Good	17	16		68
3253	Red Rock Dr	SE 32nd St	SE 31st Ct	Local	Asphalt	70	48	88	Strng	Good	15	16		68
3252	Red Rock Dr	SE 31st Ct	SE 30th Ct	Local	Asphalt	74	60	47	Mod	Good	8	18		63
3251	Red Rock Dr	SE 30th Ct	SE 29th Ct	Local	Asphalt	68	43	90	Strng	Good	12	20		67
1649	Regency Blvd	NW 12th St	NW 14th St	Local	Asphalt	36	60	81	Strng	Fair	32	32		53
2773	Regency Blvd	NW 14th St	NW 15th St	Local	Asphalt	42	63	60	Mod	Fair	24	30		51
1475	Regency Blvd	NW 15th St	Windermere Dr	Local	Asphalt	27	52	90	Strng	Marginal	43	23		48
1328	Regency Blvd	Windermere Dr	Queensbury Rd	Local	Asphalt	41	62	90	Strng	Fair	29	29		58
2055	Regency Blvd	Queensbury Rd	Tudor Dr	Local	Asphalt	23	50	90	Strng	Marginal	44	25		46
1082	Regency Blvd	Tudor Dr	Camelot Dr	Local	Asphalt	42	58	90	Strng	Fair	27	28		57
1081	Regency Blvd	Camelot Dr	NW 19th St	Local	Asphalt	32	49	94	Strng	Fair	30	38		51
1793	Regency Blvd	NW 19th St	NW 21st St	Local	Asphalt	26	50	90	Strng	Marginal	33	42		47

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1972	Regency Blvd	NW 21st St	NW 22nd St	Local	Asphalt	28	57	90	Strng	Fair	32	38		50
2060	Regency Blvd	NW 27th St	NORTH END	Local	Concrete	100	90	43	Mod	V Good	0	0		83
1446	Regency Pl	SOUTH END	NW 24th St	Local	Concrete	72	58	58	Mod	Good	0	0		65
1633	Regina Dr	WEST END	DS@301E WEST END	Local	Asphalt	34	47	90	Strng	Fair	34	31		51
3151	Regina Dr	DS@301E WEST END	N Sunnyslane Rd	Local	Asphalt	38	60	74	Mod	Fair	28	31		51
3539	Renita Ct	SW END	Renita Way	Local	Asphalt	69	45	62	Mod	Good	10	20		61
1279	Renita Way	Renita Ct	Ashwood Ln	Local	Asphalt	68	68	77	Strng	V Good	17	16		69
2050	Renita Way	Renita Ct	SE 9th St	Local	Asphalt	70	68	90	Strng	V Good	13	17		74
3963	Renita Way	SE 9th St	Wimberley Creek Dr	Local	Asphalt	69	66	90	Strng	V Good	9	22		73
4033	Renita Way	Wimberley Creek Dr	NE END	Local	Asphalt	58	53	48	Mod	Fair	19	23		54
2671	Rickwoods Cir	WEST END	Woodstock Rd	Local	Asphalt	80	61	48	Mod	Good	0	20		67
3807	Ridgeway Dr	SOUTH END	SW 14th St	Local	Concrete	97	88	68	Mod	Excellent	0	0		87
3814	Ridgeway Dr	SW 14th St	SW 11th St	Local	Concrete	89	69	70	Mod	V Good	0	0		79
2288	Ridgeway Dr	SW 10th St	DS@369N SW 10th St	Local	Concrete	99	90	71	Mod	Excellent	0	0		89
1550	Ridgeway Dr	DS@369N SW 10th St	SW 8th St	Local	Concrete	99	90	48	Mod	V Good	0	0		83
1321	Ridgewood Dr	SOUTH END	NE 21st St	Local	Concrete	67	51	57	Mod	Good	0	0		60
1320	Ridgewood Dr	NE 21st St	Cherrywood Dr	Local	Concrete	86	67	46	Mod	V Good	0	0		71
1938	Ridgewood Dr	Cherrywood Dr	Cherrywood Dr	Local	Concrete	52	43	44	Mod	Marginal	0	0		47
2596	Ridgewood Dr	Cherrywood Dr	Oakwood Dr	Local	Concrete	44	48	38	Mod	Marginal	0	0		42
2095	Ridgewood Dr	Oakwood Dr	Cedar Ln	Local	Concrete	92	77	66	Mod	V Good	0	0		82
4087	Rita Rd	SE 39th St	SE 38th St	Local	Asphalt	78	62	76	Strng	V Good	12	10		73
3803	Riverwalk Dr	SW 19th St	S I-35 Service Rd	Local	Asphalt	69	59	83	Strng	V Good	6	25		69
2486	Robinson Ave	SOUTH END	NW 6th Pl	Local	Concrete	66	47	61	Mod	Fair	0	0		59
2485	Robinson Ave	NW 6th Pl	NW 7th Pl	Local	Concrete	87	68	44	Mod	V Good	0	0		71
1035	Robinson Ave	NW 7th Pl	NW 8th St	Local	Concrete	84	65	52	Mod	V Good	0	0		71
3087	Robinson Ave	NW 8th St	NW 9th St	Local	Concrete	88	69	56	Mod	V Good	0	0		75
3086	Robinson Ave	NW 9th St	NW 10th Cir	Local	Concrete	73	51	66	Mod	Good	0	0		65
3085	Robinson Ave	NW 10th Cir	NW 10th St	Local	Concrete	79	60	61	Mod	Good	0	0		69
3574	Robinson Ave	NW 10th St	NW 11th St	Local	Concrete	59	31	66	Mod	Fair	0	0		53
3082	Robinson Ave	NW 11th St	NW 12th St	Local	Concrete	77	57	67	Mod	Good	0	0		69
2726	Robinson Ave	SW 21st St	SW 20th St	Local	Concrete	88	69	55	Mod	V Good	0	0		75
1172	Rock Hollow	Wood Hollow Ln	Woodcrest	Local	Concrete	73	51	46	Mod	Good	0	0		60
1288	Rock Pl	NW 2nd St	NW 5th St	Local	Concrete	75	54	62	Mod	Good	0	0		65
3090	Rock Pl	SW 1st St	NORTH END	Local	Asphalt	97	88	90	Strng	Excellent	0	3		93
2663	Rosewood Ct	Edgewood Dr	EAST END	Local	Concrete	57	47	86	Mod	Good	0	0		61
4260	Rustic Trl	SE END	Mahogany Hills Dr	Local	Asphalt	100	90	60	Mod	Excellent	0	0		96
4261	Rustic Trl	Mahogany Hills Dr	NW END	Local	Asphalt	100	90	60	Mod	Excellent	0	0		96
1000	Ryan Rd	SE 11th St	SE 8th St	Local	Asphalt	70	65	70	Mod	Good	16	14		68
1001	Ryan Rd	SE 8th St	SE 7th St	Local	Asphalt	61	63	56	Mod	Good	17	22		59

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1002	Ryan Rd	SE 7th St	SE 6th St	Local	Asphalt	63	65	68	Mod	Good	16	20		64
1003	Ryan Rd	SE 6th St	SE 5th St	Local	Asphalt	49	60	86	Strng	Good	32	20		60
3122	Sachs Ave	SW 43rd St	Manhattan Dr	Local	Asphalt	64	55	91	Strng	Good	20	16		68
2011	Sachs Ave	Manhattan Dr	Meadowland Dr	Local	Asphalt	75	54	88	Strng	V Good	11	15		72
2111	Sachs Ave	Meadowland Dr	Empire Ave	Local	Asphalt	76	58	89	Strng	V Good	7	17		74
2277	Sally Ct	WEST END	Woodstock Rd	Local	Asphalt	77	58	90	Strng	V Good	13	10		75
3908	Samantha Ln	SE 11th St	SE 9th St	Local	Asphalt	74	64	83	Strng	V Good	7	18		74
3897	Samantha Ln	SE 8th St	SE 5th St	Local	Asphalt	72	64	76	Strng	V Good	5	23		70
3989	San Juan Trls	Carol Ann Pl	SW 32nd St	Local	Asphalt	72	61	61	Mod	Good	11	16		66
3993	San Juan Trls	SW 32nd St	Woods Way	Local	Asphalt	72	68	69	Mod	V Good	13	15		70
3994	San Juan Trls	Woods Way	SW 28th St	Local	Asphalt	73	69	85	Strng	V Good	12	16		75
3192	Santa Fe Ave	W Main St	DS@27N W Main St	Minor Arterial	Concrete	89	70	47	Mod	V Good	0	0		73
3202	Santa Fe Ave	DS@27N W Main St	NW 1st St	Minor Arterial	Concrete	89	70	91	Mod	V Good	0	0		84
3189	Santa Fe Ave	NW 1st St	NW 2nd St	Minor Arterial	Concrete	93	81	98	Mod	Excellent	0	0		91
3190	Santa Fe Ave	NW 2nd St	NW 5th St	Minor Arterial	Concrete	99	90	98	Mod	Excellent	0	0		96
3581	Santa Fe Ave	NW 5th St	NW 6th St	Minor Arterial	Concrete	98	89	96	Mod	Excellent	0	0		95
3186	Santa Fe Ave	NW 6th St	NW 6th Pl	Minor Arterial	Concrete	93	80	99	Mod	Excellent	0	0		91
1517	Santa Fe Ave	NW 6th Pl	NW 6th Pl	Minor Arterial	Concrete	100	90	97	Mod	Excellent	0	0		96
2710	Santa Fe Ave	NW 6th Pl	NW 7th St	Minor Arterial	Concrete	97	89	84	Mod	Excellent	0	0		91
2211	Santa Fe Ave	NW 7th St	NW 7th Pl	Minor Arterial	Concrete	100	90	92	Mod	Excellent	0	0		95
3073	Santa Fe Ave	NW 7th Pl	NW 7th Pl	Minor Arterial	Concrete	100	90	96	Mod	Excellent	0	0		96
3072	Santa Fe Ave	NW 7th Pl	Hargis Ln	Minor Arterial	Concrete	93	81	96	Mod	Excellent	0	0		90
1791	Santa Fe Ave	Hargis Ln	NW 8th St	Minor Arterial	Concrete	99	90	95	Mod	Excellent	0	0		95
1790	Santa Fe Ave	NW 8th St	NW 9th St	Minor Arterial	Concrete	99	90	98	Mod	Excellent	0	0		95
1113	Santa Fe Ave	NW 9th St	NW 10th St	Minor Arterial	Concrete	98	89	96	Mod	Excellent	0	0		95
2605	Santa Fe Ave	NW 10th St	NW 12th St	Minor Arterial	Concrete	97	89	95	Mod	Excellent	0	0		94
1784	Santa Fe Ave	NW 12th St	NW 13th St	Minor Arterial	Concrete	94	83	48	Mod	V Good	0	0		79
3531	Santa Fe Ave	NW 13th St	NW 14th St	Minor Arterial	Asphalt	45	90	89	Strng	Good	31	23		66
1987	Santa Fe Ave	NW 14th St	NW 14th Pl	Minor Arterial	Asphalt	48	89	90	Strng	Good	28	23		68
1986	Santa Fe Ave	NW 14th Pl	Cambridge Ct	Minor Arterial	Asphalt	64	92	89	Strng	V Good	16	20		77
1501	Santa Fe Ave	Cambridge Ct	NW 15th St	Minor Arterial	Asphalt	65	93	87	Strng	V Good	17	18		77
1500	Santa Fe Ave	NW 15th St	Windermere Dr	Minor Arterial	Asphalt	62	90	90	Strng	V Good	20	18		76
2314	Santa Fe Ave	Windermere Dr	Odom Way	Minor Arterial	Asphalt	60	72	86	Strng	Good	17	23		69
2138	Santa Fe Ave	Odom Way	NW 18th St	Minor Arterial	Asphalt	63	93	86	Strng	V Good	17	21		75
2313	Santa Fe Ave	NW 18th St	NW 19th St	Minor Arterial	Asphalt	70	79	89	Strng	V Good	15	15		76
2378	Santa Fe Ave	NW 19th St	DS@144N NW 19th St	Minor Arterial	Asphalt	59	66	88	Strng	Good	20	21		67
3012	Santa Fe Ave	DS@144N NW 19th St	NW 20th St	Minor Arterial	Asphalt	71	81	91	Strng	V Good	9	20		78
3180	Santa Fe Ave	NW 20th St	Kings Rd	Minor Arterial	Asphalt	70	74	86	Strng	V Good	12	18		74
3179	Santa Fe Ave	Kings Rd	NW 21st St	Minor Arterial	Asphalt	64	83	82	Strng	V Good	13	24		72

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary									
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	OPCI Date	Current Segment PCI (CPCI)
3177	Santa Fe Ave	NW 21st St	NW 22nd St	Minor Arterial	Asphalt	60	83	90	Strng	V Good	18	21			73
3176	Santa Fe Ave	NW 22nd St	NW 23rd St	Minor Arterial	Asphalt	52	84	84	Strng	Good	21	27			67
2213	Santa Fe Ave	NW 23rd St	NW 24th St	Minor Arterial	Asphalt	67	83	90	Strng	V Good	10	23			76
3172	Santa Fe Ave	NW 24th St	NW 25th St	Minor Arterial	Asphalt	71	81	89	Strng	V Good	13	16			77
3169	Santa Fe Ave	Larkspur Rd	NW 26th St	Minor Arterial	Concrete	98	89	93	Mod	Excellent	0	0			94
3166	Santa Fe Ave	NW 26th St	NW 27th St	Minor Arterial	Concrete	97	89	82	Mod	Excellent	0	0			91
3268	Santa Fe Ave	NW 27th St	DS@847N NW 27th St	Minor Arterial	Concrete	98	89	83	Mod	Excellent	0	0			92
2476	Santa Fe Ave	DS@847N NW 27th St	DS@1169N NW 27th St	Minor Arterial	Asphalt	19	68	77	Strng	Marginal	44	37			44
1904	Santa Fe Ave	DS@1169N NW 27th St	NW 32nd St	Minor Arterial	Asphalt	45	73	66	Mod	Fair	20	35			56
3162	Santa Fe Ave	NW 32nd St	DS@183N NW 32nd St	Minor Arterial	Asphalt	49	64	76	Strng	Fair	19	32			59
3163	Santa Fe Ave	DS@183N NW 32nd St	NW 33rd St	Minor Arterial	Asphalt	54	69	87	Strng	Good	16	31			65
3142	Santa Fe Ave	NW 33rd St	DS@364N NW 33rd St	Minor Arterial	Asphalt	50	67	87	Strng	Good	15	35			63
3160	Santa Fe Ave	DS@364N NW 33rd St	NW 34th St	Minor Arterial	Asphalt	16	41	56	Mod	Poor	52	31			31
2977	Santa Fe Ave	NW 34th St	DS@281N NW 34th St	Minor Arterial	Asphalt	29	56	70	Mod	Marginal	38	33			45
2664	Santa Fe Ave	DS@281N NW 34th St	S Santa Fe Ave	Minor Arterial	Asphalt	61	73	79	Strng	Good	9	30			67
3201	Santa Fe Ave	S Santa Fe Ave	DS@831N S Santa Fe Ave	Minor Arterial	Asphalt	95	100	85	Strng	Excellent	3	2			93
3203	Santa Fe Ave	DS@863N S Santa Fe Ave	SW 34th St	Minor Arterial	Asphalt	90	88	93	Strng	Excellent	4	6			90
3207	Santa Fe Ave	SW 34th St	SW 31st St	Minor Arterial	Asphalt	64	76	84	Strng	V Good	12	24			71
3205	Santa Fe Ave	SW 31st St	SW 30th St	Minor Arterial	Asphalt	67	79	86	Strng	V Good	9	25			74
2129	Santa Fe Ave	SW 30th St	SW 28th St	Minor Arterial	Concrete	92	83	91	Mod	Excellent	0	0			89
1742	Santa Fe Ave	SW 28th St	S Greens Dr	Minor Arterial	Concrete	100	90	87	Mod	Excellent	0	0			94
1741	Santa Fe Ave	S Greens Dr	SW 24th St	Minor Arterial	Asphalt	68	94	94	Strng	V Good	5	27			80
3493	Santa Fe Ave	SW 24th St	Greens Dr	Minor Arterial	Asphalt	64	95	91	Strng	V Good	9	27			78
3494	Santa Fe Ave	Greens Dr	SW 19th St	Minor Arterial	Asphalt	53	64	88	Strng	Good	17	30			63
2266	Santa Fe Ave	SW 19th St	SW 16th St	Minor Arterial	Asphalt	68	67	95	Strng	V Good	8	21			74
1013	Santa Fe Ave	SW 16th St	SW 15th St	Minor Arterial	Asphalt	84	90	88	Strng	Excellent	6	9			86
1020	Santa Fe Ave	SW 15th St	SW 14th St	Minor Arterial	Asphalt	85	88	89	Strng	Excellent	6	9			86
3136	Santa Fe Ave	SW 14th St	SW 13th St	Minor Arterial	Asphalt	85	91	93	Strng	Excellent	7	8			88
3135	Santa Fe Ave	SW 13th St	SW 12th St	Minor Arterial	Asphalt	83	88	94	Strng	Excellent	3	13			87
2425	Santa Fe Ave	SW 12th St	SW 11th St	Minor Arterial	Asphalt	88	92	90	Strng	Excellent	1	11			89
3194	Santa Fe Ave	SW 11th St	DS@1006N SW 11th St	Minor Arterial	Asphalt	79	95	89	Strng	Excellent	5	16			85
3488	Santa Fe Ave	DS@1006N SW 11th St	DS@1727N SW 11th St	Minor Arterial	Asphalt	84	98	89	Strng	Excellent	1	16			88
3489	Santa Fe Ave	DS@1727N SW 11th St	SW 4th St	Minor Arterial	Asphalt	75	83	89	Strng	V Good	8	17			80
2465	Santa Fe Ave	SW 4th St	DS@208N SW 4th St	Minor Arterial	Concrete	71	55	76	Mod	Good	0	0			68
2433	Santa Fe Ave	DS@208N SW 4th St	SW 3rd St	Minor Arterial	Concrete	89	69	85	Mod	V Good	0	0			82
2195	Santa Fe Ave	SW 3rd St	SW 2nd St	Minor Arterial	Concrete	90	71	82	Mod	V Good	0	0			83
2472	Santa Fe Ave	SW 2nd St	SW 1st St	Minor Arterial	Concrete	86	75	78	Mod	V Good	0	0			81
3191	Santa Fe Ave	SW 1st St	DS@226N SW 1st St	Minor Arterial	Concrete	86	67	77	Mod	V Good	0	0			79
3193	Santa Fe Ave	DS@226N SW 1st St	W Main St	Minor Arterial	Concrete	87	68	45	Mod	V Good	0	0			71

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3171	Santa Fe Ave	NW 25th St	Larkspur Rd	Minor Arterial	Asphalt	56	64	87	Strng	Good	22	22		65
3501	Santa Fe Ave	NW 35th St	NORTH END	Minor Arterial	Asphalt	52	52	88	Strng	Good	21	28		60
4029	Santa Fe St	S Santa Fe St	NE 1st St	Local	Asphalt	57	71	57	Mod	Good	21	23		59
1160	Santa Fe St	NE 1st St	NE 2nd St	Local	Asphalt	44	74	90	Strng	Good	38	18		62
2620	Santa Fe St	NE 2nd St	NE 3rd St	Local	Asphalt	28	67	90	Strng	Fair	55	18		52
1207	Santa Fe St	SE 4th St	SE 3rd St	Local	Asphalt	28	43	90	Strng	Marginal	36	30		46
1596	Santa Fe St	SE 3rd St	SE 2nd St	Local	Asphalt	12	40	90	Strng	Poor	54	30		38
1436	Santa Fe St	SE 2nd St	SE 1st St	Local	Asphalt	6	62	90	Strng	Marginal	64	30		40
4031	Santa Fe St	SE 1st St	E Main St	Local	Asphalt	22	40	90	Strng	Marginal	47	30		42
1092	Sarah Ln	NE 20th St	NE 21st St	Local	Asphalt	41	57	90	Strng	Fair	24	35		56
1724	Schooner Way	E Main St	NE 2nd St	Local	Asphalt	76	73	71	Mod	V Good	5	19		74
3863	Sendera Lakes Dr	Acoma Dr	DS@402N Acoma Dr	Local	Asphalt	80	65	68	Mod	V Good	6	14		73
3861	Sendera Lakes Dr	DS@402N Acoma Dr	Lago Dr	Local	Asphalt	80	74	83	Strng	V Good	8	12		79
3860	Sendera Lakes Dr	Lago Dr	DS@276N Lago Dr	Local	Asphalt	78	70	74	Mod	V Good	7	15		74
3859	Sendera Lakes Dr	DS@276N Lago Dr	SW 34th St	Local	Asphalt	79	64	63	Mod	V Good	0	21		70
2508	Sequoyah Ave	NE 12th St	Delmar Cir	Local	Concrete	76	55	40	Mod	Good	0	0		61
1637	Sequoyah Ave	Delmar Cir	East Hills Dr	Local	Concrete	71	49	69	Mod	Good	0	0		65
3497	Sequoyah Ave	NE 25th St	NE 27th St	Local	Concrete	78	61	54	Mod	Good	0	0		67
1626	Sequoyah Cir	NE 11th St	NORTH END	Local	Concrete	73	52	43	Mod	Good	0	0		59
2543	Sequoyah Ct	SOUTH END	DS@192N SOUTH END	Local	Concrete	95	84	82	Mod	Excellent	0	0		89
2019	Sequoyah Ct	DS@192N SOUTH END	NE 19th St	Local	Concrete	97	88	87	Mod	Excellent	0	0		92
1420	Service Rd	S I-35 Service Rd	N Classen Ave	Local	Concrete	72	62	95	Mod	V Good	0	0		75
1419	Service Rd	N Classen Ave	NW 1st St	Local	Concrete	89	75	96	Mod	Excellent	0	0		87
1418	Service Rd	NW 1st St	NW 5th St	Local	Concrete	84	66	85	Mod	V Good	0	0		79
2651	Service Rd	NW 5th St	DS@884N NW 5th St	Local	Concrete	67	45	86	Mod	Good	0	0		66
1259	Service Rd	DS@884N NW 5th St	I-35 Ramp	Local	Concrete	75	55	95	Mod	V Good	0	0		75
2101	Service Rd	I-35 Ramp	I-35 Ramp	Local	Concrete	72	61	64	Mod	Good	0	0		67
2100	Service Rd	I-35 Ramp	I-35 Ramp	Local	Concrete	94	83	85	Mod	Excellent	0	0		88
1712	Service Rd	I-35 Ramp	NW 12th St	Local	Concrete	74	61	100	Mod	V Good	0	0		77
3563	Service Rd	NW 12th St	DS@1282N NW 12th St	Local	Concrete	100	90	99	Mod	Excellent	0	0		96
4068	Service Rd	DS@1282N NW 12th St	Shields Blvd	Local	Concrete	93	85	99	Mod	Excellent	0	0		92
4066	Service Rd	Shields Blvd	Shields Blvd	Local	Concrete	99	90	97	Mod	Excellent	0	0		95
4065	Service Rd	Shields Blvd	I-35 Ramp	Local	Concrete	100	96	94	Mod	Excellent	0	0		97
4063	Service Rd	I-35 Ramp	DS@749N I-35 Ramp	Local	Concrete	94	82	97	Mod	Excellent	0	0		91
2990	Service Rd	DS@749N I-35 Ramp	N Moore Ave	Local	Concrete	99	90	99	Mod	Excellent	0	0		96
1981	Service Rd	N Moore Ave	NW 27th St	Local	Concrete	87	72	94	Mod	Excellent	0	0		85
2989	Service Rd	NW 27th St	DS@436N NW 27th St	Local	Concrete	93	81	95	Mod	Excellent	0	0		90
1864	Service Rd	DS@436N NW 27th St	I-35 Ramp	Local	Concrete	97	88	98	Mod	Excellent	0	0		95
1482	Service Rd	I-35 Ramp	NORTH END	Local	Concrete	99	90	96	Mod	Excellent	0	0		95

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1341	Service Rd	I-35 Ramp	NORTH END	Local	Concrete	100	90	98	Mod	Excellent	0	0		96
4072	Service Rd	DS@1625N NW 12th St	N Broadway Ave	Local	Concrete	91	72	97	Mod	Excellent	0	0		87
1383	Service Rd	DS@572N NW 12th St	DS@1625N NW 12th St	Local	Concrete	54	56	92	Mod	Good	0	0		63
4071	Service Rd	N Service Rd	N Broadway Ave	Local	Concrete	47	66	98	Mod	Good	0	0		63
2121	Service Rd	NW 12th St	DS@572N NW 12th St	Local	Concrete	71	56	70	Mod	Good	0	0		66
2122	Service Rd	I-35 Ramp	NW 12th St	Local	Concrete	78	59	94	Mod	V Good	0	0		77
2124	Service Rd	I-35 Ramp	I-35 Ramp	Local	Concrete	82	64	82	Mod	V Good	0	0		77
3571	Service Rd	Platt Ln	I-35 Ramp	Local	Concrete	75	54	81	Mod	V Good	0	0		70
2407	Service Rd	Briarwood St	Platt Ln	Local	Concrete	76	56	96	Mod	V Good	0	0		76
2408	Service Rd	I-35 Ramp	Briarwood St	Local	Concrete	56	58	94	Mod	Good	0	0		66
1212	Service Rd	DS@699N NW 5th St	I-35 Ramp	Local	Concrete	85	67	96	Mod	V Good	0	0		83
3347	Service Rd	NW 5th St	DS@699N NW 5th St	Local	Concrete	70	55	68	Mod	Good	0	0		65
4023	Service Rd	NW 3rd St	NW 5th St	Local	Concrete	76	63	75	Mod	V Good	0	0		72
4024	Service Rd	NW 2nd St	NW 3rd St	Local	Concrete	76	67	79	Mod	V Good	0	0		74
4028	Service Rd	NW 1st St	NW 2nd St	Local	Concrete	69	65	70	Mod	Good	0	0		68
4026	Service Rd	S I-35 Service Rd	NW 1st St	Local	Concrete	81	62	76	Mod	V Good	0	0		75
3728	Shady Creek Ln	SE 34th St	NORTH END	Local	Asphalt	61	50	90	Strng	Good	19	18		65
3766	Shannon Dr	Country Club Dr	SE 34th St	Local	Concrete	78	59	52	Mod	Good	0	0		66
2361	Sharon Dr	NE 32nd St	NE 34th St	Local	Asphalt	60	60	90	Strng	Good	23	17		67
1077	Shearer Cir	St Charles St	SE END	Local	Concrete	91	75	49	Mod	V Good	0	0		77
1756	Shelly Ct	SOUTH END	DS@200N SOUTH END	Local	Concrete	61	47	68	Mod	Fair	0	0		58
1757	Shelly Ct	DS@200N SOUTH END	NE 19th St	Local	Concrete	48	39	53	Mod	Marginal	0	0		46
1773	Sherwood Ct	Edgewood Dr	EAST END	Local	Concrete	46	53	43	Mod	Marginal	0	0		46
1774	Sherwood Dr	Bellaire Dr	Fox Ave	Local	Concrete	45	29	46	Mod	Marginal	0	0		41
1716	Sherwood Dr	Fox Ave	Cowan Pl	Local	Concrete	61	44	44	Mod	Fair	0	0		52
1717	Sherwood Dr	Cowan Pl	Cowan Pl	Local	Concrete	58	35	44	Mod	Marginal	0	0		48
2098	Sherwood Dr	Cowan Pl	N Nail Pkwy	Local	Concrete	75	55	43	Mod	Good	0	0		61
1819	Shields Blvd	NW 27th St	Shields Blvd	Minor Arterial	Asphalt	46	86	75	Mod	Good	17	35		62
1083	Shields Blvd	NW 27th St	N Janeway Ave	Minor Arterial	Asphalt	41	75	79	Strng	Fair	34	24		58
1839	Shields Blvd	N Janeway Ave	NW 34th St	Minor Arterial	Asphalt	42	96	60	Mod	Good	17	41		59
3155	Shields Blvd	NW 34th St	NW 35th St	Minor Arterial	Asphalt	43	99	93	Strng	Good	18	39		69
3152	Shields Blvd	Cass Ave	NW 35th St	Minor Arterial	Asphalt	50	86	81	Strng	Good	17	33		66
1840	Shields Blvd	NW 27th St	Cass Ave	Minor Arterial	Asphalt	32	79	65	Mod	Fair	31	37		51
2431	Shields Blvd	NW 27th St	Shields Blvd	Minor Arterial	Asphalt	34	79	66	Mod	Fair	36	30		52
1191	Shields Blvd	N Shields Blvd	N Service Rd	Minor Arterial	Concrete	99	90	97	Mod	Excellent	0	0		96
1192	Shields Blvd	N Shields Blvd	N Service Rd	Minor Arterial	Concrete	99	90	6	Mod	V Good	0	0		73
1763	Sidney Dr	SE 19th St	Williams Dr	Local	Concrete	80	60	48	Mod	Good	0	0		66
3874	Siena Blvd	NE 27th Ter	NE 27th St	Local	Asphalt	90	71	90	Strng	Excellent	0	10		85
4100	Siena Ln	NE 25th St	NE 26th St	Local	Asphalt	80	68	43	Weak	Good	7	13		67

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
4099	Siena Ln	NE 26th St	NE 27th Ter	Local	Asphalt	84	65	90	Strng	V Good	0	16		80
2173	Silver Ash Dr	NE 12th St	NE 14th St	Local	Concrete	87	68	41	Mod	V Good	0	0		70
3583	Silver Leaf Dr	NE 6th St	N Patterson Dr	Local	Concrete	99	90	56	Mod	Excellent	0	0		85
1673	Silver Leaf Dr	Wilkinson Dr	N Patterson Dr	Local	Concrete	91	74	86	Mod	Excellent	0	0		85
3331	Silver Leaf Dr	Wilkinson Dr	NE 9th St	Local	Concrete	96	86	61	Mod	V Good	0	0		84
3329	Silver Leaf Dr	NE 9th St	NE 10th St	Local	Concrete	98	89	81	Mod	Excellent	0	0		91
1625	Silver Leaf Dr	NE 10th St	NE 12th St	Local	Concrete	94	82	79	Mod	Excellent	0	0		87
3375	Silver Leaf Dr	SE 8th St	SE 4th St	Local	Concrete	76	56	57	Mod	Good	0	0		66
3377	Silver Leaf Dr	SE 4th St	E Main St	Local	Concrete	83	65	57	Mod	V Good	0	0		72
2047	Silver Maple Ct	SW END	SE 9th St	Local	Concrete	84	65	60	Mod	V Good	0	0		73
1179	Silver Medal Dr	SOUTH END	NE 6th St	Local	Concrete	85	67	47	Mod	V Good	0	0		71
1510	Smoking Oaks Cir	SW END	S Ramblin Oaks Dr	Local	Concrete	87	69	70	Mod	V Good	0	0		78
2217	Smoking Tree Rd	NE 12th St	DS@388N NE 12th St	Local	Concrete	63	46	41	Mod	Fair	0	0		53
2293	Smoking Tree Rd	DS@388N NE 12th St	DS@736N NE 12th St	Local	Concrete	72	52	49	Mod	Good	0	0		60
2301	Smoking Tree Rd	DS@736N NE 12th St	Ember Glow Dr	Local	Concrete	77	57	24	Mod	Fair	0	0		58
2137	Smoking Tree Rd	Ember Glow Dr	NE 16th St	Local	Concrete	93	79	42	Mod	V Good	0	0		76
4111	Sonoma Lakes Blvd	NE 12th St	NE 13th St	Local	Asphalt	81	63	90	Strng	V Good	0	19		79
4104	Sonoma Lakes Blvd	NE 13th St	NE 15th St	Local	Asphalt	75	67	69	Mod	V Good	6	19		71
4113	Sonoma Lakes Blvd	NE 15th St	NE 14th St	Local	Asphalt	80	73	81	Strng	V Good	5	15		78
4268	Sorano Dr	SW 39th St	Lagos Dr	Local	Asphalt	100	90	70	Mod	Excellent	0	0		89
3662	Southern Hills Dr	SE 26th St	SE 25th St	Local	Asphalt	81	62	72	Mod	V Good	6	14		73
2144	Southminster Ave	NW 6th Pl	NW 7th St	Local	Concrete	58	45	46	Mod	Fair	0	0		51
1185	Southminster Ave	NW 7th Pl	Hargis Ln	Local	Concrete	63	43	57	Mod	Fair	0	0		56
1849	Southminster Ave	Hargis Ln	NW 8th St	Local	Concrete	71	53	54	Mod	Good	0	0		62
1869	Southminster Ave	NW 8th St	NW 9th St	Local	Concrete	62	40	48	Mod	Fair	0	0		52
1186	Southminster Ave	NW 9th St	NW 10th St	Local	Concrete	63	33	45	Mod	Fair	0	0		50
2768	Southminster Ave	NW 10th St	DS@358N NW 10th St	Local	Concrete	93	79	47	Mod	V Good	0	0		77
2585	Southminster Ave	DS@358N NW 10th St	NW 12th St	Local	Concrete	96	86	56	Mod	V Good	0	0		83
1984	Southminster Ave	NW 12th St	NW 14th St	Local	Concrete	56	44	47	Mod	Fair	0	0		50
1983	Southminster Ave	NW 14th St	NW 15th St	Local	Concrete	73	53	44	Mod	Good	0	0		60
2383	Sparrow Dr	SOUTH END	SE 33rd St	Local	Asphalt	70	51	90	Strng	V Good	7	23		69
2379	Sparrow Dr	SE 33rd St	SE 31st Pl	Local	Asphalt	65	62	90	Strng	V Good	13	22		70
1300	Spruce Dr	SE 12th St	SE 9th St	Local	Concrete	78	59	47	Mod	Good	0	0		65
1468	St Cecil Ave	SW 10th St	DS@193N SW 10th St	Local	Concrete	95	84	44	Mod	V Good	0	0		79
1467	St Cecil Ave	DS@193N SW 10th St	NW END	Local	Concrete	69	49	52	Mod	Fair	0	0		59
3237	St Charles Cir	WEST END	Glenwood Dr	Local	Concrete	64	43	49	Mod	Fair	0	0		55
3533	St Charles St	Emerwood Rd	Shearer Cir	Local	Concrete	89	70	44	Mod	V Good	0	0		72
1142	St Charles St	Shearer Cir	Turtle Lake Rd	Local	Concrete	90	71	42	Mod	V Good	0	0		73
2220	St George Ave	NW 10th St	NW 12th St	Local	Concrete	87	68	43	Mod	V Good	0	0		71

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary									
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	OPCI Date	Current Segment PCI (CPCI)
3565	St George Ave	NW 12th St	NW 14th St	Local	Concrete	95	85	75	Mod	Excellent	0	0			87
2777	St George Cir	WEST END	N Janeway Ave	Local	Asphalt	37	51	90	Strng	Fair	37	23			53
3753	St John Ave	SW 32nd St	Broadway Ter	Local	Concrete	81	62	44	Mod	Good	0	0			67
3756	St John Ave	Broadway Ter	S Broadway Ave	Local	Concrete	91	73	64	Mod	V Good	0	0			80
3750	St Thomas Ave	SW 32nd St	DS@542N SW 32nd St	Local	Concrete	70	49	81	Mod	Good	0	0			67
3749	St Thomas Ave	DS@542N SW 32nd St	Broadway Ter	Local	Concrete	64	51	48	Mod	Fair	0	0			56
3757	St Thomas Ave	Broadway Ter	S Broadway Ave	Local	Concrete	93	79	47	Mod	V Good	0	0			77
1268	Stadium Rd	NE 9th St	NE 10th St	Local	Concrete	81	62	44	Mod	Good	0	0			66
1520	Stadium Rd	NE 11th St	NE 10th St	Local	Concrete	67	50	66	Mod	Good	0	0			62
3307	Stadium Rd	NE 11th St	NE 12th St	Local	Concrete	95	84	58	Mod	V Good	0	0			82
1295	Stefanie Ln	NE 20th St	NE 21st St	Local	Asphalt	47	62	58	Mod	Fair	17	37			52
2627	Stoneridge Dr	White Oak Rd	DS@464E White Oak Rd	Local	Concrete	85	66	43	Mod	Good	0	0			69
1573	Stoneridge Dr	DS@464E White Oak Rd	SE 12th St	Local	Concrete	98	89	46	Mod	V Good	0	0			83
1202	Stoneridge Dr	SE 12th St	DS@374N SE 12th St	Local	Concrete	99	90	60	Mod	Excellent	0	0			86
1201	Stoneridge Dr	DS@374N SE 12th St	Madison Place Dr	Local	Asphalt	62	60	90	Strng	Good	17	21			68
1610	Stoneridge Dr	Madison Place Dr	NORTH END	Local	Asphalt	62	37	87	Strng	Good	16	22			61
2037	Stoneridge Dr	SE 9th Ct	Blue Ridge Rd	Local	Concrete	41	65	44	Mod	Marginal	0	0			47
3232	Stoneridge Dr	Glenwood Dr	Blue Ridge Rd	Local	Concrete	55	54	76	Mod	Good	0	0			60
3257	Stoneridge Dr	Tower Dr	Glenwood Dr	Local	Concrete	58	29	90	Mod	Fair	0	0			59
1433	Stout Cir	NW 7th Pl	NORTH END	Local	Concrete	83	64	49	Mod	Good	0	0			69
3554	Stratford Pl	SOUTH END	SE 34th St	Local	Asphalt	75	54	52	Mod	Good	7	18			63
2924	Summerhill Dr	WEST END	DS@159E WEST END	Local	Asphalt	72	50	90	Strng	V Good	8	20			71
3025	Summerhill Dr	DS@159E WEST END	NE 11th Pl	Local	Asphalt	46	50	90	Strng	Fair	29	26			57
3298	Summerhill Dr	NE 11th Pl	NE 12th St	Local	Asphalt	77	57	90	Strng	V Good	5	18			75
1632	Sun Tree Cir	SE 14th St	NE END	Local	Concrete	88	69	46	Mod	V Good	0	0			72
4122	Sunnylane Rd	S Sunnylane Rd	DS@1645N S Sunnylane Rd	Minor Arterial	Asphalt	90	96	55	Mod	V Good	8	2			82
1528	Sunnylane Rd	DS@1645N S Sunnylane Rd	NE 4th St	Minor Arterial	Asphalt	90	100	74	Mod	Excellent	8	2			88
3520	Sunnylane Rd	NE 4th St	NE 7th St	Minor Arterial	Asphalt	91	97	75	Mod	Excellent	7	3			88
3148	Sunnylane Rd	NE 7th St	NE 12th St	Minor Arterial	Asphalt	84	99	69	Mod	V Good	15	1			84
3150	Sunnylane Rd	NE 12th St	Decker Dr	Minor Arterial	Asphalt	86	85	30	Weak	V Good	9	5			71
3149	Sunnylane Rd	Decker Dr	Regina Dr	Minor Arterial	Asphalt	79	100	65	Mod	V Good	9	12			80
2302	Sunnylane Rd	Regina Dr	NORTH END	Minor Arterial	Asphalt	97	100	47	Mod	Excellent	3	0			85
2382	Sunnylane Rd	S Sunnylane Rd	SE 38th St	Minor Arterial	Asphalt	79	98	83	Strng	V Good	5	16			84
3481	Sunnylane Rd	SE 38th St	SE 34th St	Minor Arterial	Asphalt	64	83	75	Mod	V Good	16	18			71
3482	Sunnylane Rd	SE 34th St	SE 27th St	Minor Arterial	Asphalt	93	100	72	Mod	Excellent	6	1			89
3139	Sunnylane Rd	SE 27th St	Seiter Ln	Minor Arterial	Asphalt	90	100	53	Mod	V Good	8	2			83
3138	Sunnylane Rd	DS@1719S SE 19th St	Seiter Ln	Minor Arterial	Asphalt	99	100	46	Mod	Excellent	0	1			86
2570	Sunnylane Rd	Seiter Ln	DS@927N Seiter Ln	Minor Arterial	Asphalt	91	100	60	Mod	Excellent	7	2			93
1563	Sunnylane Rd	DS@927N Seiter Ln	SE 19th St	Minor Arterial	Asphalt	92	100	55	Mod	V Good	6	2			84

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2824	Sunnylane Rd	SE 19th St	DS@1719S SE 19th St	Minor Arterial	Asphalt	99	90	60	Mod	Excellent	1	0		95
1176	Sunnylane Rd	SE 19th St	DS@662N SE 19th St	Minor Arterial	Asphalt	82	84	62	Mod	V Good	18	0		77
3133	Sunnylane Rd	DS@662N SE 19th St	DS@2307N SE 19th St	Minor Arterial	Asphalt	92	100	58	Mod	Excellent	7	0		85
3134	Sunnylane Rd	DS@2307N SE 19th St	DS@3450N SE 19th St	Minor Arterial	Asphalt	92	100	60	Mod	Excellent	7	1		85
3144	Sunnylane Rd	DS@3450N SE 19th St	SE 4th St	Minor Arterial	Asphalt	90	94	56	Mod	V Good	8	1		82
1036	Sunrise Dr	NW 12th St	DS@384N NW 12th St	Local	Concrete	81	62	44	Mod	Good	0	0		66
1037	Sunrise Dr	DS@384N NW 12th St	DS@672N NW 12th St	Local	Concrete	66	46	45	Mod	Fair	0	0		55
1327	Sunrise Dr	DS@672N NW 12th St	DS@948N NW 12th St	Local	Concrete	51	47	44	Mod	Marginal	0	0		47
1326	Sunrise Dr	DS@948N NW 12th St	DS@1084N NW 12th St	Local	Concrete	59	39	43	Mod	Marginal	0	0		49
2309	Sunrise Dr	DS@1084N NW 12th St	NW 17th St	Local	Concrete	74	52	44	Mod	Good	0	0		60
2658	Sunrise Dr	NW 17th St	NW 18th Pl	Local	Concrete	62	45	45	Mod	Fair	0	0		53
1555	Sunrise Dr	NW 18th Pl	NW 18th St	Local	Concrete	60	46	40	Mod	Fair	0	0		51
2610	Sunrise Dr	NW 18th St	NW 19th St	Local	Concrete	73	51	51	Mod	Good	0	0		61
1198	Sunrise Dr	NW 20th St	NW 19th St	Local	Concrete	83	64	59	Mod	V Good	0	0		72
1025	Sunrise Dr	NW 21st St	NW 20th St	Local	Concrete	80	61	69	Mod	V Good	0	0		72
2589	Sunrise Dr	NW 22nd St	NW 21st St	Local	Concrete	40	46	78	Mod	Fair	0	0		50
1343	Sunset Dr	NW 19th St	NW 20th St	Local	Concrete	51	51	48	Mod	Fair	0	0		49
1948	Sunset Dr	NW 21st St	NW 22nd St	Local	Concrete	60	55	42	Mod	Fair	0	0		54
4211	Superior Dr	NE 33rd St	NE 34th Ter	Local	Asphalt	86	67	89	Strng	V Good	1	14		81
4216	Superior Dr	NE 34th Ter	NE 34th St	Local	Asphalt	83	67	90	Strng	V Good	0	18		80
4213	Superior Dr	NE 34th St	NORTH END	Local	Asphalt	91	74	76	Strng	V Good	0	9		83
1996	Sutton Cir	NW END	DS@499E NW END	Local	Concrete	68	47	44	Mod	Fair	0	0		56
1997	Sutton Cir	DS@499E NW END	N Broadway Ave	Local	Concrete	74	52	44	Mod	Good	0	0		60
1684	Sweetgum St	SE 12th St	SE 10th St	Local	Concrete	98	89	58	Mod	Excellent	0	0		86
1422	Sweetgum St	SE 10th St	SE 9th St	Local	Concrete	89	69	61	Mod	V Good	0	0		77
1513	Sweetgum St	SE 9th St	SE 8th St	Local	Concrete	65	54	63	Mod	Good	0	0		61
1512	Sweetgum St	SE 8th St	SE 7th St	Local	Concrete	68	60	43	Mod	Fair	0	0		59
1421	Sweetgum St	SE 7th St	SE 6th St	Local	Concrete	80	61	67	Mod	V Good	0	0		71
1494	Syracuse St	Meadowland Dr	Empire Ave	Local	Asphalt	66	51	90	Strng	Good	16	18		67
2135	Syracuse St	Empire Ave	NORTH END	Local	Asphalt	72	53	90	Strng	V Good	8	20		71
4276	Tahoe Dr	SOUTH END	NE 33rd Ter	Local	Asphalt	70	74	90	Strng	V Good	6	23		76
4275	Tahoe Dr	NE 33rd Ter	NE 35th St	Local	Asphalt	93	79	87	Strng	Excellent	0	7		87
1643	Tara Dr	SE 17th St	SE 16th St	Local	Asphalt	78	59	90	Strng	V Good	7	16		76
2003	Tara Dr	SE 16th St	SE 15th St	Local	Asphalt	72	65	90	Strng	V Good	15	13		74
1644	Tara Dr	SE 15th St	SE 14th St	Local	Asphalt	78	59	90	Strng	V Good	6	16		76
1642	Tara Dr	SE 14th St	SE 13th St	Local	Asphalt	59	38	90	Strng	Good	24	16		61
3998	Tasha Cir	WEST END	Woodstock Rd	Local	Asphalt	78	60	86	Strng	V Good	2	20		75
1018	Teak Ct	SOUTH END	SE 9th St	Local	Concrete	89	70	57	Mod	V Good	0	0		76
1748	Telephone Rd	S Telephone Rd	NW 1st St	Minor Arterial	Asphalt	86	87	85	Strng	Excellent	5	8		86

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1252	Telephone Rd	NW 1st St	NW 1st St	Minor Arterial	Asphalt	83	87	90	Strng	Excellent	0	17		86
2428	Telephone Rd	NW 1st St	NW 2nd St	Minor Arterial	Asphalt	79	83	88	Strng	V Good	0	21		82
1886	Telephone Rd	NW 2nd St	NW 5th St	Minor Arterial	Asphalt	72	66	59	Mod	Good	7	20		66
1362	Telephone Rd	36th Ave NW	Hillsdale Baptist College Rd	Minor Arterial	Asphalt	63	72	79	Strng	Good	12	25		68
2042	Telephone Rd	Hillsdale Baptist College Rd	DS@110N Hillsdale Baptist College Rd	Minor Arterial	Asphalt	55	52	61	Mod	Fair	15	29		55
1129	Telephone Rd	DS@110N Hillsdale Baptist College Rd	SW 40th St	Minor Arterial	Asphalt	60	75	81	Strng	Good	17	20		68
1034	Telephone Rd	SW 40th St	SW 38th St	Minor Arterial	Asphalt	55	88	81	Strng	Good	18	27		69
1182	Telephone Rd	SW 38th St	SW 35th St	Minor Arterial	Asphalt	73	77	71	Mod	V Good	10	15		73
3870	Telephone Rd	SW 35th St	SW 34th St	Minor Arterial	Concrete	100	90	70	Mod	Excellent	0	0		89
3869	Telephone Rd	SW 34th St	Willow Bend Blvd	Minor Arterial	Asphalt	77	70	74	Mod	V Good	9	14		74
2422	Telephone Rd	Willow Bend Blvd	SW 30th Ct	Minor Arterial	Asphalt	70	73	84	Strng	V Good	9	21		73
2827	Telephone Rd	SW 30th Ct	Magnolia Ct	Minor Arterial	Asphalt	70	73	76	Strng	V Good	11	19		72
1110	Telephone Rd	SW 25th St	SW 19th St	Minor Arterial	Asphalt	57	65	71	Mod	Good	20	22		61
3801	Telephone Rd	SW 25th St	SW 19th St	Minor Arterial	Asphalt	60	65	61	Mod	Good	18	20		61
3802	Telephone Rd	SW 19th St	SW 17th St	Minor Arterial	Concrete	91	74	87	Mod	Excellent	0	0		85
1881	Telephone Rd	SW 17th St	SW 15th St	Minor Arterial	Concrete	100	90	88	Mod	Excellent	0	0		94
2660	Telephone Rd	SW 15th St	SW 14th St	Minor Arterial	Asphalt	82	79	86	Strng	V Good	15	3		82
1272	Telephone Rd	SW 14th St	SW 13th St	Minor Arterial	Asphalt	88	83	89	Strng	Excellent	1	11		87
1271	Telephone Rd	SW 13th St	SW 12th St	Minor Arterial	Asphalt	82	90	82	Strng	V Good	4	14		84
1672	Telephone Rd	SW 12th St	SW 11th St	Minor Arterial	Asphalt	83	82	90	Strng	V Good	4	13		84
2625	Telephone Rd	SW 11th St	SW 10th St	Minor Arterial	Asphalt	82	84	90	Strng	V Good	3	15		84
1454	Telephone Rd	SW 10th St	SW 9th St	Minor Arterial	Asphalt	86	89	87	Strng	Excellent	0	15		86
2659	Telephone Rd	SW 9th St	SW 8th St	Minor Arterial	Asphalt	78	96	90	Strng	Excellent	5	17		85
3098	Telephone Rd	SW 8th St	Bill Warren Dr	Minor Arterial	Asphalt	80	92	90	Strng	Excellent	0	20		85
3099	Telephone Rd	Bill Warren Dr	SW 7th St	Minor Arterial	Asphalt	84	81	59	Mod	V Good	2	14		76
1385	Telephone Rd	SW 7th St	SW 7th St	Minor Arterial	Asphalt	84	82	87	Strng	V Good	1	15		84
1364	Telephone Rd	SW 7th St	Kings Manor Dr	Minor Arterial	Asphalt	86	90	90	Strng	Excellent	0	14		88
2795	Telephone Rd	Kings Manor Dr	SW 6th ST	Minor Arterial	Asphalt	88	86	81	Strng	Excellent	0	13		85
2310	Telephone Rd	SW 6th ST	SW 6th St	Minor Arterial	Asphalt	87	99	72	Mod	Excellent	0	13		86
1781	Telephone Rd	SW 6th St	SW 5th St	Minor Arterial	Asphalt	77	83	86	Strng	V Good	10	13		81
3832	Telephone Rd	SW 5th St	SW 4th St	Minor Arterial	Concrete	70	47	91	Mod	Good	0	0		69
3833	Telephone Rd	SW 4th St	SW 3rd St	Minor Arterial	Concrete	57	47	95	Mod	Good	0	0		63
3834	Telephone Rd	SW 3rd St	SW 3rd St	Minor Arterial	Asphalt	84	70	88	Strng	V Good	6	10		81
3838	Telephone Rd	SW 3rd St	SW 2nd St	Minor Arterial	Asphalt	85	83	92	Strng	Excellent	1	14		86
3840	Telephone Rd	SW 2nd St	SW 2nd St	Minor Arterial	Asphalt	78	90	93	Strng	V Good	6	16		84
3842	Telephone Rd	SW 2nd St	SW 1st St	Minor Arterial	Asphalt	84	83	90	Strng	Excellent	3	13		85
3845	Telephone Rd	SW 1st St	SW 1st St	Minor Arterial	Asphalt	86	83	90	Strng	Excellent	0	14		86
3844	Telephone Rd	SW 1st St	W Main St	Minor Arterial	Asphalt	87	75	87	Strng	V Good	1	12		83
3770	Teresa Dr	SE 38th St	SE 35th St	Local	Concrete	91	73	69	Mod	V Good	0	0		81

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1325	Thomas Dr	NE 24th St	NE 25th Ct	Local	Asphalt	56	48	90	Strng	Good	21	23		62
1953	Thomas Dr	NE 25th Ct	NORTH END	Local	Asphalt	53	36	44	Weak	Marginal	24	19		45
3514	Thompson Dr	Freeman Dr	N Broadway Ave	Local	Asphalt	29	52	70	Mod	Marginal	40	31		44
1662	Tiffany Dr	Country Club Dr	SE 34th St	Local	Concrete	79	60	46	Mod	Good	0	0		66
4236	Timber Creek Way	SE 41st St	SE 39th St	Local	Asphalt	28	51	90	Strng	Marginal	48	18		48
4237	Timber Creek Way	SE 39th St	SE 38th St	Local	Asphalt	100	90	90	Strng	Excellent	0	0		94
4238	Timber Valley Dr	SE 41st St	SE 38th St	Local	Asphalt	71	60	90	Strng	V Good	21	8		73
3302	Touchdown Dr	Buck Thomas Dr	EAST END	Local	Asphalt	43	51	90	Strng	Fair	28	29		56
3374	Tower Cir	SOUTH END	SE 4th St	Local	Concrete	76	56	49	Mod	Good	0	0		64
2254	Tower Dr	S Broadway Ave	Wood View St	Local	Asphalt	54	68	81	Strng	Good	11	35		63
3933	Tower Dr	Wood View St	DS@538N Wood View St	Local	Asphalt	52	76	88	Strng	Good	13	34		67
3935	Tower Dr	DS@538N Wood View St	SE 10th St	Local	Asphalt	54	83	83	Strng	Good	8	38		68
4047	Tower Dr	SE 10th St	Madison Place Dr	Local	Asphalt	59	82	70	Mod	Good	9	32		66
4049	Tower Dr	Madison Place Dr	Stoneridge Dr	Local	Asphalt	50	79	93	Strng	Good	14	36		67
1829	Tower Dr	Stoneridge Dr	SE 8th St	Local	Asphalt	61	84	93	Strng	V Good	9	31		74
1164	Tower Dr	SE 8th St	SE 5th St	Local	Asphalt	61	83	82	Strng	V Good	7	30		71
2255	Tower Dr	SE 5th St	SE 4th St	Local	Concrete	87	69	59	Mod	V Good	0	0		75
2224	Tower Pl	SE 5th St	SE 4th St	Local	Concrete	73	52	46	Mod	Good	0	0		61
3895	Truitt St	NE 23rd St	NE 24th St	Local	Concrete	46	29	60	Mod	Marginal	0	0		45
3894	Truitt St	NE 24th St	NE 24th St	Local	Concrete	68	42	58	Mod	Fair	0	0		58
3276	Truitt St	NE 24th St	Northridge Rd	Local	Concrete	46	43	56	Mod	Marginal	0	0		47
1813	Tudor Dr	Windermere Dr	Regency Blvd	Local	Asphalt	55	58	90	Strng	Good	22	23		64
2054	Tudor Dr	Tudor Pl	Regency Blvd	Local	Asphalt	37	49	90	Strng	Fair	30	33		53
2240	Tudor Dr	NW 19th St	Tudor Pl	Local	Asphalt	44	60	82	Strng	Fair	24	32		57
2563	Tudor Pl	Tudor Dr	NE END	Local	Asphalt	54	57	90	Strng	Good	22	24		63
1161	Turner Ave	S Turner Ave	NE 1st St	Local	Asphalt	24	36	88	Strng	Marginal	47	28		42
1887	Turner Ave	NE 1st St	Turner Ave Apt	Local	Concrete	100	90	60	Mod	Excellent	0	0		87
1888	Turner Ave	Turner Ave Apt	NE 2nd St	Local	Asphalt	35	60	90	Strng	Fair	35	30		54
1822	Turner Ave	NE 2nd St	Turner Ave Apt	Local	Asphalt	37	62	66	Mod	Fair	27	36		50
1823	Turner Ave	Turner Ave Apt	NE 3rd St	Local	Asphalt	52	64	90	Strng	Good	24	24		64
2611	Turner Ave	SE 4th St	SE 3rd St	Local	Asphalt	58	41	90	Strng	Good	14	28		61
1437	Turner Ave	SE 3rd St	SE 2nd St	Local	Asphalt	61	53	90	Strng	Good	17	22		66
1209	Turner Ave	SE 2nd St	SE 1st St	Local	Asphalt	43	54	90	Strng	Fair	38	19		57
1250	Turner Ave	SE 1st St	N Turner Ave	Local	Asphalt	39	46	90	Strng	Fair	34	25		53
1014	Turner Ave Apt	N Turner Ave	N Turner Ave	Local	Concrete	75	54	52	Mod	Good	0	0		63
2578	Turtle Lake Rd	Woodcrest	Crosstimbers Dr	Local	Concrete	69	47	64	Mod	Good	0	0		62
2311	Turtle Lake Rd	Crosstimbers Dr	St Charles St	Local	Concrete	69	45	56	Mod	Fair	0	0		59
3751	Twin Cir	SW 32nd St	NORTH END	Local	Concrete	81	62	48	Mod	Good	0	0		68
3974	Tyler Ln	SW 25th St	SW 24th St	Local	Asphalt	71	48	87	Strng	Good	7	22		68

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1033	Tyler Ln	SW 24th St	SW 23rd St	Local	Concrete	87	68	56	Mod	V Good	0	0		74
1861	Tyler Ln	SW 23rd St	SW 22nd St	Local	Concrete	93	79	69	Mod	V Good	0	0		83
2837	UNKNOWN	N Nail Pkwy	Pole Rd	Local	Concrete	72	50	76	Mod	Good	0	0		67
1947	Vermeer Dr	N Janeway Ave	N Moore Ave	Local	Asphalt	63	57	82	Strng	Good	12	24		66
2882	Wall Cir	NW 6th St	NORTH END	Local	Concrete	77	57	49	Mod	Good	0	0		64
2323	Walnut Ct	WEST END	Old Mill Rd	Local	Concrete	68	43	91	Mod	Good	0	0		67
3183	Wandering Way	WEST END	DS@148E WEST END	Local	Concrete	87	68	51	Mod	V Good	0	0		72
3184	Wandering Way	DS@148E WEST END	NW 6th Pl	Local	Concrete	58	34	45	Mod	Marginal	0	0		48
3567	Washington Cir	NE 12th St	NE END	Local	Asphalt	53	51	90	Strng	Good	18	29		61
1650	Webster Ave	NW 32nd St	NW 33rd St	Local	Concrete	100	90	90	Mod	Excellent	0	0		94
1899	Webster Ave	NW 33rd St	NW 34th St	Local	Asphalt	100	90	44	Weak	V Good	0	0		83
1669	Webster Ave	NW 34th St	NW 34th St	Local	Asphalt	98	89	90	Strng	Excellent	2	0		93
1836	Webster Ave	NW 34th St	NW 35th St	Local	Asphalt	100	90	90	Strng	Excellent	0	0		94
1666	Wellington Ln	E Main St	NE 2nd St	Local	Concrete	83	65	59	Mod	V Good	0	0		72
2584	Wellington Ln	NE 2nd St	NORTH END	Local	Concrete	97	88	51	Mod	V Good	0	0		83
3653	Wesley Cir	S Broadway Ave	NE END	Local	Asphalt	59	41	62	Mod	Fair	16	25		54
2586	West End Ave	SOUTH END	SW 39th St	Local	Asphalt	56	50	68	Mod	Fair	17	28		56
1144	West End Ave	SW 39th St	SW 38th Pl	Local	Asphalt	57	31	70	Mod	Fair	19	24		53
3665	Westchester Dr	SE 24th St	SE 23rd St	Local	Asphalt	65	47	83	Strng	Good	9	26		65
3657	Westchester Dr	SE 23rd St	NORTH END	Local	Asphalt	76	74	90	Strng	V Good	0	24		79
1504	Westmore Dr	Lonnie Ln	SW 24th St	Local	Concrete	74	54	44	Mod	Good	0	0		61
2595	Westmore Dr	DS@391S SW 23rd St	Lonnie Ln	Local	Concrete	94	82	50	Mod	V Good	0	0		79
1676	Westmore Dr	SW 23rd St	DS@391S SW 23rd St	Local	Concrete	96	87	44	Mod	V Good	0	0		81
1473	Westmore Dr	SW 23rd St	SW 21st St	Local	Concrete	94	83	48	Mod	V Good	0	0		79
1913	Westmore Dr	SW 21st St	SW 20th St	Local	Concrete	99	90	61	Mod	Excellent	0	0		87
3198	Westmore Dr	SW 20th St	SW 19th St	Local	Concrete	79	60	65	Mod	V Good	0	0		70
1685	Whispering Oaks Blvd	SE 12th St	SE 10th St	Local	Concrete	73	52	44	Mod	Good	0	0		60
1686	Whispering Oaks Blvd	SE 10th St	SE 9th St	Local	Concrete	55	46	50	Mod	Fair	0	0		51
1687	Whispering Oaks Blvd	SE 9th St	SE 8th St	Local	Concrete	59	40	52	Mod	Fair	0	0		52
1956	Whispering Oaks Blvd	SE 8th St	SE 7th St	Local	Concrete	67	42	62	Mod	Fair	0	0		59
2782	Whispering Oaks Blvd	SE 7th St	SE 6th St	Local	Concrete	75	55	83	Mod	V Good	0	0		72
1955	Whispering Oaks Blvd	SE 6th St	Post Oak Ln	Local	Concrete	71	49	46	Mod	Fair	0	0		59
3321	Whispering Oaks Blvd	Post Oak Ln	Pinewood Dr	Local	Concrete	75	55	59	Mod	Good	0	0		66
3319	Whispering Oaks Blvd	Pinewood Dr	Cottonwood Dr	Local	Concrete	86	67	58	Mod	V Good	0	0		74
3323	Whispering Oaks Blvd	Cottonwood Dr	SE 5th St	Local	Concrete	89	70	49	Mod	V Good	0	0		74
3324	Whispering Oaks Blvd	SE 5th St	SE 4th St	Local	Concrete	82	63	43	Mod	Good	0	0		67
1827	White Oak Rd	Stoneridge Dr	Clover Rd	Local	Concrete	98	89	59	Mod	Excellent	0	0		86
1618	White Oak Rd	Clover Rd	NORTH END	Local	Concrete	73	51	42	Mod	Fair	0	0		59
2927	Wild Fire	NE 14th St	NE 15th St	Local	Concrete	95	85	41	Mod	V Good	0	0		79

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
3031	Wild Fire	NE 15th St	NE 16th St	Local	Concrete	89	70	33	Mod	V Good	0	0		69
3028	Wild Fire	NE 16th St	Fire Light Dr	Local	Concrete	75	55	59	Mod	Good	0	0		65
4120	Wilkinson Ct	NW END	Wilkinson Dr	Local	Concrete	84	66	56	Mod	V Good	0	0		72
2844	Wilkinson Dr	NE 4th St	Wilkinson Dr	Local	Concrete	81	62	87	Mod	V Good	0	0		78
2846	Wilkinson Dr	DS@177N NE 4th St	NE 5th St	Local	Concrete	95	84	69	Mod	Excellent	0	0		85
2847	Wilkinson Dr	NE 4th St	DS@177N NE 4th St	Local	Concrete	78	59	64	Mod	Good	0	0		69
2946	Wilkinson Dr	NE 5th St	NE 6th St	Local	Concrete	92	77	76	Mod	V Good	0	0		84
2944	Wilkinson Dr	NE 6th St	DS@136N NE 6th St	Local	Concrete	95	84	71	Mod	Excellent	0	0		86
2193	Wilkinson Dr	DS@136N NE 6th St	DS@376W NE 6th St	Local	Concrete	68	44	73	Mod	Good	0	0		63
2199	Wilkinson Dr	DS@376W NE 6th St	Wilkinson Ct	Local	Concrete	76	55	63	Mod	Good	0	0		67
2587	Wilkinson Dr	Wilkinson Ct	N Silver Leaf Dr	Local	Concrete	73	51	63	Mod	Good	0	0		64
1006	Williams Dr	Linda Ln	Sidney Dr	Local	Concrete	81	62	58	Mod	V Good	0	0		70
3233	Williams Dr	Sidney Dr	Glenwood Dr	Local	Concrete	89	70	57	Mod	V Good	0	0		76
3235	Williams Dr	Glenwood Dr	Kirby Dr	Local	Concrete	75	57	54	Mod	Good	0	0		65
1073	Williams Dr	Kirby Dr	Dyer Dr	Local	Concrete	65	58	48	Mod	Fair	0	0		59
1721	Willingham Way	Crestmoor Dr	Ashley Dr	Local	Concrete	72	50	41	Mod	Fair	0	0		58
3556	Willingham Way	Ashley Dr	NORTH END	Local	Concrete	74	54	43	Mod	Good	0	0		61
1294	Willow Bend Blvd	Sycamore Dr	S Telephone Rd	Local	Asphalt	73	55	90	Strng	V Good	10	17		72
1076	Willow Brook St	Wood Hollow Ln	Crosstimbers Dr	Local	Concrete	92	77	91	Mod	Excellent	0	0		87
2067	Willow Ln	SW 33rd St	SW 32nd St	Local	Asphalt	72	64	72	Mod	Good	1	27		69
1811	Willow Ln	SW 32nd St	SW 31st St	Local	Asphalt	61	48	65	Mod	Fair	20	16		58
3627	Willow Pine Dr	S Broadway Ave	Lois Arline Cir	Local	Concrete	57	29	47	Mod	Marginal	0	0		47
3678	Willow Pine Dr	Lois Arline Cir	Michelle Ct	Local	Concrete	87	68	48	Mod	V Good	0	0		72
3679	Willow Pine Dr	Michelle Ct	Elisabeth Anne Ter	Local	Concrete	55	54	43	Mod	Fair	0	0		52
3622	Willow Pine Dr	Elisabeth Anne Ter	Carol Cir	Local	Concrete	93	78	56	Mod	V Good	0	0		80
3617	Willow Pine Dr	Carol Cir	Jason Ryan Cir	Local	Concrete	92	77	48	Mod	V Good	0	0		77
3618	Willow Pine Dr	Jason Ryan Cir	Judy Ter	Local	Concrete	62	58	64	Mod	Good	0	0		61
3619	Willow Pine Dr	Judy Ter	NE END	Local	Concrete	85	66	56	Mod	V Good	0	0		73
3457	Wilson Blvd	SW 5th St	SW 4th St	Local	Concrete	96	87	64	Mod	Excellent	0	0		85
3964	Wimberley Creek Dr	Old S Bryant Ave	Renita Way	Local	Asphalt	78	59	41	Weak	Good	9	13		63
3965	Wimberley Creek Dr	Renita Way	SE END	Local	Asphalt	58	48	90	Strng	Good	15	27		63
1010	Wimberley Creek Dr	Ashwood Ln	DS@150E Ashwood Ln	Local	Asphalt	72	49	74	Mod	Good	10	18		66
2391	Wimberley Creek Dr	DS@150E Ashwood Ln	Julies Trl	Local	Asphalt	79	59	61	Mod	Good	11	9		69
2187	Windermere Dr	N Santa Fe Ave	DS@656E N Santa Fe Ave	Local	Concrete	46	37	42	Mod	Marginal	0	0		42
2200	Windermere Dr	DS@656E N Santa Fe Ave	Regency Blvd	Local	Concrete	57	41	44	Mod	Marginal	0	0		49
2758	Windermere Dr	Regency Blvd	Tudor Dr	Local	Asphalt	39	59	84	Strng	Fair	38	23		55
2607	Windermere Dr	Tudor Dr	NW 15th St	Local	Asphalt	50	46	78	Strng	Fair	30	21		55
1606	Winding Creek Ct	NW END	Winding Creek Rd	Local	Concrete	71	49	58	Mod	Good	0	0		62
3295	Winding Creek Rd	NE 12th St	Winding Creek Ct	Local	Concrete	59	49	79	Mod	Good	0	0		61

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
1577	Winding Creek Rd	Winding Creek Ct	Heritage Cir	Local	Concrete	78	59	64	Mod	Good	0	0		69
3011	Winding Creek Rd	East Hills Dr	Heritage Cir	Local	Concrete	88	69	44	Mod	V Good	0	0		72
2804	Windmill Rd	SE 31st Pl	Flint Ct	Local	Asphalt	71	51	69	Mod	Good	4	25		65
3256	Windmill Rd	Flint Ct	NE END	Local	Asphalt	69	63	69	Mod	Good	11	20		67
3791	Wood Hollow Ct	Wood Hollow Ln	SE END	Local	Concrete	82	63	44	Mod	Good	0	0		67
3240	Wood Hollow Ln	Willow Brook St	Glenwood Dr	Local	Concrete	92	75	89	Mod	Excellent	0	0		87
3792	Wood Hollow Ln	Rock Hollow	Wood Hollow Ct	Local	Concrete	55	54	38	Mod	Fair	0	0		50
3790	Wood Hollow Ln	Wood Hollow Ct	S Eastern Ave	Local	Concrete	71	48	44	Mod	Fair	0	0		58
3238	Wood View St	Tower Dr	Glenwood Dr	Local	Concrete	82	63	56	Mod	V Good	0	0		70
3014	Woodbine Cir	SW END	Woodbine Ter	Local	Concrete	74	53	25	Mod	Fair	0	0		56
3016	Woodbine Cir	Woodbine Ter	NE END	Local	Concrete	62	67	42	Mod	Fair	0	0		57
3015	Woodbine Ter	East Hills Dr	Woodbine Cir	Local	Concrete	60	27	19	Mod	Marginal	0	0		41
4046	Woodcrest	WEST END	Glenwood Dr	Local	Concrete	65	40	67	Mod	Fair	0	0		59
3241	Woodcrest	Glenwood Dr	Rock Hollow	Local	Concrete	75	54	56	Mod	Good	0	0		65
1682	Woodcrest	Rock Hollow	Turtle Lake Rd	Local	Concrete	83	64	47	Mod	Good	0	0		68
1205	Woodlawn Dr	NW 27th St	Cass Ave	Local	Asphalt	29	48	87	Strng	Marginal	43	23		47
1505	Woodlawn Dr	Cass Ave	NORTH END	Local	Asphalt	31	52	81	Strng	Marginal	40	28		48
3370	Woods Ave	Armstrong St	E Main St	Local	Concrete	99	90	80	Mod	Excellent	0	0		92
3995	Woods Way	San Juan Trls	Woodstock Rd	Local	Asphalt	57	50	90	Strng	Good	15	29		63
2483	Woods Way	Woodstock Rd	Alethea Dr	Local	Asphalt	48	47	78	Strng	Fair	21	31		54
2412	Woods Way	Alethea Dr	Elmo Way	Local	Asphalt	34	60	58	Mod	Marginal	35	31		46
2405	Woods Way	Elmo Way	S Eastern Ave	Local	Asphalt	52	54	90	Strng	Good	19	28		62
1251	Woodstock Rd	Carol Ann Pl	Rickwoods Cir	Local	Asphalt	70	57	85	Strng	V Good	7	23		70
3991	Woodstock Rd	Rickwoods Cir	SW 32nd St	Local	Asphalt	73	54	86	Strng	V Good	8	19		71
3990	Woodstock Rd	SW 32nd St	Brian Ct	Local	Asphalt	62	52	47	Mod	Fair	14	25		55
3996	Woodstock Rd	Brian Ct	Tasha Cir	Local	Asphalt	67	77	46	Mod	Good	12	21		64
3997	Woodstock Rd	Tasha Cir	Woods Way	Local	Asphalt	74	60	48	Mod	Good	6	20		64
2001	Woodstock Rd	Woods Way	Sally Ct	Local	Asphalt	67	45	90	Strng	Good	12	20		67
2401	Woodstock Rd	Sally Ct	SW 28th St	Local	Asphalt	77	70	63	Mod	V Good	7	17		71
3884	Woodward Ave	N Eastern Ave	EAST END	Local	Concrete	60	45	66	Mod	Fair	0	0		58
4194	WWTP Rd	S I-35 Service Rd	WWTP Rd	Local	Concrete	89	70	79	Mod	V Good	0	0		81
4198	WWTP Rd	SE END	WWTP Rd	Local	Concrete	99	90	74	Mod	Excellent	0	0		90
4199	WWTP Rd	WWTP Rd	WWTP Rd	Local	Concrete	100	90	81	Mod	Excellent	0	0		92
4195	WWTP Rd	WWTP Rd	WWTP Rd	Local	Concrete	97	88	72	Mod	Excellent	0	0		88
4196	WWTP Rd	WWTP Rd	NE END	Local	Concrete	83	65	71	Mod	V Good	0	0		75
4197	WWTP Rd	WWTP Rd	WWTP Rd	Local	Concrete	100	90	86	Mod	Excellent	0	0		93
1088	Wyndemere Blvd	Heatherwood Dr	SE 3rd St	Local	Asphalt	71	48	80	Strng	Good	12	17		67
1336	Wyndemere Ct	SOUTH END	E Main St	Local	Asphalt	79	71	90	Strng	V Good	6	16		79
2169	Wyndemere Lakes Dr	S Wyndemere Lakes Dr	NORTH END	Local	Asphalt	53	63	92	Strng	Good	30	17		64

City of Moore, OK
Street Inventory and Condition Summary - Sorted by Street Name



GISID	On Street	From Street	To Street	FunCL	Pavetype	Condition Summary								
						Surface Distress Index (SDI)	Roughness Index (RI)	Structural Index (SI)	Strength Rating	Condition Rating	Load Assoc Distress Deducts (LADD)	Non-Load Distress Deducts (NLAD)	PCI Override (OPCI)	Current Segment PCI (CPCI)
2021	Wyndemere Lakes Dr	SE 3rd St	DS@536N SE 3rd St	Local	Asphalt	59	67	79	Strng	Good	27	14		65
2571	Wyndemere Lakes Dr	DS@536N SE 3rd St	DS@1066N SE 3rd St	Local	Asphalt	81	75	70	Mod	V Good	9	10		76
1767	Wyndemere Lakes Dr	DS@1066N SE 3rd St	E Main St	Local	Asphalt	62	73	90	Strng	V Good	25	13		71
1429	Wyndemere Spgs	SE 3rd St	NORTH END	Local	Asphalt	80	61	95	Strng	V Good	6	14		79
2968	Yorkshire Ave	NW 24th St	NW 27th St	Local	Asphalt	55	65	92	Strng	Good	23	22		66
2879	Yorkshire Cir	NW 27th St	NORTH END	Local	Concrete	100	90	68	Mod	Excellent	0	0		89
3824	Yule	SW 17th St	NORTH END	Local	Concrete	100	90	69	Mod	Excellent	0	0		89
1087	Zachary Dr	NE 10th St	Leaf Dr	Local	Concrete	87	68	41	Mod	V Good	0	0		71

Appendix B

\$5M/Yr Rehabilitation Plan by Segment



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year	Year of First Rehab					
1923	10th St	Bryan Dr	Kelsi Dr	60	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	6,217	6,217	6,217
1254	10th St	Heather Ln	S Telephone Rd	60	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	15,497	15,497	15,497
3591	13th St	Brayden Dr	Brice Dr	62	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	56,518	56,518	56,518
3503	17th St	WEST END	S Bryant Ave	62	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	55,262	55,262	55,262
3529	18th St	Evans Ct	S Bryant Ave	62	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	64,132	64,132	64,132
3558	19th St	Astoria Ave	Regency Blvd	61	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	5,887	5,887	5,887
2744	1st St	N Markwell Ave	N Norman Ave	42	1	FWM + Thick Overlay (> 2.0 - 3.0)	34.00	99,484	99,484	127,296
2906	1st St	N Norman Ave	N Bristow Ave	50	1	FWM + Thick Overlay (> 2.0 - 3.0)	34.00	27,812	27,812	127,296
2907	1st St	N Bristow Ave	N Dallas Ave	60	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	5,953	5,953	5,953
1704	1st St	N Dallas Ave	N Dillon Ave	41	1	FWM + Thick Overlay (> 2.0 - 3.0)	34.00	27,608	27,608	27,608
1814	1st St	S Janeway Ave	S Irving Dr	54	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	7,135	7,135	21,424
3843	1st St	S Irving Dr	S Telephone Rd	64	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	14,289	14,289	21,424
2780	20th St	Sarah Ln	Parkside Ct	56	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	7,702	7,702	18,480
1918	20th St	Parkside Ct	Stefanie Ln	66	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	10,778	10,778	18,480
2002	20th St	Queensbury Rd	Astoria Ave	62	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	12,547	12,547	12,547
2706	25th St	S Telephone Rd	S I-35 Service Rd	62	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	29,344	29,344	29,344
1431	26th St	Chisholm Trail Ln	Land Run Rd	62	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	26,568	26,568	26,568
1381	27th St	Regency Blvd	N Janeway Ave	42	1	FWM + Thick Overlay (> 2.0 - 3.0)	36.00	111,708	111,708	111,708
2056	27th St	N Janeway Ave	N Shields Blvd	36	1	FWM + Thick Overlay (> 2.0 - 3.0)	36.00	25,848	25,848	97,884
1816	27th St	N Shields Blvd	N Shields Blvd	44	1	FWM + Thick Overlay (> 2.0 - 3.0)	36.00	72,036	72,036	97,884
3209	28th St	San Juan Trls	Woodstock Rd	60	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	11,979	11,979	11,979
3759	28th St	Danielle Ter	S Broadway Ave	62	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	8,725	8,725	8,725
1489	29th St	Bradford Dr	Bradford Dr	60	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	14,864	14,864	14,864
1713	30th Ct	WEST END	Red Rock Dr	60	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	15,876	15,876	15,876
2362	34th St	Marilyn Dr	Sharon Dr	69	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	4,798	4,798	9,596
2363	34th St	Sharon Dr	Ashton Dr	54	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	4,798	4,798	9,596
1853	38th St	WEST END	Mackenzie Dr	60	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	7,880	7,880	7,880
2147	39th St	Queens Dr	Madison Ave	62	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	4,943	4,943	4,943
1942	41st St	Mackenzie Dr	Mackenzie Dr	62	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	12,575	12,575	23,287
1941	41st St	Mackenzie Dr	EAST END	59	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	10,712	10,712	23,287
2662	42nd Ct	SW 42nd St	NORTH END	61	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	2,752	2,752	2,752
1935	42nd St	Notting Hill Dr	Kensington Dr	60	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	13,588	13,588	13,588
1404	43rd St	Apple Blossom Cir	Applegate Dr	61	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	4,389	4,389	4,389
3985	4th Pl	S Markwell Ave	S Norman Ave	42	1	FWM + Thick Overlay (> 2.0 - 3.0)	34.00	120,428	120,428	120,428
3418	4th Pl	S Dallas Ave	S Janeway Ave	61	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	16,771	16,771	16,771
1878	4th St	S Bryant Ave	Heatherwood Dr	71	1	Surface Treatment / Chip Seal	5.30	24,815	24,815	165,297
2579	4th St	Heatherwood Dr	S Riverside Dr	73	1	Surface Treatment / Chip Seal	5.30	25,058	25,058	165,297
1038	4th St	S Riverside Dr	S Olde Bridge Rd	69	1	Surface Treatment / Chip Seal	5.30	32,569	32,569	165,297



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year of First Rehab						
2694	4th St	S Olde Bridge Rd	Jacob Dr	76	1	Surface Treatment / Chip Seal	5.30	9,816	9,816	165,297
2821	4th St	Jacob Dr	Noah Rd	74	1	Surface Treatment / Chip Seal	5.30	38,690	38,690	165,297
3143	4th St	Noah Rd	S Sunnyslane Rd	66	1	Surface Treatment / Chip Seal	5.30	34,349	34,349	165,297
1470	7th St	N Bryant Ave	Allison Ln	29	1	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Pch	38.50	18,711	18,711	18,711
2257	7th St	Allison Ln	Madeline Ln	63	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	5,227	5,227	10,362
2070	7th St	Madeline Ln	Loyd Ln	61	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	5,135	5,135	10,362
1471	8th St	Kelsi Dr	Lanie Ln	63	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	11,570	11,570	17,180
2869	8th St	Lanie Ln	Ryan Rd	60	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	5,610	5,610	17,180
2735	8th St	Heather Ln	S Telephone Rd	62	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	16,929	16,929	16,929
2541	Blue Jay Ct	SOUTH END	NE 19th St	62	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	5,689	5,689	5,689
3782	Broadway Ave	SW 28th St	SE 27th St	61	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	11,705	11,705	269,143
3688	Broadway Ave	SE 27th St	S Eastern Ave	61	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	69,073	69,073	269,143
3677	Broadway Ave	S Eastern Ave	Industrial Blvd	48	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	56,558	56,558	269,143
3690	Broadway Ave	Industrial Blvd	Tower Dr	65	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	131,807	131,807	269,143
2705	Carey Pl	SW 33rd St	SW 32nd St	66	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	15,977	15,977	48,033
1128	Carey Pl	SW 32nd St	SW 31st Ter	62	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	15,815	15,815	48,033
2436	Carey Pl	SW 31st Ter	SW 31st St	56	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	16,241	16,241	48,033
1602	Cavalier Dr	NW 12th St	NW 14th St	61	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	42,404	42,404	42,404
1810	Cypress Ct	SW 33rd St	NORTH END	62	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	8,455	8,455	8,455
2937	Dallas Ave	SW 1st St	N Dallas Ave	62	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	10,606	10,606	10,606
4032	Decker Dr	WEST END	N Sunnyslane Rd	61	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	19,681	19,681	19,681
3691	Eastern Ave	SW 34th St	SW 30th St	60	1	Surface Treatment / Chip Seal + Strctrl Pch	6.80	23,773	23,773	23,773
1248	Eric Cir	Ginger Ave	EAST END	67	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	23,348	23,348	23,348
2920	Ginger Ave	SOUTH END	Eric Cir	68	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	8,525	8,525	54,776
1447	Ginger Ave	Eric Cir	SW 14th St	60	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	46,251	46,251	54,776
1817	Hillcrest Dr	NW 27th St	Lockhoma Ln	97	1	Routine Maintenance	0.00	0	0	0
1915	Hillcrest Dr	Lockhoma Ln	Cass Ave	97	1	Routine Maintenance	0.00	0	0	0
1267	Howard Ave	SW 6th St	SW 5th St	62	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	5,993	5,993	5,993
2841	I-35 Service Rd	SW 6th St	I-35 Ramp	61	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	14,018	14,018	14,018
2630	Lockhoma Ln	Hillcrest Dr	EAST END	29	1	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Pch	38.50	21,445	21,445	21,445
1546	Loyd Ln	NE 4th St	NE 7th St	62	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	17,688	17,688	17,688
2031	Madeline Ln	NE 4th St	NE 7th St	62	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	53,845	53,845	53,845
4009	Main St	W Main St	S Santa Fe St	60	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	38,392	38,392	38,392
4010	Main St	S Howard Ave	S Broadway Ave	62	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	29,489	29,489	29,489
2790	Meadowbrook Dr	Oakside Dr	Nail Pkwy	41	1	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Pch	36.50	33,544	33,544	33,544
2577	Messenger Ln	SOUTH END	DS@927N SOUTH END	60	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	65,327	65,327	65,327
2398	Nail Pkwy	NE 12th St	Meadowbrook Dr	61	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	22,579	22,579	22,579
1771	Nathan Ln	NE 4th St	NE 7th St	62	1	Surface Treatment / Chip Seal + Strctrl Pch	6.60	18,737	18,737	18,737



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year of First Rehab	Year of Second Rehab					
1798	Oak Dr	SW 30th St	Maple Ln	60	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	20,882	20,882	20,882
1526	Poplar Dr	NW 27th St	Cass Ave	37	1	FWM + Thick Overlay (> 2.0 - 3.0)	34.00	141,712	141,712	223,278
1304	Poplar Dr	Cass Ave	NORTH END	46	1	FWM + Thick Overlay (> 2.0 - 3.0)	34.00	81,566	81,566	223,278
3668	Port Rush Dr	SE 26th St	SE 24th St	62	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	8,692	8,692	18,790
3673	Port Rush Dr	SE 24th St	NORTH END	61	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	10,098	10,098	18,790
2801	Prairie Field Ln	NW 29th St	NW 30th Ct	63	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	3,755	3,755	3,755
3422	Private Dr	Private Dr	SW 4th St	27	1	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	38.50	14,553	14,553	14,553
1675	Red Apple Ter	Meadowland Dr	SW 41st St	68	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	12,718	12,718	20,902
2201	Red Apple Ter	SW 41st St	SW 39th St	54	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	8,184	8,184	20,902
1986	Santa Fe Ave	NW 14th Pl	Cambridge Ct	75	1	Surface Treatment / Chip Seal	5.20	7,561	7,561	91,928
1501	Santa Fe Ave	Cambridge Ct	NW 15th St	75	1	Surface Treatment / Chip Seal	5.20	7,535	7,535	91,928
1500	Santa Fe Ave	NW 15th St	Windermere Dr	74	1	Surface Treatment / Chip Seal	5.20	7,254	7,254	91,928
2314	Santa Fe Ave	Windermere Dr	Odom Way	67	1	Surface Treatment / Chip Seal	5.20	3,016	3,016	91,928
2138	Santa Fe Ave	Odom Way	NW 18th St	74	1	Surface Treatment / Chip Seal	5.20	4,883	4,883	91,928
2313	Santa Fe Ave	NW 18th St	NW 19th St	75	1	Surface Treatment / Chip Seal	5.20	7,535	7,535	91,928
2378	Santa Fe Ave	NW 19th St	DS@144N NW 19th St	65	1	Surface Treatment / Chip Seal	5.20	4,020	4,020	91,928
3012	Santa Fe Ave	DS@144N NW 19th St	NW 20th St	77	1	Surface Treatment / Chip Seal	5.20	3,770	3,770	91,928
3180	Santa Fe Ave	NW 20th St	Kings Rd	73	1	Surface Treatment / Chip Seal	5.20	8,705	8,705	91,928
3179	Santa Fe Ave	Kings Rd	NW 21st St	71	1	Surface Treatment / Chip Seal	5.20	7,561	7,561	91,928
3177	Santa Fe Ave	NW 21st St	NW 22nd St	71	1	Surface Treatment / Chip Seal	5.20	7,509	7,509	91,928
3176	Santa Fe Ave	NW 22nd St	NW 23rd St	65	1	Surface Treatment / Chip Seal	5.20	7,509	7,509	91,928
2213	Santa Fe Ave	NW 23rd St	NW 24th St	75	1	Surface Treatment / Chip Seal	5.20	7,535	7,535	91,928
3172	Santa Fe Ave	NW 24th St	NW 25th St	76	1	Surface Treatment / Chip Seal	5.20	7,535	7,535	91,928
2476	Santa Fe Ave	DS@847N NW 27th St	DS@1169N NW 27th St	42	1	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.50	59,329	59,329	59,329
3160	Santa Fe Ave	DS@364N NW 33rd St	NW 34th St	29	1	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.50	14,459	14,459	14,459
2977	Santa Fe Ave	NW 34th St	DS@281N NW 34th St	42	1	FWM + Thick Overlay (> 2.0 - 3.0)	36.00	53,100	53,100	53,100
3207	Santa Fe Ave	SW 34th St	SW 31st St	70	1	Surface Treatment / Chip Seal	5.20	31,273	31,273	50,643
3205	Santa Fe Ave	SW 31st St	SW 30th St	72	1	Surface Treatment / Chip Seal	5.20	19,370	19,370	50,643
1741	Santa Fe Ave	S Greens Dr	SW 24th St	79	1	Surface Treatment / Chip Seal	5.20	4,919	4,919	69,628
3493	Santa Fe Ave	SW 24th St	Greens Dr	76	1	Surface Treatment / Chip Seal	5.20	38,381	38,381	69,628
3494	Santa Fe Ave	Greens Dr	SW 19th St	62	1	Surface Treatment / Chip Seal	5.20	26,328	26,328	69,628
2266	Santa Fe Ave	SW 19th St	SW 16th St	72	1	Surface Treatment / Chip Seal	5.20	27,414	27,414	27,414
1160	Santa Fe St	NE 1st St	NE 2nd St	60	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	6,745	6,745	6,745
1819	Shields Blvd	NW 27th St	Shields Blvd	60	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.75	160,709	160,709	160,709
1201	Stoneridge Dr	DS@374N SE 12th St	Madison Place Dr	66	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	2,937	2,937	9,794
1610	Stoneridge Dr	Madison Place Dr	NORTH END	59	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	6,857	6,857	9,794
3554	Stratford Pl	SOUTH END	SE 34th St	61	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	28,350	28,350	28,350
3869	Telephone Rd	SW 34th St	Willow Bend Blvd	72	1	Surface Treatment / Chip Seal	5.20	49,676	49,676	68,480



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year of First Rehab	Year of Second Rehab					
2422	Telephone Rd	Willow Bend Blvd	SW 30th Ct	72	1	Surface Treatment / Chip Seal	5.20	7,426	7,426	68,480
2827	Telephone Rd	SW 30th Ct	Magnolia Ct	70	1	Surface Treatment / Chip Seal	5.20	11,378	11,378	68,480
1813	Tudor Dr	Windermere Dr	Regency Blvd	62	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	15,477	15,477	15,477
2563	Tudor Pl	Tudor Dr	NE END	61	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	7,187	7,187	7,187
1823	Turner Ave	Turner Ave Apt	NE 3rd St	62	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	2,488	2,488	2,488
2067	Willow Ln	SW 33rd St	SW 32nd St	67	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	18,043	18,043	34,830
1811	Willow Ln	SW 32nd St	SW 31st St	56	1	Edge Mill + Thin Overlay (1.5 - 2.0)	20.25	16,787	16,787	34,830
3965	Wimberley Creek Dr	Renita Way	SE END	61	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	4,719	4,719	4,719
2412	Woods Way	Alethea Dr	Elmo Way	43	1	FWM + Thick Overlay (> 2.0 - 3.0)	34.00	41,038	41,038	41,038
2169	Wyndemere Lakes Dr	S Wyndemere Lakes Dr	NORTH END	62	1	Surface Treatment / Chip Seal + Strctrl Ptch	6.60	14,131	14,131	14,131
1476	Central Park Dr	SW 42nd St	SW 39th St	66	1	ACP Full Depth Reconstruction	78.00	180,492	180,492	487,812
3651	Central Park Dr	SW 39th St	S Broadway Ave	58	1	ACP Full Depth Reconstruction	78.00	307,320	307,320	487,812
4235	38th St	Timber Creek Way	Timber Valley Dr	51	1	ACP Full Depth Reconstruction	78.00	62,244	62,244	62,244
2715	Julie Dr	NE 19th St	NE 21st St	47	1	PCC Full Depth Reconstruction	166.00	410,020	410,020	410,020
2864	24th St	N Eastern Ave	Thomas Dr	59	1	PCC Moderate Pnl Rplcmnt (< 20%) + Grind	31.50	17,451	17,451	41,328
2350	24th St	Thomas Dr	Truitt St	44	1	PCC Moderate Pnl Rplcmnt (< 20%) + Grind	31.50	23,877	23,877	41,328
3440	Penn Ln	SW 8th St	Newport Ave	81	1	PCC Full Depth Reconstruction	166.00	73,040	73,040	660,348
3446	Penn Ln	Newport Ave	SW 5th St	60	1	PCC Full Depth Reconstruction	166.00	587,308	587,308	660,348
3514	Thompson Dr	Freeman Dr	N Broadway Ave	42	1	ACP Full Depth Reconstruction	78.00	202,020	202,020	202,020
4019	Chestnut Ave	NW 1st St	NW 2nd St	43	1	ACP Full Depth Reconstruction	78.00	80,496	80,496	80,496
2853	10th Pl	Desiree Pl	Julies Trl	73	2	Surface Treatment / Chip Seal	5.20	5,372	5,372	5,372
1399	10th St	Elm Creek Dr	N Bryant Ave	73	2	Surface Treatment / Chip Seal	5.20	3,000	3,000	3,000
3903	10th St	Lindsey Ln	Dayton Ln	74	2	Surface Treatment / Chip Seal	5.20	3,713	3,713	3,713
2912	11th St	N Broadway Ave	Nail Pkwy	72	2	Surface Treatment / Chip Seal	5.20	16,120	16,120	16,120
2371	11th St	Desiree Pl	Julies Trl	74	2	Surface Treatment / Chip Seal	5.20	5,569	5,569	5,569
2372	11th St	Julies Trl	Bryan Dr	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	10,296	10,296	10,296
4109	12th St	Atalon Dr	DS@316E Atalon Dr	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	7.07	5,735	5,735	7,461
2423	12th St	DS@316E Atalon Dr	Hilltop Dr	62	2	Surface Treatment / Chip Seal + Strctrl Ptch	7.07	1,726	1,726	7,461
2359	13th Pl	WEST END	Mead Ln	56	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	6,610	6,610	26,577
2818	13th Pl	Mead Ln	Dorothy Dr	67	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	16,432	16,432	26,577
2358	13th Pl	Dorothy Dr	NW 14th St	60	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	3,535	3,535	26,577
2396	13th St	January Pl	Jordan Dr	73	2	Surface Treatment / Chip Seal	5.20	3,905	3,905	3,905
1652	19th St	Westmore Dr	Lonnie Ln	67	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.58	80,709	80,709	239,084
1654	19th St	Lonnie Ln	DS@382E Lonnie Ln	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.58	35,585	35,585	239,084
3195	19th St	DS@382E Lonnie Ln	Meench Dr	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.58	14,998	14,998	239,084
3197	19th St	Meench Dr	S Santa Fe Ave	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.58	107,792	107,792	239,084
4012	1st St	NW 1st St	EAST END	32	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	67,547	67,547	67,547
2214	1st St	N Dillon Ave	N Janeway Ave	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	20,606	20,606	20,606



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)	Year of First Rehab	Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
4027	1st St	N Service Rd	N Chestnut Ave	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	8,731	8,731	8,731
4184	21st St	Regency Blvd	EAST END	41	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	10,851	10,851	10,851
3883	23rd St	WEST END	N Eastern Ave	72	2	Surface Treatment / Chip Seal	5.20	18,491	18,491	18,491
2746	23rd St	Queensbury Rd	Piccadilly Cir	68	2	Surface Treatment / Chip Seal	5.20	3,822	3,822	10,343
2769	23rd St	Piccadilly Cir	Nottingham Way	74	2	Surface Treatment / Chip Seal	5.20	6,521	6,521	10,343
3659	23rd St	Westchester Dr	Avenel Dr	77	2	Surface Treatment / Chip Seal	5.20	4,020	4,020	10,255
3660	23rd St	Avenel Dr	Karsten Creek Dr	72	2	Surface Treatment / Chip Seal	5.20	6,235	6,235	10,255
2973	24th St	Queensbury Rd	Yorkshire Ave	46	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	36,797	36,797	259,580
1561	24th St	Yorkshire Ave	Nottingham Way	34	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	37,157	37,157	259,580
2602	24th St	Nottingham Way	Regency Pl	36	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	62,623	62,623	259,580
1474	24th St	Regency Pl	N Janeway Ave	36	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	123,003	123,003	259,580
1264	24th St	DS@1428E Westmore Dr	Tyler Ln	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	4,880	4,880	4,880
3664	25th St	Augusta Dr	SE 24th St	64	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	29,779	29,779	39,677
3663	25th St	SE 24th St	Southern Hills Dr	64	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	9,898	9,898	39,677
1395	25th St	SW 25th Cir	DS@628E SW 25th Cir	62	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	11,065	11,065	17,915
2084	25th St	DS@628E SW 25th Cir	DS@1016E SW 25th Cir	66	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	6,850	6,850	17,915
3496	27th St	Jefferson Dr	Sequoyah Ave	45	2	FWM + Thick Overlay (> 2.0 - 3.0)	37.44	64,958	64,958	64,958
3958	27th St	Siena Blvd	N Bryant Ave	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	7.07	12,178	12,178	12,178
3875	27th Ter	Ethan Ln	Siena Blvd	74	2	Surface Treatment / Chip Seal	5.20	7,145	7,145	13,021
3876	27th Ter	Siena Blvd	Siena Ln	74	2	Surface Treatment / Chip Seal	5.20	5,876	5,876	13,021
3561	28th St	Clarisa Dr	Loren Dr	72	2	Surface Treatment / Chip Seal	5.20	6,828	6,828	6,828
2051	2nd St	WEST END	Schooner Way	72	2	Surface Treatment / Chip Seal	5.20	2,787	2,787	7,191
2172	2nd St	Schooner Way	EAST END	74	2	Surface Treatment / Chip Seal	5.20	4,404	4,404	7,191
1210	2nd St	S Santa Fe St	S Turner Ave	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	31,379	31,379	31,379
1536	2nd St	S Dallas Ave	S Janeway Ave	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	23,523	23,523	23,523
2807	2nd St	S Irving Dr	SW 1st Pl	60	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	12,314	12,314	18,217
3841	2nd St	SW 1st Pl	S Telephone Rd	73	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,903	5,903	18,217
3547	30th Cir	Elmo Way	EAST END	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	8,761	8,761	8,761
3543	30th Ct	WEST END	S Telephone Rd	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	8,154	8,154	8,154
3598	30th St	Birch Dr	Oak Dr	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	22,596	22,596	22,596
1115	30th St	S Eastern Ave	Christina Ct	71	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	3,274	3,274	8,031
1992	30th St	Christina Ct	Danielle Ter	58	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	4,757	4,757	8,031
1199	32nd St	Loren Dr	Gabriel Ct	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	19,775	19,775	19,775
3161	33rd St	N Santa Fe Ave	Webster Ave	72	2	Surface Treatment / Chip Seal	5.20	18,252	18,252	18,252
1570	33rd St	Birch Dr	Red Maple Ln	52	2	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	24.96	18,645	18,645	18,645
4202	34th St	N Eastern Ave	Superior Dr	74	2	Surface Treatment / Chip Seal	5.20	7,722	7,722	7,722
1608	34th St	Churchill Rd	S Sooner Rd	66	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.58	104,124	104,124	269,858
1564	34th St	S Sooner Rd	DS@2513E S Sooner Rd	64	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.58	158,181	158,181	269,858



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year	Year of First Rehab					
1990	34th St	DS@2513E S Sooner Rd	EAST END	60	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.58	7,553	7,553	269,858
3634	35th St	Liberty Dr	Ellis Ave	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	4,510	4,510	4,510
3715	38th St	Harmony Dr	Hope Dr	73	2	Surface Treatment / Chip Seal	5.20	4,061	4,061	4,061
3633	38th Ter	Liberty Dr	Ellis Ave	72	2	Surface Treatment / Chip Seal	5.20	3,557	3,557	3,557
2870	3rd St	S Markwell Ave	S Cagle Ave	46	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	80,275	80,275	129,386
2953	3rd St	S Cagle Ave	S Norman Ave	45	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	49,111	49,111	129,386
3827	3rd St	S Irving Dr	S Irving Dr	63	2	Surface Treatment / Chip Seal	5.20	2,288	2,288	12,225
3829	3rd St	S Irving Dr	S Telephone Rd	77	2	Surface Treatment / Chip Seal	5.20	9,937	9,937	12,225
1919	40th St	WEST END	Mackenzie Dr	74	2	Surface Treatment / Chip Seal	5.20	4,514	4,514	10,993
1920	40th St	Mackenzie Dr	EAST END	70	2	Surface Treatment / Chip Seal	5.20	6,479	6,479	10,993
4150	40th Ter	SW END	Carmona Lakes Dr	73	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.03	2,847	2,847	2,847
3340	6th St	N Broadway Ave	Nail Pkwy	74	2	Surface Treatment / Chip Seal	5.20	4,883	4,883	4,883
2747	6th St	Heather Ln	S Telephone Rd	72	2	Surface Treatment / Chip Seal	5.20	13,088	13,088	13,088
1708	6th St	SW 6th ST	S Classen Ave	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	2,917	2,917	2,917
1508	7th Ct	Beechwood Way	EAST END	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	4,420	4,420	4,420
2641	7th St	Loyd Ln	Nathan Ln	45	2	FWM + Thick Overlay (> 2.0 - 3.0)	35.36	27,510	27,510	27,510
2168	7th St	Nathan Ln	EAST END	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	13,710	13,710	13,710
2868	7th St	DS@900E Kelsi Dr	Ryan Rd	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	11,667	11,667	11,667
1231	7th St	Kings Manor Dr	S Telephone Rd	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	53,914	53,914	53,914
1163	8th St	SW 7th St	S Broadway Ave	45	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	38,431	38,431	38,431
2399	9th Cir	SE 9th St	NORTH END	70	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	1,517	1,517	1,517
2017	9th Cir	WEST END	Lanie Ln	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	9,740	9,740	9,740
2355	Anns Pl	Brayden Dr	DS@323W Brayden Dr	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	19,839	19,839	52,756
2634	Anns Pl	DS@323W Brayden Dr	SE 12th St	64	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	32,917	32,917	52,756
2635	Apple Estates Rd	SW 45th St	Baldwin Ave	65	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	87,146	87,146	87,146
2415	Asher Ct	NE 1st St	Evie Pl	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	10,241	10,241	10,241
4108	Atalon Dr	NE 12th St	NE 14th St	73	2	Surface Treatment / Chip Seal	5.20	16,104	16,104	25,714
4110	Atalon Dr	NE 14th St	NE 15th St	74	2	Surface Treatment / Chip Seal	5.20	9,610	9,610	25,714
3658	Avenel Dr	SE 23rd St	NORTH END	72	2	Surface Treatment / Chip Seal	5.20	2,922	2,922	2,922
4230	Baldwin Ave	SOUTH END	DS@966N SOUTH END	81	2	Surface Treatment / Chip Seal	5.20	16,968	16,968	23,343
1061	Baldwin Ave	DS@966N SOUTH END	Apple Estates Rd	78	2	Surface Treatment / Chip Seal	5.20	6,375	6,375	23,343
1406	Beechwood Way	SE 8th St	SE 7th Pl	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	17,353	17,353	17,353
1994	Beechwood Way	SE 7th Ct	SE 6th St	66	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,320	5,320	10,585
2723	Beechwood Way	SE 6th St	SE 5th St	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,265	5,265	10,585
1425	Blueridge Ln	Clover Rd	Madison Ct	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	9,411	9,411	9,411
3921	Bradford Dr	NE 27th St	NE 29th St	72	2	Surface Treatment / Chip Seal	5.20	7,566	7,566	7,566
1980	Bradford Dr	NE 29th St	NORTH END	72	2	Surface Treatment / Chip Seal	5.20	10,920	10,920	10,920
3988	Brian Ct	WEST END	Woodstock Rd	74	2	Surface Treatment / Chip Seal	5.20	5,876	5,876	5,876



GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year	Year of First Rehab					
2430	Briarwood St	N Service Rd	Platt Ln	74	2	Surface Treatment / Chip Seal	5.20	19,188	19,188	22,298
3054	Briarwood St	Platt Ln	NW 12th St	66	2	Surface Treatment / Chip Seal	5.20	3,110	3,110	22,298
2469	Brice Dr	SE 13th St	Kelsi Dr	65	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	38,371	38,371	38,371
2908	Bristow Ave	S Bristow Ave	NW 1st St	46	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	25,316	25,316	25,316
1962	Bristow Ave	SW 4th St	DS@240N SW 4th St	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	4,805	4,805	17,997
1961	Bristow Ave	DS@240N SW 4th St	DS@523N SW 4th St	62	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,683	5,683	17,997
3560	Bristow Ave	DS@523N SW 4th St	SW 1st St	66	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	7,509	7,509	17,997
3127	Brooklyn Ave	Apple Tree Ln	SW 44th St	78	2	Surface Treatment / Chip Seal	5.20	4,456	4,456	13,384
3129	Brooklyn Ave	SW 44th St	SW 43rd St	73	2	Surface Treatment / Chip Seal	5.20	4,425	4,425	13,384
3130	Brooklyn Ave	SW 43rd St	Manhattan Dr	71	2	Surface Treatment / Chip Seal	5.20	4,503	4,503	13,384
3710	Bryant Ave	DS@376N Valley View	SE 38th St	51	2	FWM + Thick Overlay (> 2.0 - 3.0)	37.44	114,117	114,117	237,594
3701	Bryant Ave	SE 38th St	SE 37th St	40	2	FWM + Thick Overlay (> 2.0 - 3.0)	37.44	41,558	41,558	237,594
3703	Bryant Ave	SE 37th St	SE 34th St	47	2	FWM + Thick Overlay (> 2.0 - 3.0)	37.44	81,919	81,919	237,594
1841	Cass Ave	Hillcrest Dr	Woodlawn Dr	47	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	42,520	42,520	101,231
1521	Cass Ave	Woodlawn Dr	Poplar Dr	42	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	42,825	42,825	101,231
1755	Cass Ave	Poplar Dr	EAST END	51	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	15,886	15,886	101,231
4158	Cedar Creek Dr	Northfork Dr	Edgewater Dr	74	2	Surface Treatment / Chip Seal	5.20	4,581	4,581	10,707
4160	Cedar Creek Dr	Edgewater Dr	Creek Side Cir	69	2	Surface Treatment / Chip Seal	5.20	6,126	6,126	10,707
4061	City Ave	NW 5th St	NW 7th St	68	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	21,999	21,999	61,769
4060	City Ave	NW 8th St	NW 7th St	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	18,917	18,917	61,769
3729	City Ave	NW 8th St	NW 12th St	57	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	20,853	20,853	61,769
1044	Classen Ave	W Main St	N Service Rd	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,841	5,841	5,841
1854	Classen Ave	SW 6th St	SW 5th St	62	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	10,227	10,227	10,227
1892	Clover Rd	Blueridge Ln	SE 12th St	48	2	PCC Extensive Pnl Rplcmnt (<33%) + Grind	49.40	59,675	59,675	59,675
2231	Dakota Dr	NW 18th St	NW 19th St	46	2	FWM + Thick Overlay (> 2.0 - 3.0)	35.36	28,040	28,040	28,040
2819	Dallas Ave	S Dallas Ave	NW 1st St	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,052	5,052	5,052
2939	Dallas Ave	SW 2nd St	SW 1st St	45	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	24,606	24,606	24,606
2389	Desiree Pl	SE 10th Pl	Julies Trl	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	10,742	10,742	10,742
2360	Dorothy Dr	NW 13th Pl	NW 14th Pl	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	16,448	16,448	16,448
2348	Dorothy Dr	NW 15th St	DS@284N NW 15th St	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,457	5,457	20,063
2349	Dorothy Dr	DS@284N NW 15th St	Odom Way	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	6,246	6,246	20,063
1599	Dorothy Dr	Odom Way	NW 19th St	61	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	8,360	8,360	20,063
2413	Eastern Ave	SW 30th St	Woods Way	46	2	FWM + Thick Overlay (> 2.0 - 3.0)	37.44	14,040	14,040	14,040
3577	Eberle Dr	Freeman Dr	N Broadway Ave	39	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	112,833	112,833	112,833
4162	Edgewater Dr	Cedar Creek Dr	SE 19th St	71	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	19,507	19,507	19,507
2406	Evie Pl	NE 1st St	Asher Ct	70	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	19,775	19,775	39,613
2409	Evie Pl	Asher Ct	NE 2nd St	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	6,381	6,381	39,613
2403	Evie Pl	NE 2nd St	NORTH END	57	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	13,457	13,457	39,613



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year	of First Rehab					
2381	Flint Ct	Windmill Rd	NW END	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	8,903	8,903	8,903
3355	Freeman Dr	Eberle Dr	Thompson Dr	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,725	5,725	5,725
4279	Grady Ln	SOUTH END	NE 33rd Ter	73	2	Surface Treatment / Chip Seal	5.20	832	832	832
3712	Hope Dr	SE 38th St	SE 37th St	73	2	Surface Treatment / Chip Seal	5.20	4,716	4,716	4,716
3063	Howard Ave	SW 9th St	SW 8th St	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	6,500	6,500	6,500
2911	Howard Ave	SW 8th St	SW 6th St	74	2	Surface Treatment / Chip Seal	5.20	9,344	9,344	9,344
3260	Indian Hills Rd	DS@21E Belmar Blvd	S Sooner Rd	40	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	42.12	46,374	46,374	46,374
3828	Irving Dr	SW 4th St	SW 3rd St	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	3,775	3,775	3,775
3557	Janeway Ave	SW 1st St	W Main St	45	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	52,593	52,593	52,593
1605	January Pl	SE 18th St	SE 16th St	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	11,785	11,785	21,649
1603	January Pl	SE 16th St	SE 14th St	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	9,864	9,864	21,649
1552	Jordan Dr	SE 14th St	SE 13th St	35	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	20,300	20,300	20,300
3661	Karsten Creek Dr	SE 23rd St	NORTH END	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	2,931	2,931	2,931
2545	Katie Ridge Dr	SW 45th St	SW 42nd St	73	2	Surface Treatment / Chip Seal	5.20	12,314	12,314	12,314
2136	Kelsi Dr	Brice Dr	DS@173E Brice Dr	48	2	Routine Maintenance	0.00	0	0	0
2016	Kelsi Dr	DS@173E Brice Dr	SE 11th St	56	2	Routine Maintenance	0.00	0	0	0
1933	Kelsi Dr	SE 11th St	SE 10th St	97	2	Routine Maintenance	0.00	0	0	0
2018	Kelsi Dr	SE 10th St	SE 8th St	97	2	Routine Maintenance	0.00	0	0	0
1621	Kelsi Dr	SE 8th St	SE 7th St	97	2	Routine Maintenance	0.00	0	0	0
2770	Kelsi Dr	SE 7th St	SE 6th St	97	2	Routine Maintenance	0.00	0	0	0
1274	Kelsi Dr	SE 6th St	SE 6th Cir	97	2	Routine Maintenance	0.00	0	0	0
2591	Kelsi Dr	SE 6th Cir	SE 5th St	96	2	Routine Maintenance	0.00	0	0	0
4215	Lakeside Dr	Ontario Cir	NE 34th Ter	90	2	Slurry Seal / Preventive Maintenance	3.43	2,787	2,787	7,918
4220	Lakeside Dr	NE 34th Ter	DS@166N NE 34th Ter	89	2	Slurry Seal / Preventive Maintenance	3.43	1,596	1,596	7,918
4210	Lakeside Dr	DS@166N NE 34th Ter	NE 35th St	81	2	Slurry Seal / Preventive Maintenance	3.43	3,535	3,535	7,918
1641	Land Run Rd	SOUTH END	SE 27th St	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	25,061	25,061	46,942
3536	Land Run Rd	SE 27th St	SE 26th St	66	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	21,881	21,881	46,942
3360	Leverich Ct	SW END	N Broadway Ave	38	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	24,424	24,424	24,424
3635	Liberty Dr	SW 38th Ter	SW 35th St	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	16,069	16,069	16,069
4251	Lola Ct	SOUTH END	NE 33rd Ter	74	2	Surface Treatment / Chip Seal	5.20	9,563	9,563	9,563
2569	Loren Dr	NE 30th St	NE 32nd St	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	10,529	10,529	10,529
1921	Mackenzie Dr	SW 41st St	SW 40th St	70	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	6,589	6,589	30,339
1313	Mackenzie Dr	SW 40th St	SW 39th St	58	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,409	5,409	30,339
2697	Mackenzie Dr	SW 39th St	SW 38th St	59	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,107	5,107	30,339
1311	Mackenzie Dr	SW 38th St	SW 37th St	66	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	7,427	7,427	30,339
2806	Mackenzie Dr	SW 37th St	SW 36th St	66	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,807	5,807	30,339
1857	Madison Ct	Blueridge Ln	Clover Rd	62	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	4,180	4,180	4,180
4048	Madison Place Dr	Tower Dr	DS@745E Tower Dr	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	14,318	14,318	22,445



GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year	Year of First Rehab					
1200	Madison Place Dr	DS@745E Tower Dr	Stoneridge Dr	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	8,127	8,127	22,445
2523	Main St	S Dillon Ave	S Baer Dr	73	2	Surface Treatment / Chip Seal	5.20	7,384	7,384	7,384
1749	Main St	NW 1st St	S Telephone Rd	44	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	76,287	76,287	76,287
2250	Manhattan Dr	S Eastern Ave	Sachs Ave	65	2	Surface Treatment / Chip Seal	5.20	8,502	8,502	36,457
3131	Manhattan Dr	Sachs Ave	Brooklyn Ave	74	2	Surface Treatment / Chip Seal	5.20	10,800	10,800	36,457
3132	Manhattan Dr	Brooklyn Ave	Queens Dr	77	2	Surface Treatment / Chip Seal	5.20	7,795	7,795	36,457
2246	Manhattan Dr	Queens Dr	Madison Ave	72	2	Surface Treatment / Chip Seal	5.20	6,526	6,526	36,457
1542	Manhattan Dr	Madison Ave	SW 42nd St	70	2	Surface Treatment / Chip Seal	5.20	2,834	2,834	36,457
2796	Mead Cir	Mead Ln	SE END	59	2	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	24.96	15,325	15,325	15,325
3525	Mead Ln	NW 13th Pl	NW 14th Pl	60	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	17,459	17,459	79,565
2537	Mead Ln	NW 14th Pl	DS@176N NW 14th Pl	64	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	10,383	10,383	79,565
2317	Mead Ln	DS@176N NW 14th Pl	NW 15th St	61	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	12,088	12,088	79,565
2316	Mead Ln	NW 15th St	Mead Cir	71	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	20,344	20,344	79,565
2755	Mead Ln	Mead Cir	Odom Way	57	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	19,291	19,291	79,565
1124	Meadow Run Dr	SE 19th St	SE 18th St	70	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	48,143	48,143	113,450
3572	Meadow Run Dr	SE 18th St	SE 17th St	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	26,767	26,767	113,450
1123	Meadow Run Dr	SE 17th St	SE 16th St	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	19,270	19,270	113,450
2004	Meadow Run Dr	SE 16th St	SE 15th St	56	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	19,270	19,270	113,450
1495	Meadowland Dr	Macys Pl	Sachs Ave	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	15,269	15,269	45,743
2765	Meadowland Dr	Sachs Ave	Syracuse St	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	15,205	15,205	45,743
2134	Meadowland Dr	Syracuse St	Red Apple Ter	67	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	15,269	15,269	45,743
2435	Melrose Dr	Baldwin Ave	SW 42nd St	72	2	Surface Treatment / Chip Seal	5.20	10,306	10,306	10,306
1702	Metlock Ln	NE 19th Ter	NE 19th Ter	74	2	Surface Treatment / Chip Seal	5.20	2,985	2,985	2,985
3061	Moore Ave	Shields Blvd	N Service Rd	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	32,172	32,172	32,172
3008	Nail Pkwy	Meadowbrook Dr	Fox Ave	33	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	34,114	34,114	34,114
1700	New Haven Ct	SOUTH END	NE 19th St	73	2	Surface Treatment / Chip Seal	5.20	9,422	9,422	9,422
3900	Noah Dr	SE 9th St	SE 8th St	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	7,660	7,660	7,660
3911	Noah Dr	SE 5th St	SE 4th St	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,889	5,889	5,889
1356	Norman Ave	W Main St	NW 1st St	42	2	FWM + Thick Overlay (> 2.0 - 3.0)	35.36	31,152	31,152	119,552
1057	Norman Ave	NW 1st St	NW 2nd St	37	2	FWM + Thick Overlay (> 2.0 - 3.0)	35.36	29,915	29,915	119,552
2661	Norman Ave	NW 2nd St	NW 5th St	49	2	FWM + Thick Overlay (> 2.0 - 3.0)	35.36	58,485	58,485	119,552
4208	Ontario Cir	SOUTH END	Lakeside Dr	73	2	Surface Treatment / Chip Seal	5.20	5,153	5,153	5,153
1478	Parkside Ct	NE 19th St	NE 20th St	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	4,057	4,057	4,057
1226	Parkway Dr	SE 2nd St	S Bryant Ave	74	2	Surface Treatment / Chip Seal	5.20	14,035	14,035	14,035
2520	Platt Ln	N Service Rd	Brianwood St	56	2	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	24.96	74,880	74,880	74,880
3429	Private Dr	Private Dr	Private Dr	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	1,441	1,441	1,441
3430	Private Dr	Private Dr	Private Dr	43	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	6,625	6,625	6,625
3425	Private Dr	Private Dr	SW 4th St	32	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	16,697	16,697	16,697



GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year of First Rehab	Year of Second Rehab					
4186	Private Dr	Private Dr	Private Dr	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	3,247	3,247	3,247
3254	Red Rock Dr	SE 33rd St	SE 32nd St	66	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,457	5,457	21,059
3253	Red Rock Dr	SE 32nd St	SE 31st Ct	66	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,553	5,553	21,059
3252	Red Rock Dr	SE 31st Ct	SE 30th Ct	61	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	4,517	4,517	21,059
3251	Red Rock Dr	SE 30th Ct	SE 29th Ct	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	5,532	5,532	21,059
2055	Regency Blvd	Queensbury Rd	Tudor Dr	43	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	30,352	30,352	30,352
2671	Rickwoods Cir	WEST END	Woodstock Rd	65	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	14,258	14,258	14,258
1000	Ryan Rd	SE 11th St	SE 8th St	66	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	74,763	74,763	114,672
1001	Ryan Rd	SE 8th St	SE 7th St	57	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	23,061	23,061	114,672
1002	Ryan Rd	SE 7th St	SE 6th St	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	16,848	16,848	114,672
2277	Sally Ct	WEST END	Woodstock Rd	74	2	Surface Treatment / Chip Seal	5.20	8,975	8,975	8,975
3908	Samantha Ln	SE 11th St	SE 9th St	72	2	Surface Treatment / Chip Seal	5.20	14,217	14,217	14,217
3171	Santa Fe Ave	NW 25th St	Larkspur Rd	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	7.07	10,283	10,283	10,283
1207	Santa Fe St	SE 4th St	SE 3rd St	44	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	22,477	22,477	22,477
1596	Santa Fe St	SE 3rd St	SE 2nd St	36	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	42,883	42,883	86,086
1436	Santa Fe St	SE 2nd St	SE 1st St	38	2	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	40.04	43,203	43,203	86,086
1724	Schooner Way	E Main St	NE 2nd St	72	2	Surface Treatment / Chip Seal	5.20	10,145	10,145	10,145
3728	Shady Creek Ln	SE 34th St	NORTH END	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	37,924	37,924	37,924
3152	Shields Blvd	Cass Ave	NW 35th St	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	7.07	33,825	33,825	33,825
4100	Siena Ln	NE 25th St	NE 26th St	65	2	Surface Treatment / Chip Seal	5.20	4,337	4,337	8,705
4099	Siena Ln	NE 26th St	NE 27th Ter	79	2	Surface Treatment / Chip Seal	5.20	4,368	4,368	8,705
4111	Sonoma Lakes Blvd	NE 12th St	NE 13th St	77	2	Surface Treatment / Chip Seal	5.20	4,670	4,670	18,024
4104	Sonoma Lakes Blvd	NE 13th St	NE 15th St	69	2	Surface Treatment / Chip Seal	5.20	6,235	6,235	18,024
4113	Sonoma Lakes Blvd	NE 15th St	NE 14th St	77	2	Surface Treatment / Chip Seal	5.20	7,119	7,119	18,024
3298	Summerhill Dr	NE 11th Pl	NE 12th St	74	2	Surface Treatment / Chip Seal	5.20	2,652	2,652	2,652
3150	Sunnylane Rd	NE 12th St	Decker Dr	69	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.24	8,686	8,686	17,179
3149	Sunnylane Rd	Decker Dr	Regina Dr	79	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.24	8,493	8,493	17,179
2302	Sunnylane Rd	Regina Dr	NORTH END	83	2	Slurry Seal / Preventive Maintenance	3.43	3,103	3,103	3,103
1643	Tara Dr	SE 17th St	SE 16th St	74	2	Surface Treatment / Chip Seal	5.20	3,739	3,739	12,085
2003	Tara Dr	SE 16th St	SE 15th St	73	2	Surface Treatment / Chip Seal	5.20	3,739	3,739	12,085
1644	Tara Dr	SE 15th St	SE 14th St	75	2	Surface Treatment / Chip Seal	5.20	4,607	4,607	12,085
3998	Tasha Cir	WEST END	Woodstock Rd	74	2	Surface Treatment / Chip Seal	5.20	5,736	5,736	5,736
2254	Tower Dr	S Broadway Ave	Wood View St	61	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	53,889	53,889	117,415
3933	Tower Dr	Wood View St	DS@538N Wood View St	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	12,925	12,925	117,415
3935	Tower Dr	DS@538N Wood View St	SE 10th St	66	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	9,925	9,925	117,415
4047	Tower Dr	SE 10th St	Madison Place Dr	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	13,165	13,165	117,415
4049	Tower Dr	Madison Place Dr	Stoneridge Dr	65	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	7,015	7,015	117,415
1829	Tower Dr	Stoneridge Dr	SE 8th St	73	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	3,027	3,027	117,415



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year of First Rehab	Year of Second Rehab					
1164	Tower Dr	SE 8th St	SE 5th St	69	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	17,469	17,469	117,415
1947	Vermeer Dr	N Janeway Ave	N Moore Ave	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	24,779	24,779	24,779
2804	Windmill Rd	SE 31st Pl	Flint Ct	63	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	12,004	12,004	68,824
3256	Windmill Rd	Flint Ct	NE END	65	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	56,820	56,820	68,824
1205	Woodlawn Dr	NW 27th St	Cass Ave	45	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	141,047	141,047	222,674
1505	Woodlawn Dr	Cass Ave	NORTH END	45	2	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	33.80	81,627	81,627	222,674
1251	Woodstock Rd	Carol Ann Pl	Rickwoods Cir	68	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	14,616	14,616	118,212
3991	Woodstock Rd	Rickwoods Cir	SW 32nd St	69	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	15,795	15,795	118,212
3990	Woodstock Rd	SW 32nd St	Brian Ct	52	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	19,165	19,165	118,212
3996	Woodstock Rd	Brian Ct	Tasha Cir	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	17,101	17,101	118,212
3997	Woodstock Rd	Tasha Cir	Woods Way	62	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	17,817	17,817	118,212
2001	Woodstock Rd	Woods Way	Sally Ct	65	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	17,038	17,038	118,212
2401	Woodstock Rd	Sally Ct	SW 28th St	69	2	Edge Mill + Thin Overlay (1.5 - 2.0)	21.06	16,680	16,680	118,212
2021	Wyndemere Lakes Dr	SE 3rd St	DS@536N SE 3rd St	63	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	9,445	9,445	9,445
2968	Yorkshire Ave	NW 24th St	NW 27th St	64	2	Surface Treatment / Chip Seal + Strctrl Ptch	6.86	18,437	18,437	18,437
1158	10th St	Jacob Dr	Lanie Ln	54	3	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	25.96	29,047	29,047	29,047
1162	11th St	Oak Creek Dr	Elm Creek Dr	66	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	32,832	32,832	32,832
2648	11th St	Lanie Ln	Ryan Rd	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,747	5,747	5,747
2334	12th St	Clear Creek Rd	Estell Dr	51	3	FWM + Thick Overlay (> 2.0 - 3.0)	38.94	22,272	22,272	171,792
1695	12th St	Estell Dr	DS@445E Estell Dr	54	3	FWM + Thick Overlay (> 2.0 - 3.0)	38.94	44,467	44,467	171,792
4105	12th St	DS@445E Estell Dr	Sonoma Lakes Blvd	51	3	FWM + Thick Overlay (> 2.0 - 3.0)	38.94	40,378	40,378	171,792
1696	12th St	Sonoma Lakes Blvd	Atalon Dr	53	3	FWM + Thick Overlay (> 2.0 - 3.0)	38.94	64,675	64,675	171,792
2219	12th St	Kings Court Cir	Kings Ct	61	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	3,530	3,530	90,325
2218	12th St	Kings Ct	Southminster Ave	57	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.36	6,090	6,090	90,325
2831	12th St	Southminster Ave	Southminster Ave	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	6,016	6,016	90,325
3590	12th St	Southminster Ave	Regency Blvd	61	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.36	3,928	3,928	90,325
2496	12th St	Regency Blvd	St George Ave	64	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	7,752	7,752	90,325
2495	12th St	St George Ave	St George Ave	59	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	2,162	2,162	90,325
2221	12th St	St George Ave	Cavalier Dr	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	8,936	8,936	90,325
1866	12th St	Cavalier Dr	N Norman Ave	68	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.36	9,944	9,944	90,325
1867	12th St	N Norman Ave	N Janeway Ave	67	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	41,967	41,967	90,325
1388	13th St	N Bryant Ave	EAST END	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	15,612	15,612	15,612
3593	14th Pl	Mead Ln	Dorothy Dr	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	16,697	16,697	16,697
2303	14th St	WEST END	Lost Creek Dr	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	15,812	15,812	15,812
1169	17th St	Tara Dr	Meadow Run Dr	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	8,738	8,738	8,738
1502	19th St	N Santa Fe Ave	Dakota Dr	47	3	FWM + Thick Overlay (> 2.0 - 3.0)	36.77	54,279	54,279	54,279
1949	19th St	Regency Blvd	N Janeway Ave	46	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	66,824	66,824	66,824
3607	19th St	WEST END	Westmore Dr	75	3	Surface Treatment / Chip Seal	5.62	7,194	7,194	7,194



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year of First Rehab	Year of Second Rehab					
3077	1st Pl	S Irving Dr	SW 2nd St	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	11,950	11,950	11,950
4014	1st St	N Chestnut Ave	N Howard Ave	47	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	45,662	45,662	45,662
2883	1st St	S I-35 Service Rd	S Chestnut Ave	52	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	20,915	20,915	118,708
4000	1st St	S Chestnut Ave	S Howard Ave	49	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	47,139	47,139	118,708
4005	1st St	S Howard Ave	S Broadway Ave	45	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	50,654	50,654	118,708
3959	27th St	Nemaha Dr	Siena Blvd	52	3	FWM + Thick Overlay (> 2.0 - 3.0)	38.94	146,405	146,405	146,405
2828	28th St	Alethea Dr	Elmo Way	75	3	Surface Treatment / Chip Seal	5.41	6,252	6,252	6,252
1978	29th St	N Eastern Ave	Clarisa Dr	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	10,287	10,287	10,287
2564	2nd St	NW 2nd St	EAST END	41	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	64,461	64,461	64,461
2394	30th Ct	WEST END	Prairie Field Ln	70	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	3,469	3,469	6,903
2395	30th Ct	Prairie Field Ln	EAST END	60	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	3,434	3,434	6,903
1156	30th St	S Santa Fe Ave	DS@1985E S Santa Fe Ave	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	39,676	39,676	39,676
2805	31st Pl	Windmill Rd	Sparrow Dr	68	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	6,636	6,636	29,458
2903	31st Pl	Sparrow Dr	EAST END	65	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	22,822	22,822	29,458
2546	31st St	Oak Dr	Willow Ln	59	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	2,456	2,456	25,107
1064	31st St	Willow Ln	Cedar Valley Rd	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	12,136	12,136	25,107
1042	31st St	Cedar Valley Rd	Maple Ln	67	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	10,515	10,515	25,107
3137	32nd St	Paul Dr	S Bryant Ave	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	3,983	3,983	3,983
1796	32nd St	Willow Ln	Cedar Valley Rd	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	11,564	11,564	11,564
1039	32nd St	Carey Pl	Blue Stem Blvd	64	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	14,691	14,691	30,103
1479	32nd St	Blue Stem Blvd	Nighthawk Ln	68	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	15,412	15,412	30,103
1569	33rd St	Red Maple Ln	Cypress Ct	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,333	5,333	16,619
1531	33rd St	Cypress Ct	Pin Oak Rd	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,275	5,275	16,619
1797	33rd St	Pin Oak Rd	Willow Ln	68	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	6,011	6,011	16,619
3483	34th St	S Sunnyslane Rd	Joshua Ln	63	3	Edge Mill + Thin Overlay (1.5 - 2.0)	22.44	45,515	45,515	191,844
3484	34th St	Joshua Ln	Blue Creek Dr	72	3	Edge Mill + Thin Overlay (1.5 - 2.0)	22.44	25,181	25,181	191,844
3485	34th St	Blue Creek Dr	Sooner Dr	61	3	Edge Mill + Thin Overlay (1.5 - 2.0)	22.44	78,461	78,461	191,844
2757	34th St	Sooner Dr	Churchill Rd	75	3	Edge Mill + Thin Overlay (1.5 - 2.0)	22.44	42,687	42,687	191,844
1228	35th St	Teresa Dr	Quail Run Cir	59	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	16,427	16,427	52,697
3771	35th St	Quail Run Cir	Quail Run Dr	73	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	18,836	18,836	52,697
3705	35th St	Quail Run Dr	Quail Ridge Dr	66	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	17,434	17,434	52,697
3796	37th St	WEST END	Green Apple Pl	75	3	Surface Treatment / Chip Seal	5.41	11,546	11,546	11,546
4083	38th St	DS@859E Rita Rd	DS@1424E Rita Rd	68	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	11,293	11,293	20,138
2380	38th St	DS@1424E Rita Rd	SE 39th St	60	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	8,845	8,845	20,138
2307	3rd St	N Santa Fe St	DS@230E N Santa Fe St	56	3	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	25.96	13,940	13,940	13,940
1218	3rd St	DS@230E N Santa Fe St	N Turner Ave	43	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	27,483	27,483	73,164
2300	3rd St	N Turner Ave	DS@357E N Turner Ave	37	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	31,231	31,231	73,164
2192	3rd St	DS@357E N Turner Ave	DS@522E N Turner Ave	41	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	14,450	14,450	73,164



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Current	Year of First Rehab					
4038	3rd St	SW 3rd St	EAST END	39	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	62,837	62,837	62,837
2554	41st Pl	WEST END	Churchill Rd	72	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	10,287	10,287	18,860
2504	41st Pl	Churchill Rd	EAST END	59	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	8,573	8,573	18,860
1062	42nd St	Manhattan Dr	SW 42nd Ct	64	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	9,374	9,374	52,522
1121	42nd St	SW 42nd Ct	Melrose Dr	67	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	8,301	8,301	52,522
1206	42nd St	Melrose Dr	Central Park Dr	60	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	22,319	22,319	52,522
2704	42nd St	Central Park Dr	Applegate Dr	74	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	12,528	12,528	52,522
2536	44th St	Apple Blossom Cir	Applegate Dr	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	4,790	4,790	4,790
2093	5th Ct	WEST END	Eastmoor Ct	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	6,232	6,232	6,232
3334	8th St	N Broadway Ave	Nail Pkwy	66	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	40,103	40,103	40,103
3928	8th St	Samantha Ln	Noah Dr	74	3	Surface Treatment / Chip Seal	5.41	1,628	1,628	4,343
3929	8th St	Noah Dr	Lindsey Ln	75	3	Surface Treatment / Chip Seal	5.41	2,715	2,715	4,343
1707	9th St	Renita Way	SE 9th Cir	69	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	7,545	7,545	12,856
1663	9th St	SE 9th Cir	Ashwood Ln	59	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,311	5,311	12,856
1423	9th St	Heather Ln	S Telephone Rd	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	16,247	16,247	16,247
1360	Apple Blossom Cir	SW 44th St	SW 43rd St	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,147	5,147	5,147
3123	Apple Tree Ln	Boardwalk Ave	Brooklyn Ave	75	3	Surface Treatment / Chip Seal	5.41	14,840	14,840	14,840
2107	Arnold Ave	NW 2nd St	NW 5th St	40	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	72,040	72,040	72,040
2444	Ashwood Ln	Wimberley Creek Dr	DS@95N Wimberley Creek Dr	54	3	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	25.96	6,619	6,619	6,619
1151	Ashwood Ln	NW END	Ashwood Ln	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	2,099	2,099	2,099
2461	Ashwood Ln	DS@95N Wimberley Creek Dr	SE 8th St	64	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	20,566	20,566	47,112
2080	Ashwood Ln	SE 8th St	SE 7th St	69	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	16,624	16,624	47,112
2677	Ashwood Ln	SE 7th St	Hedgewood Dr	67	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	9,922	9,922	47,112
2549	Birch Dr	SW 33rd St	Oak Dr	63	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	13,249	13,249	19,046
2146	Birch Dr	Oak Dr	SW 30th St	69	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,797	5,797	19,046
1490	Blackjack Ln	Oak Creek Dr	Elm Creek Dr	76	3	Surface Treatment / Chip Seal	5.41	10,713	10,713	10,713
3954	Blue Stem Blvd	SW 34th St	SW 33rd St	47	3	FWM + Thick Overlay (> 2.0 - 3.0)	36.77	34,421	34,421	34,421
2194	Bluegrass Ct	SOUTH END	NE 19th St	66	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	33,795	33,795	33,795
3124	Boardwalk Ave	Apple Tree Ln	SW 44th St	78	3	Surface Treatment / Chip Seal	5.41	4,462	4,462	8,891
3125	Boardwalk Ave	SW 44th St	SW 43rd St	71	3	Surface Treatment / Chip Seal	5.41	4,429	4,429	8,891
3654	Broadway Ave	SW 34th St	Wesley Cir	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	11,586	11,586	61,228
3652	Broadway Ave	Wesley Cir	Willow Pine Dr	61	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	24,557	24,557	61,228
3755	Broadway Ave	Willow Pine Dr	St John Ave	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	15,098	15,098	61,228
3758	Broadway Ave	St John Ave	St Thomas Ave	73	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	4,854	4,854	61,228
3783	Broadway Ave	St Thomas Ave	SW 28th St	78	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,133	5,133	61,228
2528	Broadway Ave	SW 9th St	SW 8th St	65	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	39,402	39,402	39,402
2479	Bryan Dr	SE 10th St	SE 9th St	78	3	Surface Treatment / Chip Seal	5.41	3,753	3,753	8,101
2373	Bryan Dr	SE 9th St	SE 8th St	72	3	Surface Treatment / Chip Seal	5.41	4,348	4,348	8,101



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year	Year of First Rehab					
2414	Bryant Ave	NE 1st St	NE 4th St	68	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.36	19,660	19,660	39,084
2825	Bryant Ave	NE 4th St	NE 7th St	57	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	6,987	6,987	39,084
2308	Bryant Ave	NE 7th St	NE 7th St	69	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	12,437	12,437	39,084
1225	Bryant Ave	SE 4th St	Parkway Dr	51	3	FWM + Thick Overlay (> 2.0 - 3.0)	38.94	65,298	65,298	65,298
4156	Carmona Lakes Dr	SW 39th Ct	Lago Dr	66	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	18,967	18,967	18,967
1533	Christina Ct	SW 30th St	SW 27th St	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	12,814	12,814	12,814
2103	Churchill Rd	SE 41st Pl	SE 34th St	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	46,029	46,029	46,029
2784	Clarisa Dr	NE 28th St	NE 29th St	61	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	2,513	2,513	5,061
1979	Clarisa Dr	NE 29th St	NE 30th St	72	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	2,548	2,548	5,061
1414	Classen Ave	SW 7th St	SW 6th ST	75	3	Surface Treatment / Chip Seal	5.41	4,791	4,791	4,791
2068	Clover Rd	SE 12th St	Madison Ct	65	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	15,595	15,595	15,595
1480	Dale Dr	SOUTH END	SE 19th St	42	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	80,327	80,327	80,327
3420	Dallas Ave	SW 4th St	SW 4th Pl	47	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	21,548	21,548	21,548
3799	Eagle Dr	SW 19th St	Lakeview Dr	84	3	PCC Jnt Rehab & Crk Seal	1.41	5,512	5,512	12,334
3810	Eagle Dr	Lakeview Dr	SW 14th St	85	3	PCC Jnt Rehab & Crk Seal	1.41	1,136	1,136	12,334
3811	Eagle Dr	SW 14th St	SW 11th St	88	3	PCC Jnt Rehab & Crk Seal	1.41	4,449	4,449	12,334
3812	Eagle Dr	SW 11th St	SW 10th St	83	3	PCC Jnt Rehab & Crk Seal	1.41	1,237	1,237	12,334
3686	Eastern Ave	Woods Way	S Broadway Ave	62	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	30,677	30,677	35,281
3682	Eastern Ave	S Broadway Ave	SE 24th St	96	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	4,604	4,604	35,281
2606	Elm Creek Dr	Blackjack Ln	NE 10th St	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	3,077	3,077	6,197
1398	Elm Creek Dr	NE 10th St	NE 11th St	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	3,120	3,120	6,197
3210	Elmo Way	Carol Ann Pl	SW 30th Cir	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	21,309	21,309	21,309
2404	Elmo Way	Woods Way	SW 28th St	66	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	43,783	43,783	43,783
4277	Erie Dr	NE 33rd Ter	NORTH END	66	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	13,010	13,010	13,010
1629	Evans Ct	SOUTH END	SE 18th St	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	6,496	6,496	6,496
2632	Fleshmans Dr	SW 30th St	SW 28th St	55	3	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	25.96	46,881	46,881	46,881
1830	Heather Ln	Kings Manor Dr	SW 6th St	79	3	Surface Treatment / Chip Seal	5.41	4,132	4,132	6,706
2505	Heather Ln	NW END	SW 6th St	66	3	Surface Treatment / Chip Seal	5.41	2,574	2,574	6,706
1838	Hillcrest Dr	Cass Ave	NORTH END	46	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	109,709	109,709	109,709
1884	Howard Ave	SW 16th St	SW 15th St	63	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	6,739	6,739	41,246
1711	Howard Ave	SW 15th St	SW 14th St	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	6,760	6,760	41,246
1074	Howard Ave	SW 14th St	SW 13th St	59	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	6,760	6,760	41,246
1883	Howard Ave	SW 13th St	SW 12th St	68	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	6,760	6,760	41,246
2752	Howard Ave	SW 12th St	SW 11th St	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	6,739	6,739	41,246
1772	Howard Ave	SW 11th St	SW 10th St	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	7,488	7,488	41,246
3064	Howard Ave	SW 10th St	SW 9th St	75	3	Surface Treatment / Chip Seal	5.41	5,846	5,846	5,846
3507	I-35 Service Rd	SW 34th St	Private Dr	55	3	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	25.96	205,461	205,461	205,461
3506	I-35 Service Rd	S I-35 Service Rd	SW 34th St	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	29,368	29,368	29,368



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year of First Rehab	Year of Second Rehab					
2877	I-35 Service Rd Turn Lane	S I-35 Service Rd	SW 4th St	83	3	PCC Jnt Rehab & Crk Seal	1.41	704	704	704
3104	Indian Hills Rd	E Indian Hills Rd	Belmar Blvd	55	3	FWM + Thick Overlay (> 2.0 - 3.0)	38.94	350,789	350,789	350,789
2215	Janeway Ave	S Janeway Ave	NW 1st St	49	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	38,984	38,984	77,827
1459	Janeway Ave	NW 1st St	NW 2nd St	46	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	38,843	38,843	77,827
2700	Jordan Dr	SE 18th St	SE 16th St	61	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	39,315	39,315	77,513
1096	Jordan Dr	SE 16th St	SE 14th St	69	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	38,198	38,198	77,513
1593	Kings Manor Dr	SW END	Heather Ln	65	3	Surface Treatment / Chip Seal	5.41	2,509	2,509	30,999
1232	Kings Manor Dr	Heather Ln	SW 7th St	68	3	Surface Treatment / Chip Seal	5.41	5,792	5,792	30,999
1968	Kings Manor Dr	SW 7th St	Heather Ln	80	3	Surface Treatment / Chip Seal	5.41	6,052	6,052	30,999
1859	Kings Manor Dr	Heather Ln	S Telephone Rd	77	3	Surface Treatment / Chip Seal	5.41	16,646	16,646	30,999
4147	Lago Dr	Lagos Dr	Carmona Lakes Dr	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	2,920	2,920	2,920
4264	Lagos Dr	Sorano Dr	Lago Dr	75	3	Surface Treatment / Chip Seal	5.41	14,612	14,612	14,612
3800	Lakeview Dr	WEST END	Eagle Dr	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	9,744	9,744	9,744
1594	Lanie Ln	SE 11th St	SE 10th St	73	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	9,216	9,216	20,959
2566	Lanie Ln	SE 10th St	SE 9th Cir	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,747	5,747	20,959
2117	Lanie Ln	SE 9th Cir	SE 8th St	56	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,996	5,996	20,959
3896	Lindsey Ln	SE 8th St	SE 5th St	74	3	Surface Treatment / Chip Seal	5.41	15,207	15,207	15,207
2012	Macys Pl	Meadowland Dr	Empire Ave	62	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	15,025	15,025	27,268
2013	Macys Pl	Empire Ave	NORTH END	72	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	12,243	12,243	27,268
1477	Magnolia Ct	WEST END	S Telephone Rd	75	3	Surface Treatment / Chip Seal	5.41	15,526	15,526	15,526
3630	Michelle Ct	SOUTH END	Willow Pine Dr	75	3	Surface Treatment / Chip Seal	5.41	5,284	5,284	5,284
3342	Nail Pkwy	NE 6th St	NE 7th St	66	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	18,858	18,858	18,858
3513	Nail Pkwy	NE 7th St	NE 8th St	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	6,432	6,432	6,432
1868	Norman Ave	NW 12th St	NW 14th St	50	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	58,352	58,352	134,983
3222	Norman Ave	NW 14th St	N Janeway Ave	43	3	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	35.15	76,631	76,631	134,983
2044	Norman Ave	SW 4th St	SW 4th Pl	45	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	27,775	27,775	195,175
2952	Norman Ave	SW 4th Pl	SW 3rd St	39	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	35,229	35,229	195,175
2954	Norman Ave	SW 3rd St	SW 2nd St	35	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	61,963	61,963	195,175
2949	Norman Ave	SW 2nd St	SW 1st St	36	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	35,479	35,479	195,175
2947	Norman Ave	SW 1st St	W Main St	37	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	34,729	34,729	195,175
2426	Oak Creek Dr	SOUTH END	NE 7th St	97	3	Surface Treatment / Chip Seal	5.41	5,841	5,841	41,231
2614	Oak Creek Dr	NE 7th St	NE 7th Cir	97	3	Surface Treatment / Chip Seal	5.41	4,516	4,516	41,231
1862	Oak Creek Dr	NE 7th Cir	Elm Creek Dr	81	3	Surface Treatment / Chip Seal	5.41	4,148	4,148	41,231
1863	Oak Creek Dr	Blackjack Ln	Elm Creek Dr	66	3	Surface Treatment / Chip Seal	5.41	5,933	5,933	41,231
1472	Oak Creek Dr	Blackjack Ln	DS@742N Blackjack Ln	73	3	Surface Treatment / Chip Seal	5.41	10,767	10,767	41,231
3595	Oak Creek Dr	DS@742N Blackjack Ln	NE 11th St	76	3	Surface Treatment / Chip Seal	5.41	2,466	2,466	41,231
1491	Oak Creek Dr	NE 11th St	NE 11th Cir	75	3	Surface Treatment / Chip Seal	5.41	4,586	4,586	41,231
2321	Oak Creek Dr	NE 11th Cir	NE 12th St	75	3	Surface Treatment / Chip Seal	5.41	2,974	2,974	41,231



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Current	Year of First Rehab					
2145	Oak Dr	Birch Dr	Pin Oak Rd	68	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	16,647	16,647	21,494
2142	Oak Dr	Pin Oak Rd	SW 31st St	61	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	4,847	4,847	21,494
2402	Old S Bryant Ave	Wimberley Creek Dr	SE 7th Pl	66	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	37,168	37,168	37,168
2597	Pioneer Ln	SOUTH END	NE 27th St	38	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	109,975	109,975	109,975
3709	Quail Ridge Dr	SE 38th St	SE 37th St	70	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	6,018	6,018	22,151
3704	Quail Ridge Dr	SE 37th St	SE 36th St	67	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,775	5,775	22,151
3721	Quail Ridge Dr	SE 36th St	SE 35th St	62	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,818	5,818	22,151
3720	Quail Ridge Dr	SE 35th St	NORTH END	63	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	4,540	4,540	22,151
3531	Santa Fe Ave	NW 13th St	NW 14th St	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	10,694	10,694	21,351
1987	Santa Fe Ave	NW 14th St	NW 14th Pl	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.35	10,657	10,657	21,351
2664	Santa Fe Ave	DS@281N NW 34th St	S Santa Fe Ave	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.36	5,715	5,715	5,715
3501	Santa Fe Ave	NW 35th St	NORTH END	58	3	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	26.50	28,566	28,566	28,566
4031	Santa Fe St	SE 1st St	E Main St	40	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	44,015	44,015	44,015
2361	Sharon Dr	NE 32nd St	NE 34th St	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	13,849	13,849	13,849
1840	Shields Blvd	NW 27th St	Cass Ave	48	3	FWM + Thick Overlay (> 2.0 - 3.0)	38.94	288,099	288,099	553,264
2431	Shields Blvd	NW 27th St	Shields Blvd	50	3	FWM + Thick Overlay (> 2.0 - 3.0)	38.94	265,165	265,165	553,264
4268	Sorano Dr	SW 39th St	Lagos Dr	88	3	Routine Maintenance	0.00	0	0	0
2382	Sunnylane Rd	S Sunnylane Rd	SE 38th St	83	3	Surface Treatment / Chip Seal	5.62	20,225	20,225	39,376
3481	Sunnylane Rd	SE 38th St	SE 34th St	69	3	Surface Treatment / Chip Seal	5.62	19,151	19,151	39,376
4276	Tahoe Dr	SOUTH END	NE 33rd Ter	74	3	Surface Treatment / Chip Seal	5.41	1,693	1,693	1,693
1161	Turner Ave	S Turner Ave	NE 1st St	40	3	FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Ptch	41.64	43,391	43,391	43,391
3974	Tyler Ln	SW 25th St	SW 24th St	66	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	5,754	5,754	5,754
1010	Wimberley Creek Dr	Ashwood Ln	DS@150E Ashwood Ln	64	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	8,827	8,827	65,839
2391	Wimberley Creek Dr	DS@150E Ashwood Ln	Julies Trl	67	3	Edge Mill + Thin Overlay (1.5 - 2.0)	21.90	57,012	57,012	65,839
1088	Wyndemere Blvd	Heatherwood Dr	SE 3rd St	65	3	Surface Treatment / Chip Seal + Strctrl Ptch	7.14	12,157	12,157	12,157
2571	Wyndemere Lakes Dr	DS@536N SE 3rd St	DS@1066N SE 3rd St	75	3	Surface Treatment / Chip Seal	5.41	7,371	7,371	7,371
3356	10th St	N Broadway Ave	Nail Pkwy	76	4	Surface Treatment / Chip Seal	5.62	15,073	15,073	15,073
3586	11th Pl	WEST END	Summerhill Dr	66	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,041	5,041	5,041
3906	11th St	Noah Dr	Lindsey Ln	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	2,472	2,472	2,472
3147	12th St	Hilltop Dr	N Sunnylane Rd	49	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	37.68	119,832	119,832	119,832
1005	13th St	Tara Dr	Meadow Run Dr	65	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,561	5,561	14,745
1004	13th St	Meadow Run Dr	January Pl	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	9,184	9,184	14,745
1277	15th St	Regency Blvd	Windermere Dr	50	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	102,874	102,874	138,079
1278	15th St	Windermere Dr	N Janeway Ave	48	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	35,205	35,205	138,079
4224	16th St	Pendleton Pl	NE 15th St	77	4	Surface Treatment / Chip Seal	5.62	8,661	8,661	8,661
1276	16th St	NW 17th St	N Janeway Ave	49	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	61,805	61,805	61,805
2216	17th St	NW 16th St	N Janeway Ave	49	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	43,833	43,833	43,833
1024	18th St	Camelot Dr	N Janeway Ave	56	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.00	35,798	35,798	35,798



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)	Year of First Rehab	Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
2239	19th St	Queensbury Rd	Tudor Dr	50	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	34,986	34,986	97,793
1080	19th St	Tudor Dr	Astoria Ave	48	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	62,807	62,807	97,793
1762	19th St	Tower Dr	Linda Ln	56	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.56	24,445	24,445	186,658
1985	19th St	Linda Ln	Sidney Dr	50	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.56	40,236	40,236	186,658
3239	19th St	Sidney Dr	Glenwood Dr	61	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.56	40,815	40,815	186,658
3234	19th St	Glenwood Dr	Kirby Dr	61	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.56	40,650	40,650	186,658
1766	19th St	Kirby Dr	Dale Dr	65	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.56	35,303	35,303	186,658
3697	19th St	Dale Dr	Dyer Dr	65	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.56	5,209	5,209	186,658
1876	23rd St	Nottingham Way	N Janeway Ave	48	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	88,836	88,836	88,836
3670	24th St	S Eastern Ave	Port Rush Dr	65	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	91,683	91,683	172,933
3656	24th St	Port Rush Dr	Augusta Dr	77	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	24,236	24,236	172,933
3671	24th St	Augusta Dr	Westchester Dr	63	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	22,892	22,892	172,933
3666	24th St	SE 25th St	Westchester Dr	68	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	34,122	34,122	172,933
3880	25th St	Ethan Ln	DS@565E Ethan Ln	81	4	Surface Treatment / Chip Seal	5.62	8,526	8,526	17,176
4098	25th St	DS@565E Ethan Ln	Siena Ln	73	4	Surface Treatment / Chip Seal	5.62	5,585	5,585	17,176
4101	25th St	Siena Ln	S Bryant Ave	73	4	Surface Treatment / Chip Seal	5.62	3,065	3,065	17,176
2517	26th Ct	Jefferson Dr	EAST END	49	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	22,629	22,629	22,629
2179	27th St	Chisholm Trail Ln	Land Run Rd	64	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	9,830	9,830	15,650
2178	27th St	Land Run Rd	S Sunnyslane Rd	70	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,820	5,820	15,650
1457	28th St	S Santa Fe Ave	Fleshmans Dr	50	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	210,465	210,465	210,465
4003	2nd St	S Howard Ave	S Broadway Ave	50	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	46,721	46,721	46,721
2787	30th St	DS@1985E S Santa Fe Ave	Fleshmans Dr	78	4	Surface Treatment / Chip Seal	5.62	1,822	1,822	1,822
1409	31st St	S Santa Fe Ave	Carey Pl	65	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	16,778	16,778	46,905
1408	31st St	Carey Pl	Blue Stem Blvd	71	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	16,103	16,103	46,905
1358	31st St	Blue Stem Blvd	Nighthawk Ln	65	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	14,024	14,024	46,905
1410	31st Ter	Carey Pl	Blue Stem Blvd	66	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	15,628	15,628	30,075
1357	31st Ter	Blue Stem Blvd	Nighthawk Ln	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	14,447	14,447	30,075
4204	33rd St	N Eastern Ave	Superior Dr	72	4	Surface Treatment / Chip Seal	5.62	8,785	8,785	13,082
4212	33rd St	Superior Dr	Michigan Ave	87	4	Surface Treatment / Chip Seal	5.62	4,297	4,297	13,082
1845	33rd St	Carey Pl	Blue Stem Blvd	69	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	14,922	14,922	31,003
2621	33rd St	Blue Stem Blvd	Nighthawk Ln	66	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	16,081	16,081	31,003
3724	34th St	S Bryant Ave	Shady Creek Ln	67	4	Edge Mill + Thin Overlay (1.5 - 2.0)	23.34	204,863	204,863	204,863
3645	34th St	DS@1775E S I-35 Service Rd	Kensington Dr	53	4	Edge Mill + Thin Overlay (1.5 - 2.0)	23.34	29,900	29,900	266,344
3642	34th St	Kensington Dr	Lake Woods Blvd	43	4	Edge Mill + Thin Overlay (1.5 - 2.0)	23.34	48,829	48,829	266,344
3685	34th St	Mackenzie Dr	S Eastern Ave	57	4	Edge Mill + Thin Overlay (1.5 - 2.0)	23.34	40,683	40,683	266,344
3681	34th St	S Eastern Ave	Green Apple Pl	83	4	Edge Mill + Thin Overlay (1.5 - 2.0)	23.34	44,278	44,278	266,344
3680	34th St	Green Apple Pl	Liberty Dr	83	4	Edge Mill + Thin Overlay (1.5 - 2.0)	23.34	16,479	16,479	266,344
3637	34th St	Liberty Dr	S Broadway Ave	83	4	Edge Mill + Thin Overlay (1.5 - 2.0)	23.34	86,175	86,175	266,344



GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)	Year of First Rehab	Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
3708	36th St	Harmony Dr	Quail Ridge Dr	67	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	37,448	37,448	37,448
3722	38th St	Hope Dr	Quail Ridge Dr	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	8,916	8,916	8,916
2384	38th St	SE 39th St	S Sunnyslane Rd	67	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	68,677	68,677	68,677
4084	39th St	DS@276E Rita Rd	DS@904E Rita Rd	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	12,487	12,487	28,805
2480	39th St	DS@904E Rita Rd	DS@1404E Rita Rd	66	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	9,963	9,963	28,805
4085	39th St	DS@1404E Rita Rd	SE 38th St	70	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	6,355	6,355	28,805
2674	3rd St	S Santa Fe St	S Turner Ave	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	10,535	10,535	10,535
3417	3rd St	S Dallas Ave	S Janeway Ave	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	22,413	22,413	22,413
4233	41st St	WEST END	Timber Creek Way	69	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	10,423	10,423	17,179
4234	41st St	Timber Creek Way	Timber Valley Dr	65	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	6,756	6,756	17,179
2581	4th St	N Bryant Ave	Allison Ln	61	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	20,232	20,232	50,522
2069	4th St	Allison Ln	Madeline Ln	41	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.24	30,290	30,290	50,522
3910	5th St	Ryan Rd	Samantha Ln	72	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	6,132	6,132	18,544
3912	5th St	Samantha Ln	Noah Rd	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	3,088	3,088	18,544
3913	5th St	Noah Rd	Lindsey Ln	65	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	2,910	2,910	18,544
3914	5th St	Lindsey Ln	Dayton Cir	65	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	6,414	6,414	18,544
1032	7th Cir	Oak Creek Dr	EAST END	77	4	Surface Treatment / Chip Seal	5.62	3,774	3,774	3,774
2963	7th Pl	S Bryant Ave	Old S Bryant Ave	58	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	10,136	10,136	20,272
2278	7th Pl	Old S Bryant Ave	Beechwood Way	76	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	10,136	10,136	20,272
2604	8th St	Beechwood Way	Dogwood Ct	71	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,353	5,353	20,105
2432	8th St	Dogwood Ct	Ashwood Ln	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	14,752	14,752	20,105
3062	9th St	S Howard Ave	S Broadway Ave	49	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	71,544	71,544	71,544
1150	Applewood St	SE 7th St	SE 6th St	68	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	25,671	25,671	25,671
3478	Blue Creek Dr	SE 34th St	SE 33rd St	66	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	4,863	4,863	4,863
1235	Blue Stem Blvd	SW 33rd St	SW 32nd St	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	7,387	7,387	22,154
1136	Blue Stem Blvd	SW 32nd St	DS@87N SW 32nd St	62	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.43	2,183	2,183	22,154
2685	Blue Stem Blvd	DS@87N SW 32nd St	SW 31st Ter	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,071	5,071	22,154
1040	Blue Stem Blvd	SW 31st Ter	SW 31st St	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	7,513	7,513	22,154
3270	Brookstone Ct	NE 27th St	NORTH END	68	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	54,805	54,805	54,805
3107	Bryant Ave	W Indian Hills Rd	S Broadway Ave	56	4	FWM + Thick Overlay (> 2.0 - 3.0)	40.49	174,007	174,007	266,255
3582	Bryant Ave	S Broadway Ave	Valley View	53	4	FWM + Thick Overlay (> 2.0 - 3.0)	40.50	53,170	53,170	266,255
3711	Bryant Ave	Valley View	DS@376N Valley View	63	4	FWM + Thick Overlay (> 2.0 - 3.0)	40.50	39,078	39,078	266,255
3206	Carol Ann Pl	San Juan Trls	Woodstock Rd	69	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	9,896	9,896	32,740
2851	Carol Ann Pl	Woodstock Rd	Lake Woods Blvd	74	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	11,782	11,782	32,740
3219	Carol Ann Pl	Lake Woods Blvd	Elmo Way	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	11,062	11,062	32,740
4021	Chestnut Ave	NW 2nd St	NW 3rd St	57	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.00	29,534	29,534	29,534
2657	Chisholm Trail Ln	SOUTH END	SE 27th St	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	10,423	10,423	17,016
2177	Chisholm Trail Ln	SE 27th St	SE 26th St	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	6,593	6,593	17,016



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year	of First Rehab					
4165	Creek Side Cir	DS@558N SE 23rd St	Pebble Creek St	76	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	13,530	13,530	65,487
4161	Creek Side Cir	Pebble Creek St	Cedar Creek Dr	81	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	18,883	18,883	65,487
4164	Creek Side Cir	Cedar Creek Dr	NORTH END	64	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	33,074	33,074	65,487
3415	Dallas Ave	SW 4th Pl	SW 3rd St	49	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	41,457	41,457	41,457
2038	Dillon Ave	S Dillon Ave	NW 1st St	49	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	30,818	30,818	30,818
2567	Empire Ave	Macys Pl	Sachs Ave	70	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,382	5,382	10,742
1496	Empire Ave	Sachs Ave	Syracuse St	65	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,360	5,360	10,742
3881	Ethan Ln	SOUTH END	NE 25th St	69	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	10,706	10,706	50,500
3879	Ethan Ln	NE 25th St	NE 26th St	61	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	19,931	19,931	50,500
3877	Ethan Ln	NE 26th St	NE 27th Ter	72	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	19,863	19,863	50,500
4278	Grady Ln	NE 33rd Ter	NE 35th St	77	4	Surface Treatment / Chip Seal	5.62	6,204	6,204	6,204
1993	Hedgewood Dr	SE END	Ashwood Ln	61	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	40,956	40,956	80,818
1789	Hedgewood Dr	Ashwood Ln	SE 5th St	72	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	39,862	39,862	80,818
4219	Huron Cir	SOUTH END	NE 33rd Ter	67	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	27,608	27,608	27,608
1812	I-35 Service Rd	S I-35 Service Rd	S I- 35 Service Road	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	12,450	12,450	12,450
2397	I-35 Service Rd	DS@919N I-35 Ramp	SW 14th St	75	4	Surface Treatment / Chip Seal	5.62	12,615	12,615	69,084
3528	I-35 Service Rd	SW 14th St	SW 11th St	78	4	Surface Treatment / Chip Seal	5.62	21,097	21,097	69,084
3101	I-35 Service Rd	SW 11th St	Bill Warren Dr	79	4	Surface Treatment / Chip Seal	5.62	19,106	19,106	69,084
3100	I-35 Service Rd	Bill Warren Dr	SW 6th St	70	4	Surface Treatment / Chip Seal	5.62	16,266	16,266	69,084
3508	I-35 Service Rd	SW 27th St	I-35 Ramp	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	75,704	75,704	83,737
4167	I-35 Service Rd	Private Dr	SW 27th St	61	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	8,033	8,033	83,737
2228	Indian Hills Rd	DS@907E Private Dr	Private Dr	86	4	Slurry Seal / Preventive Maintenance	3.71	2,238	2,238	2,238
2046	Irving Dr	SW 3rd St	SW 2nd St	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,501	5,501	26,066
3076	Irving Dr	SW 2nd St	SW 1st Pl	73	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	7,573	7,573	26,066
3075	Irving Dr	SW 1st Pl	SW 1st St	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	6,370	6,370	26,066
2176	Irving Dr	SW 1st St	NW 1st St	59	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	6,622	6,622	26,066
2852	Julies Trl	SE 10th Ct	SE 10th Pl	77	4	Surface Treatment / Chip Seal	5.62	2,188	2,188	12,937
2854	Julies Trl	SE 10th Pl	SE 10th St	85	4	Surface Treatment / Chip Seal	5.63	2,115	2,115	12,937
2387	Julies Trl	SE 10th St	Desiree Pl	76	4	Surface Treatment / Chip Seal	5.62	1,946	1,946	12,937
2386	Julies Trl	Desiree Pl	SE 9th St	80	4	Surface Treatment / Chip Seal	5.62	2,368	2,368	12,937
2385	Julies Trl	SE 9th St	Wimberley Creek Dr	66	4	Surface Treatment / Chip Seal	5.63	2,492	2,492	12,937
2376	Julies Trl	Wimberley Creek Dr	SE 8th St	79	4	Surface Treatment / Chip Seal	5.62	1,828	1,828	12,937
3641	Lake Woods Blvd	SW 34th St	Carol Ann Pl	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	8,040	8,040	8,040
3905	Lindsey Ln	SE 11th St	SE 10th St	77	4	Surface Treatment / Chip Seal	5.62	3,403	3,403	16,035
3904	Lindsey Ln	SE 10th St	SE 9th St	75	4	Surface Treatment / Chip Seal	5.62	12,632	12,632	16,035
1453	Lost Creek Dr	NE 12th St	NE 14th St	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	22,495	22,495	36,074
2204	Lost Creek Dr	NE 14th St	NE 15th St	69	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	13,579	13,579	36,074
1386	Main St	S Baer Dr	S Janeway Ave	51	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	65,017	65,017	65,017



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year	of First Rehab					
4181	Max Morgan Blvd	SW 19th St	Private Dr	77	4	Surface Treatment / Chip Seal	5.62	7,233	7,233	17,790
3940	Max Morgan Blvd	Private Dr	SW 17th St	76	4	Surface Treatment / Chip Seal	5.62	10,557	10,557	17,790
1831	Messenger Ln	DS@927N SOUTH END	DS@1518N SOUTH END	49	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	79,130	79,130	79,130
2275	Messenger Ln	DS@1518N SOUTH END	NE 12th St	76	4	Surface Treatment / Chip Seal	5.62	19,449	19,449	19,449
4206	Michigan Ave	NE 33rd St	NE 33rd Ter	77	4	Surface Treatment / Chip Seal	5.62	4,556	4,556	4,556
1234	Nighthawk Ln	SW 33rd St	SW 32nd St	73	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,798	5,798	17,855
1041	Nighthawk Ln	SW 32nd St	SW 31st Ter	65	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	6,058	6,058	17,855
2695	Nighthawk Ln	SW 31st Ter	SW 31st St	65	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,999	5,999	17,855
4159	Pebble Creek St	Northfork Dr	Creek Side Cir	76	4	Surface Treatment / Chip Seal	5.62	10,697	10,697	10,697
2515	Piccadilly Cir	NW 23rd St	NORTH END	76	4	Surface Treatment / Chip Seal	5.62	6,102	6,102	6,102
3432	Private Dr	Private Dr	Private Dr	20	4	ACP Full Depth Reconstruction	87.74	56,504	56,504	56,504
3433	Private Dr	Private Dr	Private Dr	37	4	Surf Recon + Base Rehab / FWM + Strctrl Ptch + Olay	56.80	28,232	28,232	28,232
3428	Private Dr	Private Dr	Private Dr	19	4	ACP Full Depth Reconstruction	87.74	98,268	98,268	146,261
3431	Private Dr	Private Dr	Private Dr	22	4	ACP Full Depth Reconstruction	87.74	47,993	47,993	146,261
3707	Quail Run Dr	SE 35th St	SE 34th St	66	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	7,587	7,587	7,587
2202	Red Apple Cir	SOUTH END	SW 39th St	50	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	29,487	29,487	29,487
1649	Regency Blvd	NW 12th St	NW 14th St	50	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	118,339	118,339	216,973
2773	Regency Blvd	NW 14th St	NW 15th St	48	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	34,511	34,511	216,973
1475	Regency Blvd	NW 15th St	Windermere Dr	46	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	32,244	32,244	216,973
1328	Regency Blvd	Windermere Dr	Queensbury Rd	56	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	31,879	31,879	216,973
1082	Regency Blvd	Tudor Dr	Camelot Dr	55	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	60,065	60,065	167,729
1081	Regency Blvd	Camelot Dr	NW 19th St	49	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	35,571	35,571	167,729
1793	Regency Blvd	NW 19th St	NW 21st St	45	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	37,326	37,326	167,729
1972	Regency Blvd	NW 21st St	NW 22nd St	47	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	34,767	34,767	167,729
1633	Regina Dr	WEST END	DS@301E WEST END	48	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	26,848	26,848	113,244
3151	Regina Dr	DS@301E WEST END	N Sunnyslane Rd	49	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	86,396	86,396	113,244
3539	Renita Ct	SW END	Renita Way	59	4	EM/FWM + Moderate Overlay (2.0 - 3.0)	32.06	23,627	23,627	23,627
1279	Renita Way	Renita Ct	Ashwood Ln	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	7,031	7,031	28,872
2050	Renita Way	Renita Ct	SE 9th St	73	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	7,550	7,550	28,872
3963	Renita Way	SE 9th St	Wimberley Creek Dr	71	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	9,280	9,280	28,872
4033	Renita Way	Wimberley Creek Dr	NE END	51	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,011	5,011	28,872
3803	Riverwalk Dr	SW 19th St	S I-35 Service Rd	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	38,590	38,590	38,590
3989	San Juan Trls	Carol Ann Pl	SW 32nd St	64	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	39,657	39,657	135,646
3993	San Juan Trls	SW 32nd St	Woods Way	68	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	58,723	58,723	135,646
3994	San Juan Trls	Woods Way	SW 28th St	73	4	Edge Mill + Thin Overlay (1.5 - 2.0)	22.78	37,266	37,266	135,646
1904	Santa Fe Ave	DS@1169N NW 27th St	NW 32nd St	54	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.56	22,433	22,433	138,926
3162	Santa Fe Ave	NW 32nd St	DS@183N NW 32nd St	56	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.56	26,484	26,484	138,926
3163	Santa Fe Ave	DS@183N NW 32nd St	NW 33rd St	63	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.56	37,343	37,343	138,926



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year of First Rehab	Year of Second Rehab					
3142	Santa Fe Ave	NW 33rd St	DS@364N NW 33rd St	61	4	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	27.56	52,666	52,666	138,926
2620	Santa Fe St	NE 2nd St	NE 3rd St	50	4	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	36.56	34,913	34,913	34,913
2383	Sparrow Dr	SOUTH END	SE 33rd St	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	5,702	5,702	12,696
2379	Sparrow Dr	SE 33rd St	SE 31st Pl	68	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	6,994	6,994	12,696
1295	Stefanie Ln	NE 20th St	NE 21st St	50	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	33,847	33,847	33,847
1494	Syracuse St	Meadowland Dr	Empire Ave	66	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	4,878	4,878	11,946
2135	Syracuse St	Empire Ave	NORTH END	70	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.42	7,068	7,068	11,946
2428	Telephone Rd	NW 1st St	NW 2nd St	81	4	Edge Mill + Thin Overlay (1.5 - 2.0)	23.34	25,978	25,978	129,938
1886	Telephone Rd	NW 2nd St	NW 5th St	64	4	Edge Mill + Thin Overlay (1.5 - 2.0)	23.34	103,960	103,960	129,938
1362	Telephone Rd	36th Ave NW	Hillsdale Baptist College Rd	66	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.65	10,540	10,540	47,584
2042	Telephone Rd	Hillsdale Baptist College Rd	DS@110N Hillsdale Baptist College Rd	52	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.65	2,157	2,157	47,584
1129	Telephone Rd	DS@110N Hillsdale Baptist College Rd	SW 40th St	66	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.65	8,995	8,995	47,584
1034	Telephone Rd	SW 40th St	SW 38th St	67	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.65	10,663	10,663	47,584
1182	Telephone Rd	SW 38th St	SW 35th St	71	4	Surface Treatment / Chip Seal + Strctrl Ptch	7.65	15,229	15,229	47,584
1888	Turner Ave	Turner Ave Apt	NE 2nd St	52	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	16,216	16,216	38,781
1822	Turner Ave	NE 2nd St	Turner Ave Apt	47	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	22,565	22,565	38,781
1144	West End Ave	SW 39th St	SW 38th Pl	51	4	FWM + Thick Overlay (> 2.0 - 3.0)	38.25	27,307	27,307	27,307
2370	10th Ct	Julies Trl	EAST END	77	5	Surface Treatment / Chip Seal	5.85	5,814	5,814	5,814
1458	11th St	Kelsi Dr	Jacob Dr	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	6,215	6,215	6,215
1882	11th St	S Howard Ave	S Broadway Ave	68	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	14,546	14,546	14,546
2333	12th St	Lost Creek Dr	Clear Creek Rd	40	5	Surf Recon + Base Rehab / FWM + Strctrl Ptch + Olay	62.00	156,618	156,618	156,618
1273	12th St	S Howard Ave	S Broadway Ave	59	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	53,037	53,037	53,037
2456	14th St	Regency Blvd	St George Ave	54	5	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	38.02	29,694	29,694	92,275
2582	14th St	St George Ave	Cavalier Dr	56	5	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	38.02	28,629	28,629	92,275
1865	14th St	Cavalier Dr	N Norman Ave	43	5	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	38.02	33,952	33,952	92,275
1877	156th St	S Sunnyslane Rd	EAST END	22	5	ACP Full Depth Reconstruction	91.25	417,647	417,647	417,647
3939	17th St	Yule	DS@468E Yule	59	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	38,325	38,325	38,325
2150	18th St	WEST END	High Meadow Ln	71	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	30,985	30,985	48,118
2203	18th St	High Meadow Ln	EAST END	66	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	17,133	17,133	48,118
1595	1st St	N Santa Fe St	N Turner Ave	59	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	34,590	34,590	34,590
2802	1st St	Evie Pl	Asher Ct	72	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	5,551	5,551	12,446
2416	1st St	Asher Ct	N Bryant Ave	65	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	6,895	6,895	12,446
2957	1st St	S Markwell Ave	S Norman Ave	52	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.78	123,422	123,422	123,422
1674	25th Cir	SW END	SW 25th St	58	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	18,587	18,587	18,587
1821	27th St	Larkspur Rd	Kings Rd	72	5	Edge Mill + Thin Overlay (1.5 - 2.0)	24.27	44,034	44,034	194,439
2970	27th St	Kings Rd	Queensbury Rd	66	5	Edge Mill + Thin Overlay (1.5 - 2.0)	24.27	43,767	43,767	194,439
2971	27th St	Queensbury Rd	Yorkshire Cir	75	5	Edge Mill + Thin Overlay (1.5 - 2.0)	24.28	20,828	20,828	194,439
2967	27th St	Yorkshire Cir	Yorkshire Ave	72	5	Edge Mill + Thin Overlay (1.5 - 2.0)	24.27	13,035	13,035	194,439



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year of First Rehab	Year of Second Rehab					
2969	27th St	Yorkshire Ave	Nottingham Way	72	5	Edge Mill + Thin Overlay (1.5 - 2.0)	24.27	35,538	35,538	194,439
2061	27th St	Nottingham Way	Regency Blvd	66	5	Edge Mill + Thin Overlay (1.5 - 2.0)	24.27	37,237	37,237	194,439
2392	29th St	Larkspur Rd	Prairie Field Ln	67	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	8,285	8,285	13,049
2393	29th St	Prairie Field Ln	EAST END	72	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	4,764	4,764	13,049
2337	2nd St	Nelson Park Cir	DS@269E Nelson Park Cir	51	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.78	31,224	31,224	31,224
2899	2nd St	N Markwell Ave	N Butler Ave	60	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	37,763	37,763	86,335
1055	2nd St	N Butler Ave	N Arnold Ave	57	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	25,072	25,072	86,335
1056	2nd St	N Arnold Ave	N Norman Ave	57	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	23,500	23,500	86,335
3966	2nd St	S Markwell Ave	S Cagle Ave	49	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.78	87,346	87,346	126,206
2951	2nd St	S Cagle Ave	S Norman Ave	60	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.77	38,860	38,860	126,206
2691	30th St	Clarisa Dr	Loren Dr	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	10,161	10,161	10,161
2675	31st St	Maple Ln	S Santa Fe Ave	52	5	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	38.02	33,876	33,876	33,876
2458	32nd St	Red Rock Dr	SE 31st Pl	70	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	49,061	49,061	49,061
3992	32nd St	San Juan Trls	Woodstock Rd	77	5	Surface Treatment / Chip Seal	5.85	7,780	7,780	7,780
4074	33rd St	Blue Creek Dr	Blue Creek Dr	80	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	3,577	3,577	17,886
2904	33rd St	Blue Creek Dr	Sparrow Dr	66	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	14,309	14,309	17,886
1945	35th Pl	Notting Hill Dr	Kensington Dr	67	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	2,587	2,587	5,174
1944	35th Pl	Kensington Dr	Kensington Dr	72	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	2,587	2,587	5,174
2105	35th St	WEST END	Mackenzie Dr	51	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.78	58,072	58,072	58,072
3713	37th St	Hope Dr	Quail Ridge Dr	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	8,014	8,014	12,160
3702	37th St	Quail Ridge Dr	S Bryant Ave	67	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	4,146	4,146	12,160
1312	37th St	WEST END	Mackenzie Dr	51	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.78	57,913	57,913	57,913
2248	38th Pl	West End Ave	EAST END	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	13,180	13,180	13,180
2164	38th St	Meadow Ln	Park Glenn Dr	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	35,131	35,131	50,480
1584	38th St	Park Glenn Dr	S Telephone Rd	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	15,349	15,349	50,480
1851	39th St	WEST END	Mackenzie Dr	72	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	6,818	6,818	30,739
1852	39th St	Mackenzie Dr	DS@257E Mackenzie Dr	62	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	5,328	5,328	30,739
1354	39th St	DS@257E Mackenzie Dr	New London Ave	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	11,327	11,327	30,739
1803	39th St	New London Ave	S Eastern Ave	73	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	7,266	7,266	30,739
1154	39th St	Madison Ave	SW 40th St	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	12,199	12,199	12,199
2441	45th St	S Eastern Ave	Apple Estates Rd	59	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	105,259	105,259	123,144
1240	45th St	Apple Estates Rd	EAST END	52	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	17,885	17,885	123,144
1525	5th St	Beechwood Way	Heatherwood Dr	60	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	44,108	44,108	85,156
2339	5th St	Heatherwood Dr	DS@360E Heatherwood Dr	56	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	28,301	28,301	85,156
2340	5th St	DS@360E Heatherwood Dr	Hedgewood Dr	63	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	12,747	12,747	85,156
3534	6th Cir	Kelsi Dr	EAST END	50	5	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	38.02	43,381	43,381	43,381
2583	6th St	S Eastern Ave	Eastmoor Ct	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	19,079	19,079	19,079
2708	7th St	S Telephone Rd	Classen Ave	68	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	13,018	13,018	13,018



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Year of First Rehab	Year of Second Rehab					
2910	8th St	S Howard Ave	SW 7th St	51	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.78	32,417	32,417	32,417
3898	9th St	Lindsey Ln	Dayton Ln	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	5,660	5,660	5,660
4146	Acoma Dr	SW 40th St	Carmona Lakes Dr	78	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	20,255	20,255	88,931
3858	Acoma Dr	Carmona Lakes Dr	DS@494N Carmona Lakes Dr	61	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	34,137	34,137	88,931
3857	Acoma Dr	DS@494N Carmona Lakes Dr	Sendera Lakes Dr	56	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	9,736	9,736	88,931
3856	Acoma Dr	Lago Dr	Sendera Lakes Dr	81	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	24,803	24,803	88,931
2728	Applegate Dr	SOUTH END	SW 44th St	66	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	4,764	4,764	29,734
1392	Applegate Dr	SW 44th St	SW 43rd St	75	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	6,030	6,030	29,734
1405	Applegate Dr	SW 43rd St	SW 42nd St	65	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	3,413	3,413	29,734
3495	Applegate Dr	SW 42nd St	NORTH END	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	15,527	15,527	29,734
2049	Ashwood Ln	Renita Way	SE 9th St	67	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	7,042	7,042	20,801
1009	Ashwood Ln	SE 9th St	Wimberley Creek Dr	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	13,759	13,759	20,801
3655	Augusta Dr	SE 25th St	SE 24th St	68	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	5,235	5,235	5,235
3621	Auzela Cir	Judy Ter	NE END	70	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	14,403	14,403	14,403
1535	Baer Dr	SW 1st St	W Main St	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	10,161	10,161	10,161
2374	Bryan Dr	SE 10th St	SE 10th St	51	5	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	38.02	3,840	3,840	3,840
2099	Bryant Ave	NE 13th St	DS@1056N NE 13th St	77	5	Surface Treatment / Chip Seal	6.08	16,486	16,486	69,282
1903	Bryant Ave	DS@1056N NE 13th St	DS@1348N NE 13th St	85	5	Surface Treatment / Chip Seal	6.08	4,976	4,976	69,282
2289	Bryant Ave	DS@1348N NE 13th St	DS@2014N NE 13th St	79	5	Surface Treatment / Chip Seal	6.08	10,415	10,415	69,282
1342	Bryant Ave	DS@2014N NE 13th St	DS@2510N NE 13th St	76	5	Surface Treatment / Chip Seal	6.08	7,038	7,038	69,282
2212	Bryant Ave	DS@2510N NE 13th St	DS@3346N NE 13th St	79	5	Surface Treatment / Chip Seal	6.08	11,868	11,868	69,282
4103	Bryant Ave	DS@3346N NE 13th St	S Bryant Ave	73	5	Surface Treatment / Chip Seal	6.08	7,227	7,227	69,282
1776	Bryant Ave	S Bryant Ave	NE 27th St	80	5	Surface Treatment / Chip Seal	6.08	11,272	11,272	69,282
2065	Cedar Valley Rd	SW 33rd St	SW 32nd St	71	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	6,532	6,532	13,064
2064	Cedar Valley Rd	SW 32nd St	SW 31st St	68	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	6,532	6,532	13,064
1130	Danielle Ter	SW 30th St	SW 28th St	59	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	33,664	33,664	33,664
1131	Danielle Ter	SW 28th St	SW 27th St	68	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	4,023	4,023	4,023
2207	Denver Cir	SOUTH END	SE 12th St	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	10,678	10,678	10,678
3354	Eberle Dr	Kelley Dr	Freeman Dr	58	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	20,412	20,412	20,412
3797	Green Apple Pl	SW 37th St	SW 36th St	79	5	Surface Treatment / Chip Seal	5.85	5,569	5,569	13,255
3798	Green Apple Pl	SW 36th St	SW 34th St	76	5	Surface Treatment / Chip Seal	5.85	7,686	7,686	13,255
3714	Harmony Dr	SE 38th St	SE 36th St	69	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	40,320	40,320	40,320
1138	Heather Ln	SW 11th St	SW 10th St	64	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	7,621	7,621	29,278
1048	Heather Ln	SW 10th St	SW 9th St	67	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	7,543	7,543	29,278
1860	Heather Ln	SW 9th St	SW 8th St	82	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	6,733	6,733	29,278
1246	Heather Ln	Kings Manor Dr	SW 8th St	67	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	7,381	7,381	29,278
4171	I-35 Service Rd	Private Dr	Private Dr	50	5	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	38.02	50,301	50,301	50,301
3851	Indian Hills Rd	S Eastern Ave	Private Dr	78	5	Surface Treatment / Chip Seal	6.08	41,908	41,908	56,070



\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)		Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
				Current	Year of First Rehab					
3850	Indian Hills Rd	Private Dr	DS@262E Private Dr	78	5	Surface Treatment / Chip Seal	6.08	4,088	4,088	56,070
2437	Indian Hills Rd	DS@262E Private Dr	DS@907E Private Dr	81	5	Surface Treatment / Chip Seal	6.08	10,074	10,074	56,070
3689	Industrial Blvd	DS@11E WEST END	S Broadway Ave	51	5	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	38.02	201,052	201,052	201,052
1157	Jacob Dr	SE 5th St	SE 4th St	51	5	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	38.02	36,195	36,195	36,195
1551	January Pl	SE 14th St	SE 13th St	51	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.77	28,598	28,598	28,598
3620	Judy Ter	Auzela Cir	Willow Pine Dr	51	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.77	37,985	37,985	37,985
4107	Ladera Cir	NE 13th St	NORTH END	69	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	21,913	21,913	21,913
3855	Lago Dr	Carmona Lakes Dr	Acoma Dr	81	5	Surface Treatment / Chip Seal	5.85	8,154	8,154	18,016
3862	Lago Dr	Acoma Dr	Sendera Lakes Dr	74	5	Surface Treatment / Chip Seal	5.85	9,862	9,862	18,016
1066	Loren Dr	NE 28th St	NE 30th St	77	5	Surface Treatment / Chip Seal	5.85	4,323	4,323	4,323
2245	Madison Ave	Manhattan Dr	SW 40th St	70	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	12,099	12,099	17,898
1153	Madison Ave	SW 40th St	SW 39th St	64	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	5,799	5,799	17,898
3999	Main St	S Chestnut Ave	S Howard Ave	77	5	Surface Treatment / Chip Seal	5.85	25,099	25,099	25,099
1043	Maple Ln	SW 31st St	SW 31st St	66	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	12,045	12,045	23,837
1799	Maple Ln	SW 31st St	Oak Dr	52	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	11,792	11,792	23,837
1601	Mead Ln	Odom Way	NW 19th St	52	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.77	43,116	43,116	43,116
3032	Metlock Ln	NE 18th St	NE 19th Ter	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	11,914	11,914	11,914
3909	Noah Dr	SOUTH END	SE 11th St	78	5	Surface Treatment / Chip Seal	5.85	2,340	2,340	2,340
3199	Pin Oak Rd	SW 34th St	SW 33rd St	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	7,127	7,127	20,245
1227	Pin Oak Rd	SW 33rd St	Oak Dr	68	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	13,118	13,118	20,245
4179	Private Dr	Private Dr	Max Morgan Blvd	78	5	Surface Treatment / Chip Seal	5.85	23,596	23,596	23,596
3426	Private Dr	Private Dr	Private Dr	21	5	ACP Full Depth Reconstruction	91.25	110,502	110,502	110,502
4241	Private Road	SE 4th St	Private Road	81	5	Surface Treatment / Chip Seal	5.85	9,324	9,324	34,803
4240	Private Road	Private Road	Private Road	78	5	Surface Treatment / Chip Seal	5.85	8,107	8,107	34,803
4239	Private Road	WEST END	S Eastern Ave	76	5	Surface Treatment / Chip Seal	5.85	17,372	17,372	34,803
2244	Queens Dr	Manhattan Dr	SW 41st St	67	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	44,702	44,702	72,490
1518	Queens Dr	SW 41st St	SW 39th St	72	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	27,788	27,788	72,490
2039	Queensbury Rd	NW 18th St	Regency Blvd	52	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.78	95,222	95,222	95,222
2552	Queensbury Rd	NW 18th St	NW 19th St	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	4,710	4,710	4,710
3532	Queensbury Rd	Astoria Ave	NW 22nd St	73	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	23,405	23,405	46,621
2237	Queensbury Rd	NW 22nd St	NW 23rd St	66	5	Edge Mill + Thin Overlay (1.5 - 2.0)	23.69	23,216	23,216	46,621
1003	Ryan Rd	SE 6th St	SE 5th St	58	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	22,602	22,602	22,602
3122	Sachs Ave	SW 43rd St	Manhattan Dr	66	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	6,169	6,169	14,662
2011	Sachs Ave	Manhattan Dr	Meadowland Dr	71	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	3,420	3,420	14,662
2111	Sachs Ave	Meadowland Dr	Empire Ave	72	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	5,073	5,073	14,662
3897	Samantha Ln	SE 8th St	SE 5th St	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	19,951	19,951	19,951
1083	Shields Blvd	NW 27th St	N Janeway Ave	56	5	FWM + Thick Overlay (> 2.0 - 3.0)	42.11	103,476	103,476	491,859
1839	Shields Blvd	N Janeway Ave	NW 34th St	57	5	FWM + Thick Overlay (> 2.0 - 3.0)	42.11	266,208	266,208	491,859




\$5000k/Year Rehabilitation Plan

Current PCI Date: 1/1/2023
Analysis Start Date: 1/1/2023

GISID	On Street	From Street	To Street	Current Segment PCI (CPCI)	Year of First Rehab	Rehab Activity	Avg Unit Rate (\$/yd2)	Segment Pavement Cost (\$)	Segment Total Cost (\$)	Whole Project Cost (\$)
3155	Shields Blvd	NW 34th St	NW 35th St	67	5	FWM + Thick Overlay (> 2.0 - 3.0)	42.11	122,175	122,175	491,859
2777	St George Cir	WEST END	N Janeway Ave	51	5	EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Ptch	38.02	38,553	38,553	38,553
2924	Summerhill Dr	WEST END	DS@159E WEST END	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	5,698	5,698	5,698
1642	Tara Dr	SE 14th St	SE 13th St	59	5	Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Ptch	28.08	15,554	15,554	15,554
1110	Telephone Rd	Magnolia Ct	SW 25th St	59	5	FWM + Thick Overlay (> 2.0 - 3.0)	42.11	371,917	371,917	787,128
3801	Telephone Rd	SW 25th St	SW 19th St	58	5	FWM + Thick Overlay (> 2.0 - 3.0)	42.11	415,211	415,211	787,128
3653	Wesley Cir	S Broadway Ave	NE END	52	5	FWM + Thick Overlay (> 2.0 - 3.0)	39.78	26,053	26,053	26,053
3665	Westchester Dr	SE 24th St	SE 23rd St	63	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	5,721	5,721	10,338
3657	Westchester Dr	SE 23rd St	NORTH END	77	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	4,617	4,617	10,338
1336	Wyndemere Ct	SOUTH END	E Main St	78	5	Surface Treatment / Chip Seal	5.85	6,329	6,329	6,329
1767	Wyndemere Lakes Dr	DS@1066N SE 3rd St	E Main St	69	5	Surface Treatment / Chip Seal + Strctrl Ptch	7.72	4,918	4,918	4,918
1429	Wyndemere Spgs	SE 3rd St	NORTH END	77	5	Surface Treatment / Chip Seal	5.85	8,844	8,844	8,844

Appendix C
Full-Size Maps





Pavement Analysis
Pavement Condition
Descriptive GFP
by Segment

Legend

Descriptive Pavement Condition

85 - 100

Excellent

70 - 85

Very Good

60 - 70

Good

50 - 60

Fair

40 - 50

Marginal

25 - 40

Poor

0 - 25

Very Poor



Ward 1

Ward 2

Ward 3

City Limits

1234 GISID





Pavement Analysis
Functional Classification
by Segment

Legend

Functional Classification

Highway

Minor Arterial

Local



Ward 1

Ward 2

Ward 3

City Limits

1234 GISID





Pavement Analysis
Pavement Type
by Segment

Legend

Pavement Type

Asphalt

Concrete


Ward 1

Ward 2

Ward 3

City Limits

GISID



0 0.25 0.5 1 Miles



Pavement Analysis
Assembled Projects
by Project ID

Legend



Ward 1

Ward 2

Ward 3


City Limits

1234 ProjectID





Pavement Analysis
5-Year Rehab Plan:
\$5 Mil Annual Budget
by Rehab Year and Activity



Legend

Rehab Activity

Routine Maintenance

Slurry Seal / Preventive Maintenance

Surface Treatment / Chip Seal

Surface Treatment / Chip Seal + Strctrl Pch

EM/FWM + Moderate Overlay (2.0 - 3.0)

EM/FWM + Moderate Overlay (2.0 - 3.0) + Strctrl Pch

Edge Mill + Thin Overlay (1.5 - 2.0)

Edge Mill + Thin Overlay (1.5 - 2.0) + Strctrl Pch

FWM + Thick Overlay (> 2.0 - 3.0)

FWM + Thick Overlay (> 2.0 - 3.0) + Strctrl Pch

Surf Recon + Base Rehab / FWM + Strctrl Pch + Olay

ACP Full Depth Reconstruction

PCC Extensive Pnl Rplcmnt (<33%) + Grind

PCC Jnt Rehab & Crk Seal

PCC Partial Reconstruction

Rehab Year

2023

2024

2025

2026

2027

Ward 1

Ward 2

Ward 3

City Limits

1234 GISID



0 0.25 0.5 1 Miles



Pavement Analysis
5-Year Post Rehab PCI:
\$5 Mil Annual Budget
by Segment

Legend

Post PCI

85 - 100

70 - 85

60 - 70

50 - 60

40 - 50

25 - 40

0 - 25

Excellent

Very Good

Good

Fair

Marginal

Poor

Very Poor

Ward 1

Ward 2

Ward 3

City Limits

1234 GISID

